

# MF 10033 Millard Fuel Filter

Catalog Europe, 04/04/2026



## DIMENSIONS

H (Height):	246 mm
OD (Outer Diameter):	95 mm
Th (Thread):	1"-14
Drain (Drain):	M14 x 2
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm
1 Unit/s (OD/ID)	32 mm / 26 mm

## PROPERTIES

### DRAIN

## PRESENTATION

UNITS PER BOX:	12
WEIGHT:	13.2 Kg
VOLUME:	0.04 cbm
EAN13:	5055148223670
ITF14:	75055148223679

For updated information visit <http://mlrd.es/MF-10033>

## CROSS REFERENCES

<b>BALDWIN</b>	BF1293SPS	<b>LUBERFINER</b>	LFF1003
<b>CUMMINS</b>	3406889	<b>MANN-FILTER</b>	WK10017x
<b>CUMMINS</b>	3954891	<b>TATA</b>	220747709902
<b>DAF</b>	181 4637	<b>TERBERG-BENSCHOP</b>	T13017183
<b>DONALDSON</b>	P551103	<b>VDL</b>	30014592
<b>FLEETGUARD</b>	FS19596	<b>WIX FILTERS</b>	33604XE
<b>FRAM</b>	PS8687		



## APPLICATIONS (EUROPE)

### ALEXANDER DENNIS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ENVIRO500	500	ISLe 330 Diesel	240	322	326	2011	
ENVIRO500	500	ISLe 380 Diesel	283	379	385	2011	

### AVIA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
D-Line	D 100.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 100.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 110.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 110.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 120.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 120.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 120.207	ISBe5-207; ISBe4-207	152	204	207	2006	
D-Line	D 60.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 60.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 65.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 65.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 70.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 70.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 75.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 75.185	ISBe5-185; ISBe4-185	136	182	185	2006	

<b>AVIA</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
D-Line	D 75.207	ISBe5-207; ISBe4-207	152	204	207	2006	
D-Line	D 80.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 80.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 85.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 85.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 90.160	ISBe5-160; ISBe4-160	117	157	159	2006	
D-Line	D 90.185	ISBe5-185; ISBe4-185	136	182	185	2006	
D-Line	D 90.207	ISBe5-207; ISBe4-207	152	204	207	2006	

<b>BERKHOF</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
Ambassador	ALE 106-205; AL	ISBe-205 Diesel	151	202	205	2007	
Ambassador	ALE 106-225; AL	ISBe-225 Diesel	165	221	224	2007	

<b>BMC</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FATIH	280 SDB	ISC 260 Diesel	194	260	264	2007	
FATIH	280 SDT	ISC 260 Diesel	194	260	264	2007	
FATIH	280 SHT	ISC 260 Diesel	194	260	264	2007	
PROFESSIONAL	1142 ACB	ISMe 410 Diesel	300	402	408	2008	
PROFESSIONAL	1142 ACX	ISMe 410 Diesel	300	402	408	2008	
PROFESSIONAL	1144 ACX	ISM11E4-440 Diesel	324	434	440	2011	
PROFESSIONAL	935 FDB	ISLe 350 Diesel	258	346	351	2008	
PROFESSIONAL	935 FDE	ISLe 350 Diesel	258	346	351	2008	
PROFESSIONAL	935 FTB	ISLe 350 Diesel	258	346	351	2008	
PROFESSIONAL	935 FTE	ISLe 350 Diesel	258	346	351	2008	
PROFESSIONAL	938	ISLe4 380 Diesel	280	375	380	2007	
PROFESSIONAL	938 EDB	ISLe5 380 Diesel	280	375	380	2008	
PROFESSIONAL	938 EDE	Diesel	280	375	380	2008	
PROFESSIONAL	938 EDE	ISLe5 380 Diesel	280	375	380	2008	
PROFESSIONAL	938 ETB	ISLe5 380 Diesel	280	375	380	2008	
PROFESSIONAL	938 ETE	ISLe5 380; ISLe4 380	280	375	380	2008	
PROFESSIONAL	940 EDB	ISL 400 Diesel	294	394	399	2011	
PROFESSIONAL	940 EDE	ISL 400 Diesel	294	394	399	2011	

<b>DAF</b>							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CF	FA 220	PX-7 164 Diesel	164	220	223	2014	
CF	FA 250	PX-7 186 Diesel	186	249	253	2014	
CF	FA 280	PX-7 208 Diesel	208	279	283	2014	
CF	FA 310	PX-7 231 Diesel	231	310	314	2014	
LF	FA 150	PX-4 115 Diesel	115	154	156	2017	
LF	FA 150	PX-5 112 Diesel	112	150	152	2013	
LF	FA 170	PX-4 127 Diesel	127	170	173	2017	
LF	FA 180	PX-5 135 Diesel	135	181	183	2013	
LF	FA 180	PX-5 135 Diesel	135	181	183	2017	
LF	FA 210	PX-5 157 Diesel	157	210	213	2013	
LF	FA 210	PX-5 157 Diesel	157	210	213	2017	
LF	FA 220	PX-7 164 Diesel	162	217	220	2013	
LF	FA 220	PX-7 164; PX-7 172 D	162	217	220	2013	
LF	FA 230	PX-7 172 Diesel	172	231	234	2017	
LF	FA 250	PX-7 186 Diesel	187	251	254	2013	
LF	FA 250	PX-7 186; PX-7 194 D	187	251	254	2013	
LF	FA 260	PX-7 194 Diesel	194	260	264	2017	
LF	FA 280	PX-7 208 Diesel	209	280	284	2013	
LF	FA 280	PX-7 208; PX-7 217 D	209	280	284	2013	
LF	FA 290	PX-7 217 Diesel	217	291	295	2017	

**DIMENSIONS**

H (Height):	246 mm
OD (Outer Diameter):	95 mm
Th (Thread):	1"-14
Drain (Drain):	M14 x 2
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm
1 Unit/s (OD/ID)	32 mm / 26 mm

**PROPERTIES**
**DRAIN**
**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	13.2 Kg
VOLUME:	0.04 cbm
EAN13:	5055148223670
ITF14:	75055148223679



**DAF**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LF	FA 310	PX-7 231 Diesel	231	310	314	2013	
LF	FA 310	PX-7 231; PX-7 239 D	231	310	314	2013	
LF	FA 320	PX-7 239 Diesel	239	320	325	2017	
LF	FT 220	PX-7 164 Diesel	162	217	220	2013	
LF	FT 230	PX-7 172 Diesel	172	231	234	2017	
LF	FT 250	PX-7 186 Diesel	187	251	254	2013	
LF	FT 260	PX-7 194 Diesel	194	260	264	2017	
LF	FT 280	PX-7 208 Diesel	209	280	284	2013	
LF	FT 290	PX-7 217 Diesel	217	291	295	2017	
LF	FT 310	PX-7 231 Diesel	231	310	314	2013	
LF 45	FA 45.140	FR 103 Diesel	103	138	140	2006	
LF 45	FA 45.160	FR 118 Diesel	118	158	160	2006	
LF 45	FA 45.160 HYBR	FR 118 Híbrido enchu	118	158	160	2006	
LF 45	FA 45.180	FR 136 Diesel	136	182	185	2006	
LF 45	FA 45.210	FR 152 Diesel	152	204	207	2009	
LF 45	FA 45.220	GR 165 Diesel	165	221	224	2006	
LF 45	FA 45.250	GR 184 Diesel	184	247	250	2006	
LF 55	FA 55.160	FR 118 Diesel	118	158	160	2006	
LF 55	FA 55.180	FR 136 Diesel	136	182	185	2006	
LF 55	FA 55.210	FR 152 Diesel	152	204	207	2009	
LF 55	FA 55.220	GR 165 Diesel	165	221	224	2006	
LF 55	FA 55.250	GR 184 Diesel	184	247	250	2006	
LF 55	FA 55.280	GR 210 Diesel	210	282	285	2006	
LF 55	FA 55.290	GR 210 Diesel	210	282	285	2006	
LF 55	FA 55.300	GR 220 Diesel	220	295	299	2009	
LF 55	FAN 55.220	GR 165 Diesel	165	221	224	2006	
LF 55	FAN 55.250	GR 184 Diesel	184	247	250	2006	
LF 55	FAN 55.290	GR 210 Diesel	210	282	285	2006	
LF 55	FT 55.220	GR 165 Diesel	165	221	224	2006	
LF 55	FT 55.250	GR 184 Diesel	184	247	250	2006	
LF 55	FT 55.280	GR 210 Diesel	210	282	285	2006	
LF 55	FT 55.290	GR 210 Diesel	210	282	285	2006	

**ERF**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ECT	18.380 FLRC	ISMe 385 Diesel	283	379	385	2003	
ECT	18.380 FLRS	ISMe 385 Diesel	283	379	385	2005	
ECT	18.420 FLRC	ISMe 420 Diesel	309	414	420	2003	
ECT	18.420 FLRS	ISMe 420 Diesel	309	414	420	2005	
ECT	24.380 FPLRS	ISMe 385 Diesel	283	379	385	2005	
ECT	24.420 FPLRS	ISMe 420 Diesel	309	414	420	2005	
ECT	26.380 FNLRC; F	ISMe 385 Diesel	283	379	385	2003	
ECT	26.380 FPLRS	ISMe 385 Diesel	283	379	385	2005	
ECT	26.420 FNLRC; F	ISMe 420 Diesel	309	414	420	2003	
ECT	26.420 FPLRS	ISMe 420 Diesel	309	414	420	2005	

**FODEN TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ALPHA	A3-4T-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-4T-CU	ISM405E-20 Diesel	298	399	405	1998	2007
ALPHA	A3-4T-CU	ISM440E-20 Diesel	324	434	440	1998	2007
ALPHA	A3-4T-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-4T-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-4T-ISMe	ISMe 420 Diesel	309	414	420	1998	2007
ALPHA	A3-6L-CU	ISM340E-20 Diesel	250	335	340	1998	2007
ALPHA	A3-6L-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-6L-ISMe	ISMe 345 Diesel	254	340	345	1998	2007

**DIMENSIONS**

H (Height):	246 mm
OD (Outer Diameter):	95 mm
Th (Thread):	1"-14
Drain (Drain):	M14 x 2
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm
1 Unit/s (OD/ID)	32 mm / 26 mm

**PROPERTIES**
**DRAIN**
**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	13.2 Kg
VOLUME:	0.04 cbm
EAN13:	5055148223670
ITF14:	75055148223679



**FODEN TRUCKS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ALPHA	A3-6L-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6M-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-6M-CU	ISM405E-20 Diesel	298	399	405	1998	2007
ALPHA	A3-6M-CU	ISM440E-20 Diesel	324	434	440	1998	2007
ALPHA	A3-6M-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-6M-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6M-ISMe	ISMe 420 Diesel	309	414	420	1998	2007
ALPHA	A3-6R-CU	ISM340E-20 Diesel	250	335	340	1998	2007
ALPHA	A3-6R-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-6R-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-6R-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6R.T-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-6R.T-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6S-CU	ISM340E-20 Diesel	250	335	340	1998	2007
ALPHA	A3-6S-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-6S-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-6S-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6T-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-6T-CU	ISM405E-20 Diesel	298	399	405	1998	2007
ALPHA	A3-6T-CU	ISM440E-20 Diesel	324	434	440	1998	2007
ALPHA	A3-6T.T-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-6T.T-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-6T.T-ISMe	ISMe 420 Diesel	309	414	420	1998	2007
ALPHA	A3-8R-CU	ISM340E-20 Diesel	250	335	340	1998	2007
ALPHA	A3-8R-CU	ISM380E-20 Diesel	280	375	380	1998	2007
ALPHA	A3-8R-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-8R-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-8R.T-ISMe	Diesel	283	379	385	1998	2007
ALPHA	A3-8R.T-ISMe	ISMe 345 Diesel	254	340	345	1998	2007
ALPHA	A3-8R.T-ISMe	ISMe 385 Diesel	283	379	385	1998	2007
ALPHA	A3-8R.T-ISMe	ISMe 420 Diesel	309	414	420	1998	2007

**KAMAZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
6520	6520	ISLe 350 Diesel	257	345	349	2003	

**SOLARIS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
URBINO II	Urbino 10	ISBe6-280B Diesel	206	276	280	2012	2018
URBINO II	Urbino 12	ISBe6-280B Diesel	206	276	280	2012	2018
URBINO II	Urbino 12.9	ISBe6-250B Diesel	187	251	254	2013	2018
URBINO II	Urbino 12.9	ISBe6-280B Diesel	206	276	280	2013	2018
URBINO II	Urbino 18 HYBRI	ISLe4 340 Totalmente	250	335	340	2006	2018

**TERBERG-BENSCHOP**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
RT	382	QSM11-C335 Diesel	246	330	334	2007	
YT	182; 182DT	QSB 173 Diesel	127	170	173	2007	
YT	222	QSB 220 Diesel	164	220	223	2007	

**TROLIGA BUS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FENIX	FENIX	ISBe-250 Diesel	184	247	250	2009	
LEONIS	LEONIS	ISBe-250 Diesel	184	247	250	2009	
PEGASUS	PEGASUS	ISBe-250 Diesel	184	247	250	2009	
SIRIUS	SIRIUS	ISBe-250 Diesel	184	247	250	2009	

**DIMENSIONS**

H (Height):	246 mm
OD (Outer Diameter):	95 mm
Th (Thread):	1"-14
Drain (Drain):	M14 x 2
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	72 mm / 62 mm
1 Unit/s (OD/ID)	32 mm / 26 mm

**PROPERTIES**
**DRAIN**
**PRESENTATION**

UNITS PER BOX:	12
WEIGHT:	13.2 Kg
VOLUME:	0.04 cbm
EAN13:	5055148223670
ITF14:	75055148223679

