



For updated information visit <http://mlrd.es/ML-4536>

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm

**Gaskets:**

1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882



**CROSS REFERENCES**

<b>COOPERSFIAAM</b>	FB1526	<b>MERCEDES-BENZ</b>	6011800210
<b>HENGST</b>	E170HND16	<b>MERCEDES-BENZ</b>	A 601 184 02 10
<b>KNECHT/MAHLE</b>	OX38D	<b>P.B.R.</b>	AC3277
<b>MANN-FILTER</b>	PF10501n	<b>PBR</b>	AC3277
<b>MERCEDES-BENZ</b>	601 180 02 10	<b>PURFLUX</b>	L566
<b>MERCEDES-BENZ</b>	601 184 01 25	<b>UFI</b>	2552800
<b>MERCEDES-BENZ</b>	6011800009		

**APPLICATIONS (EUROPE)**

**AEBI**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
TT	90	Diesel	58	78	79	1989	

**DAEWOO**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
KORANDO (KJ)	2.9 D	MB-OM 662 Diesel	72	97	98	1999	
KORANDO (KJ)	2.9 TD	MB-OM 601 29TD Die	88	118	120	1999	
KORANDO Cabrio (KJ)	2.9 D	MB-OM 662 Diesel	72	97	98	1999	
KORANDO Cabrio (KJ)	2.9 TD	MB-OM 601 29TD Die	88	118	120	1999	
MUSSO (FJ)	2.2 TD	MB OM 601 Diesel	74	99	101	1999	
MUSSO (FJ)	2.9 D 4x4	MB-OM 662 Diesel	73	98	99	1999	1999
MUSSO (FJ)	2.9 TD 4x4	OM662LA Diesel	88	118	120	1999	
REXTON (GAB )	2.9 TD	OM 662.983 Diesel	88	118	120	2002	

**JAGUAR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
XK II Coupe (X150)	4.2 XKR	SV8TS Gasolina	306	410	416	2006	2014
XK II Descapotable (X150)	4.2 XKR	SV8TS Gasolina	306	410	416	2006	2014

**LAND ROVER**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
RANGE ROVER III (L322)	4.2 4x4	428PS(AJV8) Gasolin	291	390	395	2005	2012

**MERCEDES-BENZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Sedan (W124)	200 D (124.120)	OM 601.912 Diesel	53	71	72	1984	1989

**MERCEDES-BENZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Sedan (W124)	200 D (124.120)	OM 601.912 Diesel	55	74	75	1989	1993
124 Sedan (W124)	250 D (124.125)	OM 602.912 Diesel	66	88	90	1985	1993
124 Sedan (W124)	250 D (124.125)	OM 602.912 Diesel	69	92	94	1989	1993
124 Sedan (W124)	250 Turbo-D (124.125)	OM 602.962 Diesel	93	125	126	1988	1993
124 Sedan (W124)	300 D (124.130)	OM 603.912 Diesel	80	107	109	1984	1989
124 Sedan (W124)	300 D (124.130)	OM 603.912 Diesel	81	109	110	1990	1993
124 Sedan (W124)	300 D (124.130)	OM 603.912 Diesel	83	111	113	1989	1993
124 Sedan (W124)	300 D 4-matic (124.130)	OM 603.913 Diesel	80	107	109	1986	1992
124 Sedan (W124)	300 D 4-matic (124.130)	OM 603.913 Diesel	83	111	113	1989	1993
124 Sedan (W124)	300 Turbo-D (124.130)	OM 603.960 Diesel	108	145	147	1988	1993
124 Sedan (W124)	300 Turbo-D (124.130)	OM 603.960; OM 603.963 Diesel	105	141	143	1986	1988
124 Sedan (W124)	300 Turbo-D 4-m	OM 603.960; OM 603.963 Diesel	105	141	143	1986	1988
124 Sedan (W124)	300 Turbo-D 4-m	OM 603.963 Diesel	108	145	147	1988	1993
124 T-Model (S124)	200 T D (124.180)	OM 601.912 Diesel	53	71	72	1985	1991
124 T-Model (S124)	200 T D (124.180)	OM 601.912 Diesel	55	74	75	1988	1991
124 T-Model (S124)	250 T D (124.185)	OM 602.912 Diesel	66	88	90	1985	1993
124 T-Model (S124)	250 T D (124.185)	OM 602.912 Diesel	69	92	94	1989	1993
124 T-Model (S124)	250 TD Turbo (124.185)	OM 602.962 Diesel	93	125	126	1988	1993
124 T-Model (S124)	300 T D (124.190)	OM 603.912 Diesel	80	107	109	1986	1993
124 T-Model (S124)	300 T D (124.190)	OM 603.912 Diesel	81	109	110	1989	1993
124 T-Model (S124)	300 T D (124.190)	OM 603.912 Diesel	83	111	113	1989	1993
124 T-Model (S124)	300 T Turbo-D (124.190)	OM 603.960 Diesel	108	145	147	1989	1993
124 T-Model (S124)	300 T Turbo-D (124.190)	OM 603.960; OM 603.963 Diesel	105	141	143	1986	1989
124 T-Model (S124)	300 T Turbo-D 4-	OM 603.963 Diesel	105	141	143	1986	1989
124 T-Model (S124)	300 T Turbo-D 4-	OM 603.963 Diesel	108	145	147	1989	1993
190 (W201)	D 2.0 (201.122)	OM 601.911 Diesel	53	71	72	1983	1989
190 (W201)	D 2.0 (201.122)	OM 601.911 Diesel	55	74	75	1989	1993
190 (W201)	D 2.5 (201.126)	OM 602.911 Diesel	66	88	90	1985	1993
190 (W201)	D 2.5 (201.126)	OM 602.911 Diesel	69	92	94	1989	1993
190 (W201)	Turbo-D 2.5 (201.126)	OM 602.961 Diesel	90	121	122	1988	1993
190 (W201)	Turbo-D 2.5 (201.126)	OM 602.961 Diesel	93	125	126	1988	1993
CLASE C (W202)	C 200 D (202.120)	OM 601.913 Diesel	55	74	75	1993	2000
CLASE C (W202)	C 220 D (202.121)	OM 604.910 Diesel	70	94	95	1993	2000
CLASE C (W202)	C 250 D (202.121)	OM 605.910 Diesel	83	111	113	1993	2000
CLASE E (W124)	E 200 D (124.120)	OM 601.912 Diesel	55	74	75	1993	1995
CLASE E (W124)	E 250 D (124.120)	OM 605.911 Diesel	83	111	113	1993	1995
CLASE E (W124)	E 250 Turbo-D (124.120)	OM 602.962 Diesel	93	125	126	1993	1995
CLASE E (W124)	E 300 D (124.131)	OM 606.910 Diesel	100	134	136	1993	1995
CLASE E (W124)	E 300 Turbo-D (124.131)	OM 603.960 Diesel	108	145	147	1993	1995
CLASE E (W124)	E 300 Turbo-D 4-	OM 603.963 Diesel	108	145	147	1993	1995
CLASE E T-Model (S124)	E 250 TD (124.180)	OM 605.911 Diesel	83	111	113	1993	1996
CLASE E T-Model (S124)	E 250 Turbo D (124.180)	OM 602.962 Diesel	93	125	126	1993	1996
CLASE E T-Model (S124)	E 300 T Turbo-D (124.180)	OM 603.960 Diesel	108	145	147	1993	1996
CLASE E T-Model (S124)	E 300 T Turbo-D (124.180)	OM 603.963 Diesel	108	145	147	1993	1996
CLASE E T-Model (S124)	E 300 TD (124.180)	OM 606.910 Diesel	100	134	136	1993	1996
CLASE G (W460)	250 GD (460;3)	OM 602.930 Diesel	62	83	84	1987	1992
CLASE G (W460)	250 GD (460;3)	OM 602.930 Diesel	68	91	92	1988	1992
CLASE G (W461)	250 GD (461)	OM 602.939 Diesel	68	91	92	1990	1993
CLASE G (W461)	290 GD G 290 D	OM 602.942 Diesel	70	94	95	1993	2000
CLASE G (W463)	250 GD (463.324)	OM 602.931 Diesel	69	92	94	1990	1992
CLASE G (W463)	300 GD (463.327)	OM 603.931 Diesel	83	111	113	1989	1993
CLASE G (W463)	350 Turbo GD (463.327)	OM 603.972 Diesel	100	134	136	1991	1996
CLASE G (W463)	G 300 Diesel (463.327)	OM 603.931 Diesel	83	111	113	1993	1994
CLASE G Cabrio (W463)	300 GD (463.307)	OM 603.931 Diesel	83	111	113	1989	1993

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm

**Gaskets:**

1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882



**MERCEDES-BENZ**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CLASE G Cabrio (W463)	350 G Turbo-D (4 OM 603.972 Diesel		100	134	136	1991	1997
CLASE G Cabrio (W463)	G 300 Diesel (46: OM 603.931 Diesel		83	111	113	1993	1994
CLASE S (W140)	S 350 Turbo-D (1 OM 603.971 Diesel		110	147	149	1993	1998
O 100	City	OM 602.940 Diesel	70	94	95	1994	
O 405	O 405 GTZ	OM 602.990 Diesel	63	84	86	1984	
O 405	O 405 GTZ	OM 602.994 Diesel	72	97	98	1984	
T1 Autobus (602)	308 D 2.3 (602.3; OM 601.940 Diesel		58	78	79	1990	1996
T1 Autobus (602)	308 D 2.3 (602.3; OM 601.940 Diesel		60	80	82	1989	1996
T1 Autobus (602)	310 D 2.9 (602.4; OM 602.940 Diesel		72	97	98	1990	1996
T1 Autobus (602)	310 D 2.9 (602.4; OM 602.940 Diesel		70	94	95	1989	1996
T1 Autobus (B601)	208 D 2.3 (601.3; OM 601.940 Diesel		58	78	79	1988	1996
T1 Autobus (B601)	208 D 2.3 (601.3; OM 601.940 Diesel		60	80	82	1988	1996
T1 Autobus (B601)	210 D 2.8 (601.4; OM 602.940 Diesel		72	97	98	1988	1996
T1 Autobus (B601)	210 D 2.8 (601.4; OM 602.940 Diesel		70	94	95	1988	1996
T1 Caja-Chasis (601)	208 D 2.3 (601.3; OM 601.940 Diesel		58	78	79	1988	1996
T1 Caja-Chasis (601)	208 D 2.3 (601.3; OM 601.940 Diesel		60	80	82	1989	1996
T1 Caja-Chasis (601)	210 D 2.8 (601.4; OM 602.940 Diesel		72	97	98	1988	1996
T1 Caja-Chasis (601)	210 D 2.9 (601.4; OM 602.940 Diesel		70	94	95	1988	1996
T1 Caja-Chasis (B602)	308 D 2.3 (602.3; OM 601.940 Diesel		60	80	82	1989	1996
T1 Caja-Chasis (B602)	308 D 2.3 (602.3; OM 601.940 Diesel		58	78	79	1989	1996
T1 Caja-Chasis (B602)	310 D 2.9 (602.4; OM 602.940 Diesel		70	94	95	1989	1996
T1 Caja-Chasis (B602)	310 D 2.9 (602.4; OM 602.940 Diesel		72	97	98	1989	1996
T1 Furgoneta (601; 611)	208 D 2.3 (601.3; OM 601.940 Diesel		60	80	82	1988	1996
T1 Furgoneta (601; 611)	208 D 2.3 (601.3; OM 601.940 Diesel		58	78	79	1988	1996
T1 Furgoneta (601; 611)	210 D 2.8 (601.4; OM 602.940 Diesel		70	94	95	1988	1996
T1 Furgoneta (601; 611)	210 D 2.8 (601.4; OM 602.940 Diesel		72	97	98	1988	1996
T1 Furgoneta (B602)	308 D 2.3 (602.3; OM 601.940 Diesel		60	80	82	1989	1996
T1 Furgoneta (B602)	308 D 2.3 (602.3; OM 601.940 Diesel		58	78	79	1988	1996
T1 Furgoneta (B602)	310 D 2.9 (602.4; OM 602.940 Diesel		70	94	95	1989	1996
T1 Furgoneta (B602)	310 D 2.9 (602.4; OM 602.940 Diesel		72	97	98	1989	1996
T1-TN Caja-Chasis	408 D (611.317; € OM 601.940 Diesel		58	78	79	1988	1995
T1-TN Caja-Chasis	408 D (611.317; € OM 601.940 Diesel		60	80	82	1988	1995
T1-TN Caja-Chasis	410 D (611.417; € OM 602.940 Diesel		70	94	95	1988	1995
T1-TN Caja-Chasis	410 D (611.417; € OM 602.940 Diesel		72	97	98	1988	1995
T1-TN Furgoneta	408 D (611.367; € OM 601.940 Diesel		58	78	79	1988	1995
T1-TN Furgoneta	408 D (611.367; € OM 601.940 Diesel		60	80	82	1988	1995
T1-TN Furgoneta	410 D (611.467; € OM 602.940 Diesel		70	94	95	1988	1995
T1-TN Furgoneta	410 D (611.467; € OM 602.940 Diesel		72	97	98	1988	1995
T2-LN1 Caja-Chasis	508 D (667.301; € OM 601.941 Diesel		58	78	79	1989	1994
T2-LN1 Furgoneta	508 D (667.361; € OM 601.941 Diesel		58	78	79	1989	1994
UNIMOG	U 100L	OM 602.948 Diesel	71	95	96	1992	
UNIMOG	U 90	OM 602.941 Diesel	65	87	88	1992	

**MULTICAR**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Tremo	601	OM 601.900 Diesel	62	83	84	1998	

**PUCH**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
G-MODELL (W460)	250 GD (460.337 OM 602.930 Diesel		62	83	84	1987	1991
G-MODELL (W461)	290 GD (461.338 OM 602.942; OM 602.		70	94	95	1991	1997
G-MODELL (W463)	300 GD (463.327 OM 603.931 Diesel		83	111	113	1989	1993
G-MODELL (W463)	350 GD Turbo (4; OM 603.972 Diesel		100	134	136	1991	1993

**SSANGYONG**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ACTYON I	2.3 4x4	G23D Gasolina	110	147	149	2006	

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm
<b>Gaskets:</b>	
1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**
**DOUBLE FILTRATION**
**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882



**SSANGYONG**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
KORANDO (K5; K9)	2.2 D	DC23 Diesel	50	67	68	1988	1996
KORANDO (KJ)	2.3 D (KJ)	OM 601.940 Diesel	58	78	79	1996	1998
KORANDO (KJ)	2.3 TDiC 4x4	OM661LA Diesel	74	99	101	1998	2006
KORANDO (KJ)	2.9 D	MB-OM 662 Diesel	73	98	99	1997	2000
KORANDO (KJ)	2.9 D (KJ)	MB-OM 662 Diesel	72	97	98	1996	2000
KORANDO (KJ)	2.9 TD	MB-OM 662 LA Diesel	88	118	120	1998	2006
KORANDO Cabrio (KJ)	2.9 D	MB-OM 662 Diesel	72	97	98	1997	2000
KORANDO Cabrio (KJ)	2.9 TD	OM 662 LA Diesel	88	118	120	1998	2000
MUSSO (FJ)	2.3 D	OM 601.940; MB-OM	59	79	80	1995	1999
MUSSO (FJ)	2.3 D	OM 661.940 Diesel	58	78	79	1993	1997
MUSSO (FJ)	2.3 TDiC A las 4	OM661LA Diesel	74	99	101	1997	2003
MUSSO (FJ)	2.9 D	MB-OM 662 Diesel	73	98	99	1996	1998
MUSSO (FJ)	2.9 TD	OM 662 LA Diesel	88	118	120	1998	2007
MUSSO (FJ)	2.9 TD	OM 662 LA Diesel	108	145	147	1998	2005
MUSSO SPORTS	2.9 D 4x4	OM 662 LA Diesel	88	118	120	2004	
REXTON - REXTON II (GAB )	2.9 TD	OM 662.925 Diesel	88	118	120	2002	2006

**DIMENSIONS**

H (Height):	168 mm
OD (Outer Diameter):	92 mm
ID (Inner Diameter):	11 mm
ID2 (Inner Diameter):	25 mm

**Gaskets:**

1 Unit/s (OD/ID)	111 mm / 103 mm
1 Unit/s (OD/ID)	20 mm / 15 mm
1 Unit/s (OD/ID)	17 mm / 12 mm

**PROPERTIES**

**DOUBLE FILTRATION**

**PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	10.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148200886
ITF14:	85055148200882

