

ML 4952 Millard Oil Filter

Catalog Europe, 04/04/2026



For updated information visit <http://mlrd.es/ML-4952>

CROSS REFERENCES

GENERAL MOTORS	93156863	ROVER	ADU9826
GENERAL MOTORS	9975449	ROVER	ADU9826EVA
HENGST	H90W29	ROVER	AHU 2880
KNECHT/MAHLE	OC 237/1	ROVER	LPW 100230
KNECHT/MAHLE	OC2371	ROVER	LPW100180
LOTUS	B111E6038S	UFI	2325400
MANN-FILTER	W71328	WIX FILTERS	51042
PURFLUX	LS802		

APPLICATIONS (EUROPE)

AUSTIN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
AMBASSADOR I Fastback	1.7	17 HL Gasolina	62	83	84	1982	1984
AMBASSADOR I Fastback	2.0	20 H Gasolina	69	92	94	1982	1984
MAESTRO Fastback (XC)	1.3	12 H; 12 H999AA; 12	46	62	63	1983	1985
MAESTRO Fastback (XC)	1.3 LS	12 H Gasolina	49	66	67	1983	1990
MAESTRO Fastback (XC)	1.6	16 H956AK Gasolina	59	79	80	1983	1984
MAESTRO Fastback (XC)	1.6 MG	16 HA03AL Gasolina	72	97	98	1983	1985
MAESTRO Fastback (XC)	2.0 EFi	20 HC81; 20 HA50AA	83	111	113	1984	1990
MONTEGO (XE)	1.3	12 HL Gasolina	50	67	68	1984	1988
MONTEGO (XE)	2.0	20 HSC; 20 H Gasolin	74	99	101	1984	1988
MONTEGO (XE)	2.0	20HL Gasolina	76	102	103	1988	1993
MONTEGO (XE)	2.0 Mayfair	20 H(EFi) Gasolina	83	111	113	1984	1988
MONTEGO (XE)	2.0 Turbo	20 HC85 Gasolina	110	147	149	1984	1988
MONTEGO Station Wagon (XE 2.0		20 HSC; 20 H Gasolin	74	99	101	1984	1991
MONTEGO Station Wagon (XE 2.0 HLI		20 H Gasolina	83	111	113	1984	1992

CATERHAM

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SEVEN (CF; CS)	1.6	16 K4F Gasolina	86	115	117	1995	2006

DIMENSIONS

H (Height):	95 mm
OD (Outer Diameter):	78 mm
Th (Thread):	13/16"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	73mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.3 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200428
ITF14:	85055148200424



FSO

Serie	Model	Engine	Kw	HP	CV	Start	Finish
POLONEZ III	1.4 i 16V	Rover K16 DOHC Ga:	76	102	103	1992	2002

LAND ROVER

Serie	Model	Engine	Kw	HP	CV	Start	Finish
DISCOVERY I (LJ)	2.0 16 V 4x4	20 T4H Gasolina	99	133	135	1989	1998
FREELANDER I (L314)	1.8 16V 4x4	18 K4F Gasolina	86	115	117	1998	2006
FREELANDER I (L314)	1.8 i 16V 4x4	18 K4F Gasolina	88	118	120	1998	2000
FREELANDER I (L314)	2.5 V6 4x4	25 K4F Gasolina	130	174	177	2000	2006
FREELANDER I Soft Top (L31	1.8 4x4	18 K4F Gasolina	86	115	117	2000	2006
FREELANDER I Soft Top (L31	1.8 i 16V 4x4	18 K4F Gasolina	88	118	120	1998	2006
FREELANDER I Soft Top (L31	2.5 V6 4x4	25 K4F Gasolina	130	174	177	2000	2006

LDV

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SHERPA Autobus (AS)	1.7	KB17 Gasolina	54	72	73	1978	1982

LOTUS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ELISE	1.8	18 K4F Gasolina	88	118	120	1995	2000
ELISE	1.8	18 K4F Gasolina	90	121	122	2000	2005
ELISE	1.8	2ZZ-GE Gasolina	118	158	160	2002	
ELISE	111 S	18 K4K Gasolina	107	143	145	1999	2000
ELISE 340 R	1.8	Gasolina	132	177	179	2000	2001
EXIGE (SCC)	1.8 16V	2ZZ-GE Gasolina	132	177	179	2000	2008
EXIGE (SCC)	1.8 16V	2ZZ-GE Gasolina	141	189	192	2001	2008

MG

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAESTRO	1600	16 H Gasolina	76	102	103	1983	1984
MAESTRO	2.0 EFi	20HE Gasolina	86	115	117	1984	1990
MAESTRO	2.0 Turbo	20HC Gasolina	112	150	152	1988	1990
MG 6 Sedan	1.8 T	18 K4G; G18DT Gasc	118	158	160	2010	
MGF (RD)	1.6	16 K4F Gasolina	82	110	111	2000	2002
MGF (RD)	1.8 i 16V	18 K4F Gasolina	88	118	120	1995	2002
MGF (RD)	1.8 i VVC	18 K4K Gasolina	107	143	145	1995	2002
MGF (RD)	1;8 i VVC	18 K4K Gasolina	118	158	160	2001	2002
MONTEGO	2.0 EFi	20HI Gasolina	86	115	117	1984	1990
MONTEGO	2.0 Turbo	20 HT Gasolina	110	147	149	1984	1990
TF	115	16 K4F Gasolina	85	114	115	2002	2009
TF	120	18 K4F Gasolina	88	118	120	2002	2009
TF	135	18 K4F Gasolina	100	134	136	2002	2009
TF	160	18 K4K Gasolina	118	158	160	2002	2009
ZR	105	14 K4F Gasolina	76	102	103	2001	2005
ZR	120	18 K4F Gasolina	86	115	117	2001	2005
ZR	160	18 K4K Gasolina	118	158	160	2001	2005
ZS	120	18 K4F Gasolina	86	115	117	2001	2005
ZS Hatchback	120	18 K4F Gasolina	86	115	117	2001	2005
ZS SUV (AZS1)	1.5 VTi	15S4C; G15D Gasolir	78	105	106	2017	
ZT	1.8 16V	18 K4F Gasolina	88	118	120	2003	2005
ZT	1.8 T 16V	18 K4G Gasolina	118	158	160	2003	2005
ZT- T	1.8 T 16V	18 K4G Gasolina	118	158	160	2003	2005

MORGAN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
PLUS FOUR	2.0 i	M16i Gasolina	103	138	140	1988	2000
PLUS FOUR	2.0 i	T16F Gasolina	99	133	135	1991	2000

DIMENSIONS

H (Height):	95 mm
OD (Outer Diameter):	78 mm
Th (Thread):	13/16"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	73mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.3 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200428
ITF14:	85055148200424



MORRIS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ITAL	1.7	17V Gasolina	58	78	79	1980	1984
ITAL	2.0	20V Gasolina	67	90	91	1980	1984
ITAL Station Wagon	1.7	17V Gasolina	58	78	79	1980	1984
ITAL Station Wagon	2.0	20V Gasolina	67	90	91	1980	1984
MARINA III	1.7	P Gasolina	58	78	79	1978	1980
MARINA III Station Wagon	1.7	17V Gasolina	58	78	79	1978	1980

ROVER

Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 - METRO Hatchback (XP)	111 C L S	11 K2D; 11 K2A Gasc	44	59	60	1990	1998
100 - METRO Hatchback (XP)	114 GSi	14 K4F Gasolina	76	102	103	1994	1995
100 - METRO Hatchback (XP)	114 GTI 16V	14 K4C; 14 K4D Gasc	69	92	94	1990	1991
100 - METRO Hatchback (XP)	114 GTI 16V	14 K4F Gasolina	76	102	103	1991	1998
100 - METRO Hatchback (XP)	114 GTI GT 16V	14 K4C; 14 K4D Gasc	66	88	90	1990	1998
100 - METRO Hatchback (XP)	114 S L GTA	14 K2A; 14 K2D Gasc	55	74	75	1990	1998
100 Descapotable (XP)	111	11 K2D Gasolina	44	59	60	1994	1997
100 Descapotable (XP)	114	14 K2A; 14 K2D Gasc	55	74	75	1994	1997
100 Descapotable (XP)	114	14 K4F Gasolina	75	101	102	1997	1998
200 Coupe (XW)	216	16 K4F Gasolina	82	110	111	1996	1997
200 Coupe (XW)	220 GSi	20 T4H Gasolina	100	134	136	1994	1999
200 Coupe (XW)	220 Turbo	20 T4G Gasolina	147	197	200	1992	1999
200 II Descapotable (XW)	214 1.4	14 K4C Gasolina	70	94	95	1990	1992
200 II Descapotable (XW)	214 1.4	14 K4C; 14 K4D Gasc	66	88	90	1992	1999
200 II Descapotable (XW)	214 1.4i 16V	14 K4F Gasolina	76	102	103	1993	1999
200 II Descapotable (XW)	216 1.6i 16V	16 K4F Gasolina	82	110	111	1996	1999
200 II Hatchback (RF)	211	11 K2D Gasolina	44	59	60	1998	2000
200 II Hatchback (RF)	214 i	14 K2F Gasolina	55	74	75	1995	2000
200 II Hatchback (RF)	214 Si	14 K4F Gasolina	76	102	103	1995	2000
200 II Hatchback (RF)	216 Si	16 K4F Gasolina	82	110	111	1995	1999
200 II Hatchback (RF)	218 K Vi	18 K4K Gasolina	107	143	145	1995	2000
200 II Hatchback (XW)	2.0	20T4F2 Gasolina	152	204	207	1992	1995
200 II Hatchback (XW)	214	14 K2A; 14 K2D Gasc	55	74	75	1993	1995
200 II Hatchback (XW)	214 GSi Si	14 K4C Gasolina	70	94	95	1990	1995
200 II Hatchback (XW)	214 GSi Si	14 K4F Gasolina	76	102	103	1992	1995
200 II Hatchback (XW)	214 Si Gsi	14 K4C; 14 K4D Gasc	66	88	90	1989	1995
200 II Hatchback (XW)	220 GTi	20 M4F Gasolina	103	138	140	1991	1995
200 II Hatchback (XW)	220 GTi	20 T4H Gasolina	100	134	136	1993	1995
200 II Hatchback (XW)	220 Turbo	20 T4G Gasolina	147	197	200	1993	1995
25 I Hatchback (RF)	1.1 16V	11 K4F Gasolina	55	74	75	2004	2005
25 I Hatchback (RF)	1.4 16V	14 K4F Gasolina	76	102	103	1999	2005
25 I Hatchback (RF)	1.4 16V	14 K4M Gasolina	62	83	84	1999	2005
25 I Hatchback (RF)	1.6 16V	16 K4F Gasolina	80	107	109	1999	2005
25 I Hatchback (RF)	1.8 16V	18 K4F Gasolina	85	114	115	1999	2005
25 I Hatchback (RF)	1.8 16V	18 K4K Gasolina	107	143	145	2000	2005
400 II (RT)	414	14 K2F Gasolina	55	74	75	1996	1999
400 II (RT)	414 Si	14 K4F Gasolina	76	102	103	1995	2000
400 II (RT)	416 Si	16 K4F Gasolina	82	110	111	1995	2000
400 II (RT)	416 Si	D16B2 Gasolina	85	114	115	1995	2000
400 II (RT)	420 Si Lux	20 T4H Gasolina	100	134	136	1995	2000
400 II (XW)	414	14 K4C Gasolina	70	94	95	1993	1995
400 II (XW)	414 GSi SI	14 K4C; 14 K4D Gasc	66	88	90	1990	1995
400 II (XW)	414 GSi SI Cat	14 K4F Gasolina	76	102	103	1992	1995
400 II (XW)	420 GSi SLI GTI	20 T4H Gasolina	100	134	136	1993	1995
400 II (XW)	420 GTI GSI Vite	20 M4F Gasolina	103	138	140	1992	1995
400 II (XW)	420 Turbo	20 T4G Gasolina	147	197	200	1993	1995
400 II Hatchback (RT)	414	14 K2F Gasolina	55	74	75	1996	1997
400 II Hatchback (RT)	414 Si	14 K4F Gasolina	76	102	103	1995	2000
400 II Hatchback (RT)	416 Si	16 K4F Gasolina	82	110	111	1995	2000

DIMENSIONS

H (Height):	95 mm
OD (Outer Diameter):	78 mm
Th (Thread):	13/16"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	73mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.3 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200428
ITF14:	85055148200424



ROVER							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
400 II Hatchback (RT)	416 Si	D16B2 Gasolina	85	114	115	1995	2000
400 II Hatchback (RT)	420 Si Lux	20 T4H Gasolina	100	134	136	1995	2000
400 Tourer (XW)	1.6 i	D 16 Z2 Gasolina	82	110	111	1994	1998
400 Tourer (XW)	1.8 i	18 K4K Gasolina	107	143	145	1996	1998
400 Tourer (XW)	2.0 i	20 T4H Gasolina	100	134	136	1994	1998
45 I Hatchback (RT)	1.4	14 K4F Gasolina	76	102	103	2000	2005
45 I Hatchback (RT)	1.6	16 K4F Gasolina	80	107	109	2000	2005
45 I Hatchback (RT)	1.8	18 K4F Gasolina	86	115	117	2000	2005
45 I Hatchback (RT)	2.0 V6	20 K4F Gasolina	110	147	149	2000	2005
45 I Sedan (RT)	1.4	14 K4F Gasolina	76	102	103	2000	2005
45 I Sedan (RT)	1.6	16 K4F Gasolina	80	107	109	2000	2005
45 I Sedan (RT)	1.8	18 K4F Gasolina	86	115	117	2000	2005
45 I Sedan (RT)	2.0 V6	20 K4F Gasolina	110	147	149	2000	2005
600 I (RH)	620 Ti Vitesse	20 T4G Gasolina	147	197	200	1994	1998
75 (RJ)	1.8	18 K4F Gasolina	88	118	120	1999	2005
75 (RJ)	1.8 Turbo	18 K4G Gasolina	110	147	149	2003	2005
75 I Tourer (RJ)	1.8	K 1.8 Gasolina	88	118	120	2001	2005
75 I Tourer (RJ)	1.8 Turbo	18 K4G Gasolina	110	147	149	2003	2005
800 (XS)	820	20HC Gasolina	74	99	101	1988	1991
800 (XS)	820 16 V I SI (XS	20 HD Gasolina	103	138	140	1986	1988
800 (XS)	820 16V Turbo (F T	16 Gasolina	132	177	179	1992	1999
800 (XS)	820 I SI (RS)	20 T4H Gasolina	100	134	136	1992	1999
800 (XS)	820 SI (XS)	20 HD M 16 Gasolina	98	131	133	1988	1991
800 (XS)	820 Sport	20 T4G Gasolina	145	194	197	1994	1996
800 (XS)	820e	20 HS Gasolina	88	118	120	1986	1991
800 Coupe	820 16V	Gasolina	100	134	136	1997	1999
800 Hatchback (XS)	820 16V Turbo (F T	16 Gasolina	132	177	179	1991	1999
800 Hatchback (XS)	820 i Si (XS)	20 HD Gasolina	103	138	140	1988	1991
800 Hatchback (XS)	820 I SI (XS)	20 T4H Gasolina	100	134	136	1991	1999
800 Hatchback (XS)	820 SI (XS)	20 HD M 16 Gasolina	98	131	133	1988	1991
800 Hatchback (XS)	820 Sport	20 T4G Gasolina	145	194	197	1994	1996
COUPE	1.6 16 V	16 K4F Gasolina	82	110	111	1996	1999
COUPE	1.8 16 V	18 K4K Gasolina	107	143	145	1996	1999
MAESTRO Hatchback	1.3	12 HE Gasolina	49	66	67	1990	1995
MAESTRO Hatchback	1.3	12 HE Gasolina	51	68	69	1990	1995
MINI Descapotable (XN)	1300	12 A2E Gasolina	46	62	63	1992	1995
MINI Hatchback	1.3 Cooper	12 A2E Gasolina	46	62	63	1992	1996
MINI Hatchback	1300	12 A2A Gasolina	45	60	61	1991	1991
MINI Hatchback	1300	12 A2B Gasolina	37	50	50	1992	2000
MINI Hatchback	1300	12 A2D Gasolina	39	52	53	1992	1995
MINI Hatchback	1300	12 A2E; 12 A2L Gaso	46	62	63	1992	2000
MINI Hatchback	1300 Cooper	12 A2A Gasolina	45	60	61	1991	1994
MONTEGO	2.0 i Cat	20 H Gasolina	75	101	102	1990	1994
MONTEGO Estate (XE)	1.3	12 HL Gasolina	50	67	68	1984	1988
MONTEGO Estate (XE)	2.0 GTI LXI	20 H Gasolina	75	101	102	1990	1993
STREETWISE Hatchback	1.4	14 K4F Gasolina	76	102	103	2003	2005
STREETWISE Hatchback	1.4	14 K4M Gasolina	62	83	84	2003	2005
STREETWISE Hatchback	1.6	16 K4F Gasolina	80	107	109	2004	2005
STREETWISE Hatchback	1.8	18 K4F Gasolina	86	115	117	2003	2005

DIMENSIONS

H (Height):	95 mm
OD (Outer Diameter):	78 mm
Th (Thread):	13/16"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	73mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.3 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200428
ITF14:	85055148200424

