

ML 4990 Millard Oil Filter

Catalog Europe, 08/07/2026



DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448

For updated information visit <http://mlrd.es/ML-4990>



CROSS REFERENCES

ALFA ROMEO	116440603000	KNECHT/MAHLE	OC 203
COOPERSFIAAM	FT5161A	KNECHT/MAHLE	OC203
FIAT	46805831	MANN-FILTER	W71319
FIAT	71736160	MAZDA	1E07-14302
FIAT	71754231	PBR	BC1228
FORD	1039021	PURFLUX	LS801
FORD	5010 963	UFI	2324200
HENGST	H14W20	VAG	047 115 561 G

APPLICATIONS (EUROPE)

ALFA ROMEO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
145 (930)	1.9 TD (930.A4)	AR 67501; AR 33601	66	88	90	1994	1999
146 (930)	1.9 TD (930.B4A)	AR 67501; AR 33601	66	88	90	1994	1999
155 (167)	1.7 T.S. (167.A4I)	AR 67105 Gasolina	85	114	115	1993	1996
155 (167)	1.7 T.S. (167.A4C)	AR 67103 Gasolina	83	111	113	1993	1996
155 (167)	1.8 T.S. (167.A4C)	AR 67402 Gasolina	77	103	105	1992	1997
155 (167)	1.8 T.S. (167A4)	AR 67101; AR 67102	95	127	129	1992	1994
155 (167)	1.8 T.S. Sport (167.A4C)	AR 67101; AR 67102	93	125	126	1992	1996
155 (167)	1.9 TD (167.A3B)	AR 67501 Diesel	66	88	90	1993	1997
155 (167)	2.0 16V Turbo Q4	AR 67203 Gasolina	137	184	186	1992	1997
155 (167)	2.0 16V Turbo Q4	AR 67203 Gasolina	140	188	190	1992	1997
155 (167)	2.0 T.S. (167.A2I)	AR 67201; AR 67202	104	139	141	1992	1995
155 (167)	2.0 T.S. (167.A2I)	AR 67201; AR 67202	106	142	144	1992	1995
164 (164)	2.0 (164A2C)	AR 06416 Gasolina	102	137	139	1987	1998
164 (164)	2.0 Turbo (164A2)	AR 06476 Gasolina	128	172	174	1987	1998
164 (164)	2.0 Twin Spark (167.A4)	AR 06416; AR 06420	105	141	143	1987	1992
164 (164)	2.0 Twin Spark (167.A4)	AR 06420 Gasolina	109	146	148	1987	1992
164 (164)	2.0 Twin Spark (167.A4)	AR 64103 Gasolina	106	142	144	1992	1998
164 (164)	3.0 (164A)	AR 06410 Gasolina	138	185	188	1987	1991


4990 Millard Oil Filter

ALFA ROMEO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
164 (164)	3.0 V6 (164.A)	AR 06410 Gasolina	141	189	192	1987	1992
164 (164)	3.0 V6 (164.AD; 1	AR 06412 Gasolina	135	181	183	1987	1992
1750-2000 (105)	1750 (105;48)	AR 00548 Gasolina	83	111	113	1968	1972
1750-2000 (105)	2000 (105)	AR 10520 Gasolina	97	130	132	1971	1975
75 (162)	1.6 (162.B2B; 16;	AR 06100 Gasolina	81	109	110	1985	1989
75 (162)	1.6 Cat (162.B2B	AR 61101 Gasolina	81	109	110	1989	1992
75 (162)	1.8 (162.B1A; 16;	AR 06202 Gasolina	85	114	115	1985	1989
75 (162)	1.8 (162.B1H)	AR 61201 Gasolina	90	121	122	1989	1992
75 (162)	1.8 (162.B1H)	AR 67101 Gasolina	95	127	129	1989	1992
75 (162)	1.8 (162.B1L; 16;	AR 06168; AR 61202	88	118	120	1988	1992
75 (162)	1.8 Turbo (162.B	AR 06134 Gasolina	110	147	149	1986	1992
75 (162)	1.8 Turbo i.e. (16	AR 06134; AR 06158	114	153	155	1986	1990
75 (162)	2.0 (162.BA)	AR 06212 Gasolina	94	126	128	1985	1988
75 (162)	2.0 T.S Cat (162.	AR 06224 Gasolina	109	146	148	1985	1992
75 (162)	2.0 T.S. (162.4CE	AR 06166; AR 06224	107	143	145	1987	1992
75 (162)	3.0 V6 (162.B6C)	AR 61503 Gasolina	141	189	192	1990	1992
75 (162)	3.0 V6 Cat (162.E	AR 06124 Gasolina	136	182	185	1987	1992
90 (162)	1.8 (162.A1A)	AR 06202 Gasolina	85	114	115	1984	1987
90 (162)	1.8 (162A1)	AR 06202 Gasolina	89	119	121	1984	1987
90 (162)	2.0 i.e. (162.A2A;	AR 01713; AR 06212	94	126	128	1984	1987
ALFETTA (116)	1.6 (116.B1A)	AR 01600 Gasolina	79	106	107	1975	1984
ALFETTA (116)	1.8 (116.B2)	AR 01678 Gasolina	90	121	122	1979	1984
ALFETTA (116)	1.8 (11608)	AR 01608 Gasolina	89	119	121	1979	1984
ALFETTA (116)	1.8 (11608; 1164;	AR 01608 X Gasolina	85	114	115	1974	1982
ALFETTA (116)	2.0 (116.55F; 116	AR 01655; AR 01713; 97		130	132	1978	1984
ALFETTA (116)	2.0 (116.55G; 116	AR 01623 Gasolina	89	119	121	1977	1980
ALFETTA GT (116)	1.6 (11604)	AR 01600 Gasolina	79	106	107	1976	1982
ALFETTA GT (116)	1.8 (11610)	AR 01608 X Gasolina	85	114	115	1974	1976
ALFETTA GT (116)	1.8 (11610; 1165;	AR 01608 Gasolina	89	119	121	1974	1976
ALFETTA GT (116)	2.0 (11610)	AR 01623 Gasolina	89	119	121	1978	1986
ALFETTA GT (116)	2.0 (11636; 1161	AR 01655 Gasolina	96	129	130	1977	1984
AR 6 Autobus (280)	1.9 D (280)	160 D100 Diesel	51	68	69	1985	1989
AR 6 Furgoneta (280)	1.9 D (280)	160 D100 Diesel	51	68	69	1985	1989
GIULIA (105)	1300 Super (115)	AR 00530 Gasolina	64	86	87	1974	1978
GIULIA (105)	1300 TI (105;39)	AR00531 Gasolina	62	83	84	1969	1975
GIULIA (105)	1600 Super (115)	AR 00526 Gasolina	76	102	103	1974	1978
GIULIA GT (105)	1300 Super	AR 00530 Gasolina	64	86	87	1974	1978
GIULIA GT (105)	1600 Super	AR 00526 Gasolina	76	102	103	1974	1978
GIULIETTA (116)	1.3 (116.44A)	AR 01644 Gasolina	66	88	90	1977	1983
GIULIETTA (116)	1.6 (116.50B)	AR 01600 Gasolina	79	106	107	1977	1985
GIULIETTA (116)	1.8 (116.AA; 116;	AR 01678 Gasolina	90	121	122	1979	1985
GIULIETTA (116)	1.8 Turbo (116)	AR 01354 Gasolina	110	147	149	1984	1985
GIULIETTA (116)	2.0 (116.A1A)	AR 01655; AR 11671	96	129	130	1980	1985
GIULIETTA (116)	2.0 Turbo (116)	AR 01699 Gasolina	125	168	170	1983	1985
GT (105)	1300 Junior (105;	AR 00530 Gasolina	64	86	87	1966	1977
GT (105)	1600 (115)	AR 00526 S Gasolina	76	102	103	1972	1977
GT (105)	1600 (115)	AR 00536 Gasolina	80	107	109	1971	1977
GT (105)	V 1750 (105)	AR 00548 Gasolina	83	111	113	1967	1972
GT (105)	V 2000 (105)	AR 10527 Gasolina	96	129	130	1971	1977
GTA Coupe (113)	1.3 Junior	AR 10531 Gasolina	81	109	110	1968	1976
GTA Coupe (113)	1.3 Junior	AR 10534 Gasolina	117	157	159	1968	1976
GTV (116)	2.0 (116.36 E)	AR 06212 Gasolina	94	126	128	1985	1985
GTV (116)	2.0 (11636)	AR 01655; AR 06212	96	129	130	1978	1986
GTV (116)	2.0 Turbodelta (1	AR 11642 Gasolina	111	149	151	1978	1980
RZ (162)	3.0 V6 Zagato (16	AR 61501 Gasolina	152	204	207	1992	1994
SPIDER (105)	1300 (10591)	AR 00530 Gasolina	64	86	87	1968	1977
SPIDER (105)	1600 (10503)	AR 00526; AR 00536;	80	107	109	1966	1968
SPIDER (105)	2000 (10512; 10E	AR 00512 Gasolina	96	129	130	1971	1977

DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448



ALFA ROMEO

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SPIDER (115)	1600 (11507)	AR 00536 Gasolina	80	107	109	1971	1979
SPIDER (115)	1600 (11535)	AR 00526 Gasolina	76	102	103	1976	1990
SPIDER (115)	1600 (115620; 11 AR 00526	Gasolina	75	101	102	1980	1989
SPIDER (115)	1600 (115A2)	AR 01563 Gasolina	79	106	107	1990	1993
SPIDER (115)	2000 (11538; 11 AR 00515	Gasolina	92	123	125	1986	1990
SPIDER (115)	2000 (11538; 11 AR 00515; AR 01590		93	125	126	1977	1993
SPIDER (115)	2000 (115680; 11 AR 01544	Gasolina	85	114	115	1986	1990
SPIDER (115)	2000 (115A1A)	AR 01588 Gasolina	88	118	120	1990	1993
SZ (162)	3.0 V6 Zagato (1 AR 61501	Gasolina	152	204	207	1988	1994

FIAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 (124)	1200 (124A)	124 A.000 Gasolina	48	64	65	1967	1975
124 (124)	1200 (TA)	124 A.000 Gasolina	44	59	60	1966	1973
124 (124)	1400 Special	124 B2.000 Gasolina	51	68	69	1968	1972
124 (124)	1400 Special (12	124 B2.000 Gasolina	55	74	75	1971	1975
124 (124)	1500 Special T	124 AC.000 Gasolina	59	79	80	1971	1975
124 (124)	1600 Special T (1	132 AC.000; 124 A9.0	70	94	95	1973	1975
124 Coupe (124)	1400 Sport	124 AC.000 Gasolina	66	88	90	1967	1972
124 Coupe (124)	1600	Gasolina	77	103	105	1973	1976
124 Coupe (124)	1600 (BC 1)	125 B.000; 125 BC.00	74	99	101	1971	1973
124 Coupe (124)	1600 (BC 1)	125 B.000; 125 BC.00	81	109	110	1970	1973
124 Coupe (124)	1600 Sport	132 AC.000 Gasolina	76	102	103	1972	1975
124 Coupe (124)	1600 Sport	132 AC.000 Gasolina	80	107	109	1972	1976
124 Coupe (124)	1800 Sport	124B21 Gasolina	82	110	111	1973	1976
124 Coupe (124)	1800 Sport (CC1)	124B21 Gasolina	87	117	118	1973	1976
124 Familiare (124)	1200	124 A.000 Gasolina	44	59	60	1967	1973
124 Familiare (124)	1200	124 A.000 Gasolina	48	64	65	1973	1975
124 Spider (124)	1500 Sport (BS)	124 AC.000 Gasolina	66	88	90	1966	1972
124 Spider (124)	1600	132 AC.000 Gasolina	80	107	109	1973	1975
124 Spider (124)	1600 Sport (BS)	125 B.000; 125 BC.00	82	110	111	1969	1973
124 Spider (124)	1600 Sport (BS1)	125 B.000; 125 BC.00	74	99	101	1969	1973
124 Spider (124)	1600 Sport (BS1)	125 B.000; 125 BC.00	81	109	110	1969	1974
124 Spider (124)	1600 Sport (CS)	125 B.000; 125 BC.00	76	102	103	1969	1974
124 Spider (124)	1800 Sport (CS1)	132 AC1.000 Gasolina	87	117	118	1972	1977
124 Spider (124)	1800 Sport (CS1)	132A2100 Gasolina	82	110	111	1973	1975
131 (131)	1.3 Mirafiori (131,	131 A.000 Gasolina	48	64	65	1974	1982
131 (131)	1.3 Super Mirafio	131 B.000 Gasolina	57	76	77	1978	1980
131 (131)	1.4 Mirafiori	131 C.000; 131 C1.00	51	68	69	1980	1984
131 (131)	1.4 Super Mirafio	131 C1.000 Gasolina	55	74	75	1981	1983
131 (131)	1.6 (131A1)	131 A1.000 Gasolina	55	74	75	1974	1981
131 (131)	1.6 Super Mirafio	131 B1.000 Gasolina	72	97	98	1979	1982
131 Familiare-Panorama (131)	1.3 Mirafiori (AF)	131 A.000 Gasolina	48	64	65	1975	1982
131 Familiare-Panorama (131)	1.4 Mirafiori	131 C.000; 131 C1.00	51	68	69	1981	1984
238 (238)	1.4	131 AZ.000 Gasolina	34	46	46	1966	1976
242 Autobus (242)	1.6	124 B3.000 Gasolina	46	62	63	1975	1982
242 Autobus (242)	1.9	132 AZ2.000 Gasolina	51	68	69	1975	1982
242 Furgoneta (242)	1.6	124 B3.000 Gasolina	46	62	63	1975	1982
242 Furgoneta (242)	1.9	132 AZ2.000 Gasolina	51	68	69	1975	1982
BRAVA (182)	1.9 D	160 A7.000 Diesel	48	64	65	1995	2001
BRAVO I (182)	1.9 D	160 A7.000 Diesel	48	64	65	1995	2001
CROMA (154)	1900 Turbo D i.d.	154 D1.000 Diesel	69	92	94	1992	1996
CROMA (154)	1900 Turbo D i.d.	154 C6.000 Diesel	66	88	90	1987	1992
DUCATO Autobus (230)	1.9 D Combinato	230 A2.000 Diesel	51	68	69	1995	2002
DUCATO Autobus (230)	1.9 TD Combinat	230 A4.000 Diesel	59	79	80	1994	2002
DUCATO Autobus (230)	1.9 TD Panorame	230 A3.000 Diesel	60	80	82	1994	2002
DUCATO Caja-Chasis (230)	1.9 D	230 A2.000 Diesel	51	68	69	1994	2002
DUCATO Caja-Chasis (230)	1.9 TD	230 A3.000 Diesel	60	80	82	1994	2002

DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448



FIAT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
DUCATO Caja-Chasis (230)	1.9 TD CAT	230 A4.000 Diesel	59	79	80	1994	2002
DUCATO Caja-Chasis (280)	1.9 TD	280 A1.000 Diesel	60	80	82	1989	1990
DUCATO Caja-Chasis (290)	1.9 TD	280 A1.000 Diesel	60	80	82	1989	1994
DUCATO Furgoneta (230)	1.9 D	230 A2.000 Diesel	51	68	69	1994	2002
DUCATO Furgoneta (230)	1.9 TD	230 A3.000 Diesel	60	80	82	1994	2002
DUCATO Furgoneta (230)	1.9 TD CAT	230 A4.000 Diesel	59	79	80	1994	2002
DUCATO Furgoneta (280)	1.9 TD	280 A1.000 Diesel	60	80	82	1989	1990
DUCATO Furgoneta (290)	1.9 TD	280 A1.000 Diesel	60	80	82	1989	1994
DUCATO Panorama (280)	1.9 TD	280 A1.000 Diesel	60	80	82	1989	1990
DUCATO Panorama (290)	1.9 TD	280 A1.000 Diesel	60	80	82	1990	1994
DUNA (146)	1.7 DS	149 B3.000 Diesel	44	59	60	1987	1991
DUNA Weekend (146)	1.7 DS	146 B2.000; 149 B3.0	44	59	60	1987	1991
FIORINO Furgoneta-monovolu	60 1.7 D	146 B2.000 Diesel	42	56	57	1988	1996
FIORINO Furgoneta-monovolu	60 1.7 D	146 B2.000; 149 B3.0	44	59	60	1988	2000
FIORINO Monospace (146)	1.7 (146Cl)	146 B2.000 Diesel	44	59	60	1988	1992
FIORINO Pick up (146)	1.7 D	146 B2.000 Diesel	42	56	57	1993	1999
FIORINO Pick up (146)	1.7 D	149 B3.000 Diesel	44	59	60	1988	1999
PALIO Weekend (178 ; 173 ; 3	1.7 TD	176 A3.000 Diesel	51	68	69	1996	2001
PUNTO (176)	1.7 D	176 B3.000 Diesel	42	56	57	1994	1997
PUNTO (176)	1.7 TD	176 A3.000 Diesel	51	68	69	1994	1999
PUNTO (176)	1.7 TD	176 A5.000 Diesel	52	70	71	1994	1999
PUNTO (176)	1.7 TD (176AT)	176 B7.000 Diesel	46	62	63	1996	1999
PUNTO Van (176)	1.7 D	176 B3.000 Diesel	42	56	57	1996	2000
PUNTO Van (176)	1.7 TD	176 A5.000 Diesel	52	70	71	1996	2000
PUNTO Van (176)	1.7 TD	176 B7.000 Diesel	46	62	63	1996	1999
REGATA (138)	60 Diesel 1.7	138 B6.000 Diesel	43	58	58	1983	1986
REGATA (138)	60 Diesel 1.7	149 B3.000 Diesel	44	59	60	1985	1989
REGATA (138)	65 Diesel 1.9	149 A1.000 Diesel	48	64	65	1984	1989
REGATA (138)	80 Turbo Diesel 1	831 D1.000 Diesel	59	79	80	1986	1989
REGATA Weekend (138)	60 Diesel 1.7	149 B3.000 Diesel	44	59	60	1984	1989
REGATA Weekend (138)	65 Diesel 1.9	149 A1.000 Diesel	48	64	65	1984	1989
REGATA Weekend (138)	80 Turbo Diesel 1	831 D1.000 Diesel	59	79	80	1986	1989
RITMO (138)	1.7 Diesel	138 A5.000 Diesel	40	54	54	1979	1982
RITMO (138)	1.7 Diesel	138 C.000; 149 B3.00	44	59	60	1985	1987
RITMO (138)	1.9 TD	831 D1.000 Diesel	59	79	80	1985	1987
TEMPRA (159)	1.9 D (159.AG)	160 A7.000; 149 A1.0	48	64	65	1991	1996
TEMPRA (159)	1.9 TD (159.AQ)	160 B6.046 Diesel	59	79	80	1992	1996
TEMPRA (159)	1.9 TD (159.CU; 160	D1.000; 160 A6.0	66	88	90	1990	1996
TEMPRA S.W. (159)	1.9 D (159.AG)	160 A7.000; 149 A1.0	48	64	65	1991	1996
TEMPRA S.W. (159)	1.9 D (159AG)	160 A7.000 Diesel	48	64	65	1993	1996
TEMPRA S.W. (159)	1.9 TD (159.AI; 1	160 D1.000; 160 A6.0	66	88	90	1991	1995
TEMPRA S.W. (159)	1.9 TD (159.AQ)	160 B6.046 Diesel	59	79	80	1992	1993
TIPO (160)	1.7 D (160.AG)	149 B4.000 Diesel	43	58	58	1988	1994
TIPO (160)	1.7 D (160.AG)	149 B4.000 Diesel	45	60	61	1988	1995
TIPO (160)	1.9 D	160 A7.000; 149 A1.0	48	64	65	1991	1995
TIPO (160)	1.9 TD (160.AW)	160 B6.046 Diesel	59	79	80	1992	1993
TIPO (160)	1.9 TD (160.EL; 1	160 A6.046; 160 D1.0	66	88	90	1990	1995
TIPO (160)	1.9 TD (160AR)	160 A6.046 Diesel	69	92	94	1990	1992
UNO (146 ; 158)	1.9 D	149 B5.046 Diesel	44	59	60	1989	1994
UNO (146 ; 158)	60 Diesel 1.7	149 B3.000 Diesel	44	59	60	1986	1989
UNO (146 ; 158)	60 Diesel 1.7 (14	146 B2.000 Diesel	42	56	57	1989	1993
UNO (146 ; 158)	70 TD 1.4	146 B.000; 146 B3.00	52	70	71	1986	1990

FORD							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
ESCORT CLASSIC (AAL; ABL	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1998	2000
ESCORT CLASSIC Turnier (A	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1999	2000
ESCORT IV (GAF; AWF; ABFT	1.8 D	RTA; RTB Diesel	44	59	60	1989	1990

DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448



FORD

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ESCORT IV Express (AVF)	1.8 D	RTA; RTB Diesel	44	59	60	1988	1990
ESCORT IV Turnier (AWF; AVI)	1.8 D	RTA; RTB Diesel	44	59	60	1989	1990
ESCORT V (AAL; ABL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1990	1995
ESCORT V (AAL; ABL)	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1993	1995
ESCORT V Express (AVF)	1.8 D	RTA; RTE; RTF; RTH	44	59	60	1990	1994
ESCORT V Sedan (AFL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1993	1995
ESCORT V Sedan (AFL)	1.8 TD	RFD; RFK Diesel	66	88	90	1993	1995
ESCORT V Turnier (ANL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1990	1995
ESCORT V Turnier (ANL)	1.8 TD	D18TRFL Diesel	55	74	75	1991	1992
ESCORT V Turnier (ANL)	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1993	1995
ESCORT VI (GAL; AAL; ABL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1995	1996
ESCORT VI (GAL; AAL; ABL)	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1995	1998
ESCORT VI (GAL; AAL; ABL)	1.8 Turbo D	RVA Diesel	51	68	69	1995	1998
ESCORT VI Descapotable (AL)	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1995	1998
ESCORT VI Descapotable (AL)	1.8 Turbo D	RVA Diesel	51	68	69	1996	1999
ESCORT VI Furgoneta-Station	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1995	2000
ESCORT VI Furgoneta-Station	1.8 Turbo D	RVA Diesel	51	68	69	1995	2001
ESCORT VI Sedan (GAL; AFL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1995	1996
ESCORT VI Sedan (GAL; AFL)	1.8 TD	RFN; RFD; RFK; RFS	66	88	90	1995	1999
ESCORT VI Sedan (GAL; AFL)	1.8 Turbo D	RVA Diesel	51	68	69	1995	1999
ESCORT VI Turnier (GAL; ANL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1995	1999
ESCORT VI Turnier (GAL; ANL)	1.8 TD	RFD; RFK; RFS Diesel	66	88	90	1995	1999
ESCORT VI Turnier (GAL; ANL)	1.8 Turbo D	RVA Diesel	51	68	69	1995	1999
FIESTA Furgoneta-Hatchback	1.8 D (FVJ)	RTD; RTG; RTC Diesel	44	59	60	1989	1995
FIESTA Furgoneta-Hatchback	D 1.8	RTK; RTJ Diesel	44	59	60	1998	2002
FIESTA Furgoneta-monovolum	1.8 D	RTD; RTG; RTC Diesel	44	59	60	1991	1996
FIESTA Furgoneta-monovolum	1.8 D	RTK; RTJ Diesel	44	59	60	1996	2002
FIESTA III (GFJ)	1.8 D	RTD; RTG; RTC Diesel	44	59	60	1989	1995
FIESTA III (GFJ)	1.8 TD	RFL Diesel	55	74	75	1993	1995
FIESTA IV (JA ; JB)	1.8 D	RTK; RTJ Diesel	44	59	60	1995	2000
MONDEO I (GBP)	1.8 TD	RFM; RFN Diesel	65	87	88	1993	1996
MONDEO I (GBP)	1.8 TD	RFM; RFN Diesel	66	88	90	1995	1996
MONDEO I Sedan (GBP)	1.8 TD	RFM; RFN Diesel	65	87	88	1993	1996
MONDEO I Sedan (GBP)	1.8 TD	RFM; RFN Diesel	66	88	90	1995	1996
MONDEO I Turnier (BNP)	1.8 TD	RFM; RFN Diesel	65	87	88	1993	1996
MONDEO I Turnier (BNP)	1.8 TD	RFM; RFN Diesel	66	88	90	1995	1996
MONDEO II (BAP)	1.8 TD	RFN Diesel	66	88	90	1996	2000
MONDEO II Sedan (BFP)	1.8 TD	RFN Diesel	66	88	90	1996	2000
MONDEO II Turnier (BNP)	1.8 TD	RFN Diesel	66	88	90	1996	2000
ORION II (AFF)	1.8 D	RTA; RTB Diesel	44	59	60	1989	1990
ORION III (GAL)	1.8 D	RTE; RTF; RTH Diesel	44	59	60	1990	1993
ORION III (GAL)	1.8 TD	RFD; RFK Diesel	66	88	90	1992	1993
P 100 II	1.8 TD	RFA Diesel	55	74	75	1987	1992
SIERRA II (GBG; GB4)	1.8 TD	RFA; RFB; RFL Diesel	55	74	75	1988	1993
SIERRA II Hatchback (GBC; G)	1.8 TD	RFA; RFB; RFL Diesel	55	74	75	1988	1993
SIERRA II Turnier (BNG)	1.8 TD	RFA; RFB; RFL Diesel	55	74	75	1988	1993

INNOCENTI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ELBA	1.7 D (146DI; 146)	146 B2.000 Diesel	42	56	57	1991	1996

LANCIA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
DEDRA (835)	1.9 TDS (835EE; 835 A4.000; 160 D1.0	66	88	90	1989	1999	
DEDRA SW (835)	1.9 TDS (835EE; 835 A4.000; 160 D1.0	66	88	90	1994	1999	
DELTA I (831)	1.9 Turbo DS (83 831 D1.000 Diesel	59	79	80	1986	1989	
DELTA II (836)	1.9 TD (836AM; 835 A4.000; 160 D1.0	66	88	90	1994	1999	

DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448



LANCIA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
KAPPA (838)	2.0 16V Turbo (8: 838 A4.000 Gasolina		151	202	205	1995	2001
KAPPA Coupe (838)	2.0 16V Turbo (8: 838 A4.000 Gasolina		151	202	205	1996	2001
KAPPA SW (838)	2.0 16V Turbo (8: 838 A4.000 Gasolina		151	202	205	1996	2001
PRISMA (831)	1.9 Diesel (831A€ 831 D.000 Diesel		48	64	65	1983	1992
PRISMA (831)	1.9 Turbo Diesel 831 D1.000 Diesel		59	79	80	1985	1989

MAZDA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
121 III (JASM; JBSM)	1.8 D	1E07(RTJ); 1E07(RTJ) Diesel	44	59	60	1996	2003
121 III (JASM; JBSM)	1.8 TD	1E10(RTN) Diesel	55	74	75	2000	2002

SEAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
AROSA (6H1)	1.0	AER; ANV; ALD; ALL; 37	37	50	50	1997	2004
AROSA (6H1)	1.0	AHT Gasolina	37	50	50	1998	2001

SKODA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FABIA I (6Y2)	1.0	ARV; AQV Gasolina	37	50	50	1999	2002
FABIA I (6Y2)	1.4	ATZ; AME; AQW Gas	50	67	68	1999	2003
FABIA I Combi (6Y5)	1.4	ATZ; AME; AQW Gas	50	67	68	2000	2003
FABIA I Combi (6Y5)	1.4	AZE; AZF Gasolina	44	59	60	2000	2003
FABIA I Praktik (6Y5)	1.4	ATZ; AME; AQW Gas	50	67	68	2001	2003
FABIA I Sedan (6Y3)	1.4	ATZ; AME; AQW Gas	50	67	68	2001	2003
FABIA I Sedan (6Y3)	1.4	AZE; AZF Gasolina	44	59	60	2000	2002
OCTAVIA I (1U2)	1.4	AMD Gasolina	44	59	60	1999	2001

TOYOTA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FJ CRUISER (GSJ1)	4.0 4WD (GSJ15. 1GR-FE Gasolina		178	239	242	2006	2018

VW

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LUPO I (6X1; 6E1)	1.0	AER; ALL; ALD; ANV; 37	37	50	50	1998	2005
LUPO I (6X1; 6E1)	1.0	AHT Gasolina	37	50	50	1998	2000

DIMENSIONS

H (Height):	102 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.5 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200442
ITF14:	85055148200448

