

ML 5548 Millard Oil Filter

Catalog Europe, 22/05/2026



For updated information visit <http://mlrd.es/ML-5548>

CROSS REFERENCES

AUDI	030 115 561 AB	PBR	BC1305
COOPERSFIAAM	FT5566	PURFLUX	LS325
FRAM	PH5548	UFI	2328200
HENGST	H90W17	VAG	030 115 561 K
KNECHT/MAHLE	OC295	VW	030 115 561 AB
LUBERFINER	PH2835	VW	030115561AB
MANN-FILTER	W71252	VW GROUP	030115561AB
P.B.R.	BC1305		

APPLICATIONS (EUROPE)

AUDI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
A2 (8Z0)	1.4	AUA; BBY Gasolina	55	74	75	2000	2005
A2 (8Z0)	1.6 FSI	BAD Gasolina	81	109	110	2002	2005

CITROEN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
SAXO (S0; S1)	1.1 X; SX	HDZ (TU1M) Gasolina	40	54	54	1996	2003

SEAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ALTEA (5P1)	1.4 16V	BXW; CGGB Gasolina	63	84	86	2006	2011
ALTEA XL (5P5; 5P8)	1.4 16V	BXW; CGGB Gasolina	63	84	86	2006	2013
AROSA (6H1)	1.0	AER; ANV; ALD; ALL; 37	37	50	50	1997	2004
AROSA (6H1)	1.0	AHT Gasolina	37	50	50	1998	2001
AROSA (6H1)	1.4	AEX; AKV; APQ; ANV 44	44	59	60	1997	2004
AROSA (6H1)	1.4 16V	AFK; AQQ; AUB Gas	74	99	101	2000	2004
CORDOBA (6K1; 6K2)	1.0 i	AER; ANV; ALD; AUC 37	37	50	50	1996	2002
CORDOBA (6K1; 6K2)	1.4 16V	APE; AUA Gasolina	55	74	75	2000	2002
CORDOBA (6K1; 6K2)	1.4 i	ABD; AEX; AKV; APQ 44	44	59	60	1994	2002
CORDOBA (6K1; 6K2)	1.4 i 16V	AFH; AQQ; AUB Gas	74	99	101	1996	2002

DIMENSIONS

H (Height):	92 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	74mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.8 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200480
ITF14:	85055148200486



SEAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CORDOBA (6K1; 6K2)	1.6 i	1F Gasolina	55	74	75	1994	1999
CORDOBA (6K1; 6K2)	1.6 i	ABU; AEE; ALM Gasc	55	74	75	1993	2002
CORDOBA (6L2)	1.4 16V	BBY; BKY Gasolina	55	74	75	2002	2007
CORDOBA (6L2)	1.4 16V	BBZ Gasolina	74	99	101	2002	2009
CORDOBA (6L2)	1.4 16V	BXW Gasolina	63	84	86	2006	2009
CORDOBA (6L2)	1.6	BAH Gasolina	74	99	101	2003	2009
CORDOBA Vario (6K5)	1.4	AQQ Gasolina	74	99	101	2000	2000
CORDOBA Vario (6K5)	1.4 16V	APE; AUA Gasolina	55	74	75	1999	2002
CORDOBA Vario (6K5)	1.4 i	AEX; AKV; APQ; ANV	44	59	60	1996	2002
CORDOBA Vario (6K5)	1.6 i	ABU; AEE; ALM Gasc	55	74	75	1996	2002
IBIZA II (6K1)	1.0	AAU Gasolina	33	44	45	1993	1996
IBIZA II (6K1)	1.0 i	AER; ANV; ALD; AUC	37	50	50	1996	2002
IBIZA II (6K1)	1.3 i	2G; AAV Gasolina	40	54	54	1993	1999
IBIZA II (6K1)	1.4 16V	APE; AUA Gasolina	55	74	75	2000	2002
IBIZA II (6K1)	1.4 i	ABD; AEX; AKV; APQ	44	59	60	1993	2002
IBIZA II (6K1)	1.4 i 16V	AFH; AQQ; AUB Gasc	74	99	101	1997	2002
IBIZA II (6K1)	1.6 i	ABU; AEE; ALM Gasc	55	74	75	1993	2002
IBIZA III (6L1)	1.4 16V	AUB; BBZ Gasolina	74	99	101	2002	2009
IBIZA III (6L1)	1.4 16V	BBY; BKY Gasolina	55	74	75	2002	2007
IBIZA III (6L1)	1.4 16V	BXW Gasolina	63	84	86	2006	2009
IBIZA III (6L1)	1.6	BAH Gasolina	74	99	101	2003	2009
IBIZA III (6L1)	1.8 T Cupra R	BBU; BLZ Gasolina	132	177	179	2004	2008
IBIZA IV (6J5; 6P1)	1.4	BXW; CGGB Gasolina	63	84	86	2008	2015
IBIZA IV SC (6J1; 6P5)	1.4	BXW; CGGB Gasolina	63	84	86	2008	2015
IBIZA IV ST (6J8; 6P8)	1.4	CGGB Gasolina	63	84	86	2010	2015
INCA (6K9)	1.4 16V	AUA Gasolina	55	74	75	2000	2003
INCA (6K9)	1.4 i	AEX; AKV; APQ; AUC	44	59	60	1995	2003
INCA (6K9)	1.6 i	1F Gasolina	55	74	75	1995	1998
INCA (6K9)	1.6 i	AEE; ALM Gasolina	55	74	75	1997	2000
LEON (1M1)	1.4 16V	APE; AHW; AXP; BC/	55	74	75	1999	2006
LEON (1M1)	1.6 16 V	AUS; AZD; BCB Gasc	77	103	105	2000	2006
LEON (1P1)	1.4 16V	BXW; CGGB Gasolina	63	84	86	2006	2012
TOLEDO II (1M2)	1.4 16V	APE; AHW; AXP; BC/	55	74	75	2000	2002
TOLEDO II (1M2)	1.6 16V	AUS; AZD; BCB Gasc	77	103	105	2000	2006
TOLEDO III (5P2)	1.4 16V	BXW Gasolina	63	84	86	2006	2009

SKODA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FABIA I (6Y2)	1.0	ARV; AQV Gasolina	37	50	50	1999	2002
FABIA I (6Y2)	1.4	ATZ; AME; AQW Gas	50	67	68	1999	2003
FABIA I (6Y2)	1.4	AZE; AZF Gasolina	44	59	60	2000	2002
FABIA I (6Y2)	1.4 16V	AUA; BBY; BKY Gasc	55	74	75	1999	2008
FABIA I (6Y2)	1.4 16V	AUB; BBZ Gasolina	74	99	101	1999	2008
FABIA I Combi (6Y5)	1.4	ATZ; AME; AQW Gas	50	67	68	2000	2003
FABIA I Combi (6Y5)	1.4	AZE; AZF Gasolina	44	59	60	2000	2003
FABIA I Combi (6Y5)	1.4 16V	AUA; BBY; BKY Gasc	55	74	75	2000	2007
FABIA I Combi (6Y5)	1.4 16V	AUB; BBZ Gasolina	74	99	101	2000	2007
FABIA I Combi (6Y5)	1.4 16V	BUD Gasolina	59	79	80	2006	2007
FABIA I Praktik (6Y5)	1.4	ATZ; AME; AQW Gas	50	67	68	2001	2003
FABIA I Praktik (6Y5)	1.4	BKY Gasolina	55	74	75	2004	2007
FABIA I Sedan (6Y3)	1.4	ATZ; AME; AQW Gas	50	67	68	2001	2003
FABIA I Sedan (6Y3)	1.4	AZE; AZF Gasolina	44	59	60	2000	2002
FABIA I Sedan (6Y3)	1.4 16V	AUA; BBY; BKY Gasc	55	74	75	1999	2007
FABIA I Sedan (6Y3)	1.4 16V	AUB; BBZ Gasolina	74	99	101	1999	2007
FABIA I Sedan (6Y3)	1.4 16V	BUD Gasolina	59	79	80	2006	2007
FABIA II (542)	1.4	BXW; CGGB Gasolina	63	84	86	2007	2014
FABIA II Combi (545)	1.4	BXW; CGGB Gasolina	63	84	86	2007	2014
FELICIA I (6U1)	1.6	AEE Gasolina	55	74	75	1995	1998

DIMENSIONS

H (Height):	92 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	74mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.8 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200480
ITF14:	85055148200486



SKODA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FELICIA I Pick-up (6UF; 6U7)	1.6	AEE Gasolina	55	74	75	1997	2002
FELICIA I Station Wagon (6U5)	1.6	AEE Gasolina	55	74	75	1995	1998
FELICIA II (6U1)	1.6	AEE Gasolina	55	74	75	1998	2001
FELICIA II Station Wagon (6U5)	1.6	AEE Gasolina	55	74	75	1998	2001
OCTAVIA I (1U2)	1.4	AMD Gasolina	44	59	60	1999	2001
OCTAVIA I (1U2)	1.4 16V	AXP; BCA Gasolina	55	74	75	2000	2010
OCTAVIA I (1U2)	1.6	AEE Gasolina	55	74	75	1996	2004
OCTAVIA I Combi (1U5)	1.4 16V	AXP; BCA Gasolina	55	74	75	2000	2010
OCTAVIA I Combi (1U5)	1.6	AEE Gasolina	55	74	75	1998	2004
OCTAVIA II (1Z3)	1.4	BCA Gasolina	55	74	75	2004	2006
OCTAVIA II (1Z3)	1.4	BUD; CGGA Gasolina	59	79	80	2004	2013
OCTAVIA II Combi (1Z5)	1.4	BCA Gasolina	55	74	75	2004	2006
OCTAVIA II Combi (1Z5)	1.4	BUD; CGGA Gasolina	59	79	80	2006	2013
ROOMSTER (5J7)	1.4	BXW; CGGB Gasolina	63	84	86	2006	2015
ROOMSTER (5J7)	1.4 LPG	BXW; CGGB Gasolina	63	84	86	2010	2015
ROOMSTER Praktik (5J)	1.4	BXW; CGGB Gasolina	63	84	86	2007	2015

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
BORA I (1J2)	1.4 16V	AHW; AKQ; APE; AXF	55	74	75	2000	2005
BORA I (1J2)	1.6 16V	ATN; AUS; AZD; BCB	77	103	105	2000	2005
BORA I (1J2)	1.6 FSI	BAD Gasolina	81	109	110	2002	2005
BORA Variant (1J6)	1.4 16V	AHW; AKQ; APE; AXF	55	74	75	2001	2005
BORA Variant (1J6)	1.6 16V	ATN; AUS; AZD; BCB	77	103	105	2000	2005
BORA Variant (1J6)	1.6 FSI	BAD Gasolina	81	109	110	2002	2005
CADDY II Furgoneta-monovolu	1.4	AUA Gasolina	55	74	75	2000	2004
CADDY II Furgoneta-monovolu 60	1.4	AEX; AUD; APQ Gasc	44	59	60	1995	2004
CADDY II Furgoneta-monovolu 75	1.6	1F Gasolina	55	74	75	1995	1997
CADDY II Furgoneta-monovolu 75	1.6	AEE Gasolina	55	74	75	1995	2000
CADDY II Monospace (9K9B)	1.4	AEX; AKV; AUD; APQ	44	59	60	1995	2003
CADDY II Monospace (9K9B)	1.4 16V	AUA Gasolina	55	74	75	2000	2004
CADDY II Monospace (9K9B)	1.6	1F Gasolina	55	74	75	1995	1997
CADDY II Monospace (9K9B)	1.6	AEE Gasolina	55	74	75	1997	2000
CADDY II Pick-up (9U7)	1.6	AEE Gasolina	55	74	75	1996	2000
CADDY III Furgoneta-monovolu	1.4	BCA Gasolina	55	74	75	2004	2006
CADDY III Furgoneta-monovolu	1.4	BUD Gasolina	59	79	80	2006	2010
CADDY III Monospace (2KB; 2	1.4	BCA Gasolina	55	74	75	2004	2006
CADDY III Monospace (2KB; 2	1.4	BUD Gasolina	59	79	80	2006	2010
FOX Hatchback (5Z1; 5Z3; 5Z4	1.4	BKR Gasolina	55	74	75	2005	2009
GOLF III (1H1)	1.4	ABD; AEX Gasolina	40	54	54	1991	1997
GOLF III (1H1)	1.4	ABD; AEX Gasolina	44	59	60	1991	1997
GOLF III (1H1)	1.6	AEA; ABU; AEE Gasc	55	74	75	1992	1997
GOLF III Van (1H1)	1.4	ABD; AEX Gasolina	44	59	60	1991	1996
GOLF III Van (1H1)	1.6	Gasolina	55	74	75	1992	1997
GOLF III Variant (1H5)	1.4	ABD; AEX Gasolina	40	54	54	1993	1999
GOLF III Variant (1H5)	1.4	ABD; AEX; APQ Gasc	44	59	60	1993	1999
GOLF IV (1J1)	1.4 16V	AHW; AKQ; APE; AXF	55	74	75	1997	2004
GOLF IV (1J1)	1.6 16V	ATN; AUS; AZD; BCB	77	103	105	2000	2005
GOLF IV (1J1)	1.6 FSI	BAD Gasolina	81	109	110	2002	2005
GOLF IV Cabriolet (1E7)	1.8	ADZ; ANP Gasolina	66	88	90	1998	2002
GOLF IV Variant (1J5)	1.4 16V	AHW; AKQ; APE; AXF	55	74	75	1999	2006
GOLF IV Variant (1J5)	1.6 16V	ATN; AUS; AZD; BCB	77	103	105	2000	2006
GOLF IV Variant (1J5)	1.6 FSI	BAD Gasolina	81	109	110	2002	2006
GOLF PLUS V (5M1; 521)	1.4 16V	BCA Gasolina	55	74	75	2005	2006
GOLF PLUS V (5M1; 521)	1.4 16V	BUD; CGGA Gasolina	59	79	80	2006	2013
GOLF V (1K1)	1.4 16V	BCA Gasolina	55	74	75	2003	2006
GOLF V (1K1)	1.4 16V	BUD Gasolina	59	79	80	2006	2008
GOLF V Variant (1K5)	1.4	BUD Gasolina	59	79	80	2007	2009

DIMENSIONS

H (Height):	92 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	74mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.8 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200480
ITF14:	85055148200486



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GOLF VAN IV Variant (1J5)	1.4	AXP; BCA Gasolina	55	74	75	2000	2006
GOLF VAN IV Variant (1J5)	1.6	AUS; AZD; BCB Gasc	77	103	105	2000	2006
GOLF VI (5K1)	1.4	CGGA Gasolina	59	79	80	2008	2012
GOLF VI Variant (AJ5)	1.4	CGGA Gasolina	59	79	80	2009	2013
LUPO I (6X1; 6E1)	1.0	AER; ALL; ALD; ANV; 37	50	50	50	1998	2005
LUPO I (6X1; 6E1)	1.0	AHT Gasolina	37	50	50	1998	2000
LUPO I (6X1; 6E1)	1.4	AUD Gasolina	44	59	60	2000	2005
LUPO I (6X1; 6E1)	1.4 16V	AFK; AQQ; ANM; AUJ 74	99	99	101	1999	2005
LUPO I (6X1; 6E1)	1.4 16V	AHW; AKQ; APE; AUJ 55	74	74	75	1998	2005
LUPO I (6X1; 6E1)	1.4 FSI	ARR Gasolina	77	103	105	2001	2005
LUPO I (6X1; 6E1)	1.6 GTI	AVY Gasolina	92	123	125	2000	2005
NEW BEETLE (9C1; 1C1)	1.4	BCA Gasolina	55	74	75	2001	2010
NEW BEETLE Descapotable (1	1.4	BCA Gasolina	55	74	75	2003	2010
POLO (6N2)	1.0	ALD; AUC Gasolina	37	50	50	1999	2001
POLO (6N2)	1.4	AKK; AUD Gasolina	44	59	60	1999	2001
POLO (6N2)	1.4	AKP; ANX Gasolina	40	54	54	1999	2001
POLO (6N2)	1.4 16V	AFK; AQQ; AUB Gasc	74	99	101	1999	2001
POLO (6N2)	1.4 16V	AHW; APE; AUA Gas	55	74	75	1999	2001
POLO (6N2)	1.6 16V GTI	ARC; AVY Gasolina	92	123	125	1999	2001
POLO CLASSIC (86C; 80)	1.0	AAK; ACM; AAU; HZ 33	44	44	45	1985	1994
POLO CLASSIC (86C; 80)	1.3 Cat	MH; NZ Gasolina	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.0	HZ Gasolina	33	44	45	1985	1992
POLO Coupe (86C; 80)	1.0 Cat	AAK; ACM; AAU Gasc	33	44	45	1989	1994
POLO Coupe (86C; 80)	1.3	3F Gasolina	57	76	77	1991	1994
POLO Coupe (86C; 80)	1.3	MH; HK Gasolina	40	54	54	1983	1987
POLO Coupe (86C; 80)	1.3 Cat	3F Gasolina	55	74	75	1989	1994
POLO Coupe (86C; 80)	1.3 Cat	MH; NZ; 2G; AAV Gas	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.3 G40	PY Gasolina	83	111	113	1990	1994
POLO Coupe (86C; 80)	1.3 G40	PY Gasolina	85	114	115	1987	1990
POLO Furgoneta-Hatchback (6	1.0	AEV Gasolina	33	44	45	1994	1999
POLO Furgoneta-Hatchback (8	1.0	AAU Gasolina	33	44	45	1992	1994
POLO Furgoneta-Hatchback (8	1.3	AAV Gasolina	40	54	54	1992	1994
POLO Furgoneta-Station wago	1.4	AUA Gasolina	55	74	75	2000	2001
POLO II (86C; 80)	1.0	HZ Gasolina	33	44	45	1985	1992
POLO II (86C; 80)	1.0 Cat	AAK; ACM; AAU Gasc	33	44	45	1989	1994
POLO II (86C; 80)	1.3 Cat	3F Gasolina	55	74	75	1989	1991
POLO III (6N1)	100 1.4 16V	AFH Gasolina	74	99	101	1996	1999
POLO III (6N1)	120 1.6 16V GTI	AJV Gasolina	88	118	120	1998	1999
POLO III (6N1)	45 1.0	AEV Gasolina	33	44	45	1994	1996
POLO III (6N1)	50 1.0	AER; ALL Gasolina	37	50	50	1996	1999
POLO III (6N1)	55 1.3	ADX Gasolina	40	54	54	1994	1997
POLO III (6N1)	55 1.4	AEX; ANX Gasolina	40	54	54	1995	1999
POLO III (6N1)	60 1.4	AEX; AKV; APQ Gasc	44	59	60	1995	1999
POLO III (6N1)	75 1.6	AEA; AEE; AHS Gasc	55	74	75	1994	1999
POLO III (6N1)	75 1.6 4motion	AEA Gasolina	55	74	75	1995	1999
POLO III CLASSIC (6V2)	60 1.4	AEX; AKV; AKK; AUD	44	59	60	1995	2001
POLO III CLASSIC (6V2)	75 1.4 16V	APE; AUA Gasolina	55	74	75	1999	2001
POLO III CLASSIC (6V2)	75 1.6	AEE; ALM Gasolina	55	74	75	1995	2001
POLO IV (9N ; 9A)	1.4 16V	AUA; BBY; BKY Gasc	55	74	75	2001	2008
POLO IV (9N ; 9A)	1.4 16V	AUB; BBZ Gasolina	74	99	101	2001	2008
POLO IV (9N ; 9A)	1.4 16V	BUD Gasolina	59	79	80	2006	2009
POLO IV Sedan (9A4; 9A2; 9N	1.4	BBY; BKY Gasolina	55	74	75	2002	2012
POLO IV Sedan (9A4; 9A2; 9N	1.4	BBZ Gasolina	74	99	101	2003	2005
POLO V (6R1; 6C1)	1.4 (6R1)	CGGB; CDDA; CLPA	63	84	86	2009	2014
POLO V (6R1; 6C1)	1.4 BiFuel	CMAA Gasolina	60	80	82	2010	2011
POLO Variant (6V5)	1.4	AEX; AKV; AKK; AUD	44	59	60	1997	2001
POLO Variant (6V5)	1.4	ANX Gasolina	40	54	54	1998	1999
POLO Variant (6V5)	1.4 16V	APE; AUA Gasolina	55	74	75	1999	2001

DIMENSIONS

H (Height):	92 mm
OD (Outer Diameter):	78 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	74mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	8.8 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200480
ITF14:	85055148200486




5548 Millard Oil Filter

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
POLO Variant (6V5)	1.6	AEE; ALM Gasolina	55	74	75	1997	2001
VENTO (1H2)	1.4	ABD; AEX Gasolina	40	54	54	1991	1998
VENTO (1H2)	1.4	ABD; AEX Gasolina	44	59	60	1991	1998
VENTO (1H2)	1.6	AEA; ABU; AEE Gasc	55	74	75	1992	1998

DIMENSIONS

<i>H (Height):</i>	92 mm
<i>OD (Outer Diameter):</i>	78 mm
<i>Th (Thread):</i>	3/4"-16
<i>Drain (Drain):</i>	NO
<i>Wrench (Uninstall tool):</i>	74mm 14
Gaskets:	
1 Unit/s (OD/ID)	72 mm / 63 mm

PROPERTIES**ANTIDRAIN BACK VALVE****PRESENTATION**

UNITS PER BOX:	24
WEIGHT:	8.8 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200480
ITF14:	85055148200486

