

ML 5552 Millard Oil Filter

Catalog Europe, 09/07/2026



DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493

For updated information visit <http://mlrd.es/ML-5552>

CROSS REFERENCES

BMW	11 42 1 287 836	KNECHT/MAHLE	OC264
BMW	11 42 1 707 779	LINDNER	3205161
CASE IH	3 147 441 R 91	LUBERFINER	PH561
CASE IH	S-62427	MAHLE	OC264
CHRYSLER	05003558AA	MANN-FILTER	W71930
CHRYSLER	4720364	MAZDA	YF091-4302
CHRYSLER	4781452BB	MAZDA	Z ZN1-23302
CHRYSLER	5003558AA	MERCEDES-BENZ	103 184 00 01
CHRYSLER	P4720364	MERCEDES-BENZ	103 184 02 01
COOPERSFIAAM	FT5259	MERCEDES-BENZ	103 184 03 01
DEUTZ-FAHR	0117 2346	MERCEDES-BENZ	103 184 06 10
FIAT	K4781452AA	MERCEDES-BENZ	A 003 094 06 01
FIAT	K4781452BB	MERCEDES-BENZ	A 102 184 02 01
FORD	1037 678	MERCEDES-BENZ	A 102 184 03 01
FORD	1043 147	MERCEDES-BENZ	A 103 184 00 01
FORD	1066071	NISSAN	15208-V4000
FORD	1119 421	ONAN	1220680
FORD	4454116	P.B.R.	BC1278
FORD	5004 928	PBR	BC1278
FORD	6937 011	PEUGEOT	MLS000702
FORD	978M-6714-B2A	PURFLUX	LS324
FORD	YN2G6714838	PUROLATOR	L20252
FRAM	PH2870A	RENAULT	77 01 415 078
GENERAL MOTORS	93156747	RENAULT	801382
GENERAL MOTORS	93892090	SKODA	06A 115 561 B
HENGST	H14W27	UFI	2313001
JAGUAR	XR 8E6714 AB	VAG	030 115 561 D
JOHN DEERE	AM34770	VAG	037 115 561 B



CROSS REFERENCES (CONTINUES FROM PREVIOUS PAGE)

VAG	056 115 561 A	VM	4 115 064
VAG	057 115 561	VM	41 150 064 B
VAG	06A 115 561 B	VM	41152006A
VAG	06A 115 561 E	VOLVO	1526187
VAG	070 115 561	VW	06A115561B
VAG	8920 180 82 01	VW GROUP	06A115561B
VAG	BAT 115 561 A	WARTBURG	04 82 551 001
VAG	XE 021 030 288 A	WIX FILTERS	51342

APPLICATIONS (EUROPE)
ALPINA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
B3 (E30)	2.7	M20 B27 (27EH2) Ga:	150	201	204	1987	1992
B3 (E30)	2.7 A las 4 rueda:	M20 B27 (27EH2) Ga:	150	201	204	1987	1992
B3 Descapotable (E30)	2.7	M20 B27 (27EH2) Ga:	150	201	204	1987	1992
B3 Touring (E30)	2.7	M20 B27 (27EH2) Ga:	150	201	204	1987	1992
C1 (E21)	2.3	C1 (M20 B23) Gasolir	125	168	170	1980	1983
C1 (E30)	2.3	C1 1 (M20 B23) Gaso	125	168	170	1983	1985
C1 (E30)	2.5	M20 B25 (256KE1) G:	140	188	190	1986	1988
C2 (E30)	2.5	M20 B25 (256KE1) G:	136	182	185	1985	1988
C2 (E30)	2.7	M20 B27 (276KE1) G:	150	201	204	1987	1987
C2 (E30)	2.7	M20 B27 (276KE1) G:	154	206	209	1986	1987
C2 (E30)	2.7 A las 4 rueda:	M20 B27 (276KE1) G:	154	206	209	1986	1987
C2 Descapotable (E30)	2.7	M20 B27 (276KE1) G:	154	206	209	1986	1987
RLE Roadster (Z1)	2.7	C2 6 Gasolina	147	197	200	1990	1991

AUDI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C1 Coupe (817)	1.9	ZJ Gasolina	82	110	111	1971	1976
100 C1 Coupe (817)	1.9	ZP Gasolina	85	114	115	1970	1971
100 C1 Sedan (801; 803; 805; 806)	1.6	YM Gasolina	63	84	86	1975	1976
100 C1 Sedan (801; 803; 805; 806)	1.8	ZU Gasolina	63	84	86	1971	1974
100 C1 Sedan (801; 803; 805; 806)	1.8	ZV Gasolina	59	79	80	1968	1971
100 C1 Sedan (801; 803; 805; 806)	1.8	ZX Gasolina	66	88	90	1968	1971
100 C1 Sedan (801; 803; 805; 806)	1.8	ZZ; ZS Gasolina	74	99	101	1970	1976
100 C1 Sedan (801; 803; 805; 806)	1.9	ZJ Gasolina	82	110	111	1971	1976
100 C2 Avant (435; 436)	1.6	YV Gasolina	63	84	86	1977	1983
100 C2 Avant (435; 436)	1.9	WH Gasolina	74	99	101	1980	1982
100 C2 Avant (435; 436)	2.0	WA Gasolina	85	114	115	1977	1980
100 C2 Avant (435; 436)	2.1	WB; WE Gasolina	85	114	115	1977	1983
100 C2 Avant (435; 436)	2.1	WC; WG Gasolina	100	134	136	1977	1983
100 C2 Sedan (431; 433; 434)	1.6	YV Gasolina	63	84	86	1976	1982
100 C2 Sedan (431; 433; 434)	1.9	WH Gasolina	74	99	101	1980	1984
100 C2 Sedan (431; 433; 434)	2.0	WA Gasolina	85	114	115	1976	1978
100 C2 Sedan (431; 433; 434)	2.1	WB; WE Gasolina	85	114	115	1977	1982
100 C2 Sedan (431; 433; 434)	2.1	WC; WG; WK Gasolin	100	134	136	1977	1982
100 C3 Avant (445; 446)	1.8	DR; RS Gasolina	55	74	75	1982	1987
100 C3 Avant (445; 446)	1.8	DS; JW; NP; SH Gasc	66	88	90	1983	1989
100 C3 Avant (445; 446)	1.8	SH Gasolina	65	87	88	1986	1990
100 C3 Avant (445; 446)	1.8 Cat	4B; PH Gasolina	66	88	90	1985	1990
100 C3 Avant (445; 446)	1.8 Cat quattro	4B; PH Gasolina	66	88	90	1985	1990
100 C3 Avant (445; 446)	1.8 quattro	JW; NP Gasolina	66	88	90	1984	1988

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C3 Avant (445; 446)	1.8 quattro	SH Gasolina	65	87	88	1986	1990
100 C3 Avant (445; 446)	1.9	WH Gasolina	74	99	101	1983	1984
100 C3 Avant (445; 446)	2.0	SL Gasolina	83	111	113	1986	1987
100 C3 Avant (445; 446)	2.0 E	KP Gasolina	85	114	115	1985	1987
100 C3 Avant (445; 446)	2.0 E Cat	RT Gasolina	85	114	115	1988	1990
100 C3 Avant (445; 446)	2.1	WC Gasolina	100	134	136	1982	1984
100 C3 Avant (445; 446)	2.2	KU Gasolina	101	135	137	1984	1988
100 C3 Avant (445; 446)	2.2	KZ Gasolina	85	114	115	1984	1986
100 C3 Avant (445; 446)	2.2 Cat	HX; KU Gasolina	101	135	137	1989	1990
100 C3 Avant (445; 446)	2.2 Cat quattro	HX; KU Gasolina	101	135	137	1989	1990
100 C3 Avant (445; 446)	2.2 E quattro	PX Gasolina	88	118	120	1985	1986
100 C3 Avant (445; 446)	2.2 quattro	KU Gasolina	101	135	137	1984	1988
100 C3 Avant (445; 446)	2.2 Turbo	MC Gasolina	121	162	164	1986	1990
100 C3 Avant (445; 446)	2.2 Turbo quattro	MC Gasolina	121	162	164	1986	1990
100 C3 Avant (445; 446)	2.3	NF Gasolina	98	131	133	1990	1990
100 C3 Avant (445; 446)	2.3	NF Gasolina	100	134	136	1986	1990
100 C3 Avant (445; 446)	2.3 E quattro	NF Gasolina	100	134	136	1986	1990
100 C3 Avant (445; 446)	2.3 quattro	NF Gasolina	98	131	133	1990	1990
100 C3 Sedan (443; 444)	1.8	DR; RS Gasolina	55	74	75	1982	1987
100 C3 Sedan (443; 444)	1.8	DS; JW; NP; SH Gasc	66	88	90	1983	1989
100 C3 Sedan (443; 444)	1.8	SH Gasolina	65	87	88	1986	1988
100 C3 Sedan (443; 444)	1.8 Cat	4B; PH Gasolina	66	88	90	1985	1990
100 C3 Sedan (443; 444)	1.8 Cat quattro	4B; PH Gasolina	66	88	90	1985	1990
100 C3 Sedan (443; 444)	1.8 quattro	JW; NP Gasolina	66	88	90	1984	1988
100 C3 Sedan (443; 444)	1.8 quattro	SH Gasolina	65	87	88	1986	1990
100 C3 Sedan (443; 444)	1.9	WH Gasolina	74	99	101	1982	1984
100 C3 Sedan (443; 444)	2.0	KP Gasolina	85	114	115	1984	1987
100 C3 Sedan (443; 444)	2.0	SL Gasolina	83	111	113	1986	1987
100 C3 Sedan (443; 444)	2.0 Cat	RT Gasolina	85	114	115	1988	1990
100 C3 Sedan (443; 444)	2.1	WC Gasolina	100	134	136	1982	1984
100 C3 Sedan (443; 444)	2.2	KU Gasolina	101	135	137	1984	1988
100 C3 Sedan (443; 444)	2.2	KZ Gasolina	85	114	115	1984	1986
100 C3 Sedan (443; 444)	2.2	WU Gasolina	79	106	107	1982	1984
100 C3 Sedan (443; 444)	2.2 Cat	HX; KU Gasolina	101	135	137	1984	1987
100 C3 Sedan (443; 444)	2.2 Cat quattro	HX; KU Gasolina	101	135	137	1984	1987
100 C3 Sedan (443; 444)	2.2 E quattro	PX Gasolina	88	118	120	1985	1986
100 C3 Sedan (443; 444)	2.2 E Turbo quatt	MC Gasolina	121	162	164	1986	1990
100 C3 Sedan (443; 444)	2.2 quattro	KU Gasolina	101	135	137	1984	1988
100 C3 Sedan (443; 444)	2.2 Turbo	MC Gasolina	121	162	164	1986	1990
100 C3 Sedan (443; 444)	2.3 E	NF Gasolina	98	131	133	1990	1990
100 C3 Sedan (443; 444)	2.3 E	NF Gasolina	100	134	136	1986	1990
100 C3 Sedan (443; 444)	2.3 E quattro	NF Gasolina	100	134	136	1986	1990
100 C3 Sedan (443; 444)	2.3 quattro	NF Gasolina	98	131	133	1990	1990
100 C4 Avant (4A5)	2.0 E	AAD; ABK Gasolina	85	114	115	1991	1994
100 C4 Avant (4A5)	2.0 E	AAE Gasolina	74	99	101	1991	1994
100 C4 Avant (4A5)	2.0 E 16V	ACE Gasolina	103	138	140	1992	1994
100 C4 Avant (4A5)	2.0 E quattro	AAD Gasolina	85	114	115	1990	1992
100 C4 Avant (4A5)	2.3 E	AAR Gasolina	98	131	133	1991	1994
100 C4 Avant (4A5)	2.3 E quattro	AAR Gasolina	98	131	133	1991	1994
100 C4 Avant (4A5)	2.6	ABC Gasolina	110	147	149	1992	1994
100 C4 Avant (4A5)	2.6 quattro	ABC Gasolina	110	147	149	1992	1994
100 C4 Avant (4A5)	2.8 E	AAH Gasolina	128	172	174	1991	1994
100 C4 Avant (4A5)	2.8 E quattro	AAH Gasolina	128	172	174	1991	1994
100 C4 Avant (4A5)	S4 Turbo quattro	AAN Gasolina	169	227	230	1991	1994
100 C4 Sedan (4A2)	2.0	AAE Gasolina	74	99	101	1990	1994
100 C4 Sedan (4A2)	2.0 E	AAD; ABK Gasolina	85	114	115	1990	1994
100 C4 Sedan (4A2)	2.0 E 16V	ACE Gasolina	103	138	140	1992	1994
100 C4 Sedan (4A2)	2.0 E quattro	AAD Gasolina	85	114	115	1990	1992

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
100 C4 Sedan (4A2)	2.3 E	AAR Gasolina	98	131	133	1990	1994
100 C4 Sedan (4A2)	2.3 E quattro	AAR Gasolina	98	131	133	1990	1994
100 C4 Sedan (4A2)	2.6	ABC Gasolina	110	147	149	1992	1994
100 C4 Sedan (4A2)	2.6 quattro	ABC Gasolina	110	147	149	1992	1994
100 C4 Sedan (4A2)	2.8 E	AAH Gasolina	128	172	174	1990	1994
100 C4 Sedan (4A2)	2.8 E quattro	AAH Gasolina	128	172	174	1990	1994
100 C4 Sedan (4A2)	S4 Turbo quattro	AAN Gasolina	169	227	230	1991	1994
200 C2 Sedan (437; 438)	2.1 5E	WC Gasolina	100	134	136	1979	1982
200 C2 Sedan (437; 438)	2.1 5T	WJ Gasolina	125	168	170	1979	1982
200 C3 Avant (447; 448)	2.1 Turbo quattro	JY; KG Gasolina	134	180	182	1983	1988
200 C3 Avant (447; 448)	2.2 20V Turbo qu	3B Gasolina	162	217	220	1989	1990
200 C3 Avant (447; 448)	2.2 Turbo	MC Gasolina	121	162	164	1985	1991
200 C3 Avant (447; 448)	2.2 Turbo quattro	1B Gasolina	147	197	200	1988	1991
200 C3 Avant (447; 448)	2.2 Turbo quattro	MC Gasolina	121	162	164	1983	1990
200 C3 Avant (447; 448)	2.3	NF Gasolina	100	134	136	1986	1991
200 C3 Sedan (447; 448)	2.1 5E	KH; WC Gasolina	100	134	136	1983	1984
200 C3 Sedan (447; 448)	2.1 Turbo	KG Gasolina	134	180	182	1983	1988
200 C3 Sedan (447; 448)	2.1 Turbo quattro	KG Gasolina	134	180	182	1983	1986
200 C3 Sedan (447; 448)	2.2	KU Gasolina	101	135	137	1984	1985
200 C3 Sedan (447; 448)	2.2 20V Turbo qu	3B Gasolina	162	217	220	1989	1990
200 C3 Sedan (447; 448)	2.2 Turbo	1B Gasolina	147	197	200	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo	2B Gasolina	140	188	190	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo	MC Gasolina	121	162	164	1985	1991
200 C3 Sedan (447; 448)	2.2 Turbo quattro	1B Gasolina	147	197	200	1988	1990
200 C3 Sedan (447; 448)	2.2 Turbo quattro	MC Gasolina	121	162	164	1985	1991
200 C3 Sedan (447; 448)	2.3	NF Gasolina	100	134	136	1986	1991
50 (863)	1.1	HB Gasolina	37	50	50	1974	1978
50 (863)	1.1	HC Gasolina	44	59	60	1974	1977
50 (863)	1.3	HH Gasolina	44	59	60	1977	1978
60 (613; 615)	1.5	8910; 10 Gasolina	40	54	54	1968	1972
60 (613; 615)	1.5	8910; 10 Gasolina	48	64	65	1968	1972
60 Variant (613; 615)	1.5	8910; 10 Gasolina	40	54	54	1968	1972
60 Variant (613; 615)	1.5	8910; 10 Gasolina	48	64	65	1968	1972
75 (613; 615)	1.7	ZG Gasolina	55	74	75	1968	1972
75 Variant (615)	1.7	ZG Gasolina	55	74	75	1968	1972
80 (613)	1.7	8920 Gasolina	59	79	80	1966	1968
80 B1 Sedan (80; 82)	1.3	ZA Gasolina	40	54	54	1972	1978
80 B1 Sedan (80; 82)	1.3	ZF Gasolina	44	59	60	1972	1978
80 B1 Sedan (80; 82)	1.5	ZB; YJ Gasolina	55	74	75	1972	1975
80 B1 Sedan (80; 82)	1.5	ZC Gasolina	63	84	86	1972	1976
80 B1 Sedan (80; 82)	1.6	FS Gasolina	53	71	72	1976	1978
80 B1 Sedan (80; 82)	1.6	YG Gasolina	61	82	83	1976	1978
80 B1 Sedan (80; 82)	1.6	YN Gasolina	55	74	75	1975	1978
80 B1 Sedan (80; 82)	1.6	YP Gasolina	63	84	86	1975	1978
80 B1 Sedan (80; 82)	1.6 GT	XX Gasolina	74	99	101	1973	1976
80 B1 Sedan (80; 82)	1.6 GTE	YS Gasolina	81	109	110	1976	1978
80 B2 Sedan (811; 813; 814; 8	1.3	EP Gasolina	44	59	60	1978	1986
80 B2 Sedan (811; 813; 814; 8	1.3	FY Gasolina	40	54	54	1978	1981
80 B2 Sedan (811; 813; 814; 8	1.3	FZ Gasolina	44	59	60	1978	1981
80 B2 Sedan (811; 813; 814; 8	1.6	JU; DT Gasolina	55	74	75	1978	1987
80 B2 Sedan (811; 813; 814; 8	1.6	SA Gasolina	54	72	73	1986	1986
80 B2 Sedan (811; 813; 814; 8	1.6	WV; WY; YN Gasolina	55	74	75	1978	1986
80 B2 Sedan (811; 813; 814; 8	1.6	YP Gasolina	63	84	86	1978	1983
80 B2 Sedan (811; 813; 814; 8	1.6 GLE	YZ Gasolina	81	109	110	1978	1982
80 B2 Sedan (811; 813; 814; 8	1.8	DS; JV; JN Gasolina	66	88	90	1983	1986
80 B2 Sedan (811; 813; 814; 8	1.8	SF Gasolina	65	87	88	1986	1986
80 B2 Sedan (811; 813; 814; 8	1.8 CC quattro (8	JV; JN; NE Gasolina	66	88	90	1984	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE	DZ; MU Gasolina	82	110	111	1984	1986

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
80 B2 Sedan (811; 813; 814; 8	1.8 GTE	PV Gasolina	81	109	110	1985	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE quattro (DZ Gasolina	82	110	111	1984	1986
80 B2 Sedan (811; 813; 814; 8	1.8 GTE quattro (PV Gasolina	81	109	110	1985	1986
80 B2 Sedan (811; 813; 814; 8	1.9 CD-5S	WN Gasolina	85	114	115	1981	1983
80 B2 Sedan (811; 813; 814; 8	2.0	HP; JS Gasolina	85	114	115	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.0	JL Gasolina	81	109	110	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.0 quattro (85Q)	JS Gasolina	85	114	115	1983	1984
80 B2 Sedan (811; 813; 814; 8	2.2 quattro (85Q)	KK Gasolina	100	134	136	1982	1984
80 B3 Sedan (893; 894; 8A2)	1.4	SE Gasolina	48	64	65	1986	1988
80 B3 Sedan (893; 894; 8A2)	1.6	ABB Gasolina	75	101	102	1990	1991
80 B3 Sedan (893; 894; 8A2)	1.6	PP Gasolina	51	68	69	1987	1991
80 B3 Sedan (893; 894; 8A2)	1.6	RN Gasolina	55	74	75	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8	RU Gasolina	55	74	75	1986	1990
80 B3 Sedan (893; 894; 8A2)	1.8	SD Gasolina	83	111	113	1986	1988
80 B3 Sedan (893; 894; 8A2)	1.8 E	DZ Gasolina	82	110	111	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 E quattro	DZ Gasolina	82	110	111	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 quattro	SD Gasolina	83	111	113	1986	
80 B3 Sedan (893; 894; 8A2)	1.8 S	JV; PM; SF; JN; NE G	66	88	90	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 S	SF Gasolina	65	87	88	1986	1990
80 B3 Sedan (893; 894; 8A2)	1.8 S quattro	PM; SF; JN; NE Gaso	66	88	90	1986	1991
80 B3 Sedan (893; 894; 8A2)	1.8 S quattro	SF Gasolina	65	87	88	1986	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	3A Gasolina	82	110	111	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	3A Gasolina	83	111	113	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 E	AAD Gasolina	85	114	115	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E 16V	6A Gasolina	101	135	137	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E 16V quattro	6A Gasolina	101	135	137	1990	1991
80 B3 Sedan (893; 894; 8A2)	2.0 E quattro	3A Gasolina	83	111	113	1988	1990
80 B3 Sedan (893; 894; 8A2)	2.0 quattro	AAD Gasolina	85	114	115	1990	1991
80 B4 Avant (8C5)	1.6 E	ADA Gasolina	74	99	101	1993	1996
80 B4 Avant (8C5)	1.9 TD	AAZ Diesel	55	74	75	1991	1994
80 B4 Avant (8C5)	2.0	ABT Gasolina	66	88	90	1992	1996
80 B4 Avant (8C5)	2.0 E	ABK Gasolina	85	114	115	1992	1996
80 B4 Avant (8C5)	2.0 E 16V	ACE Gasolina	103	138	140	1993	1996
80 B4 Avant (8C5)	2.0 E 16V quattro	ACE Gasolina	103	138	140	1992	1995
80 B4 Avant (8C5)	2.3 E	NG Gasolina	98	131	133	1992	1996
80 B4 Avant (8C5)	2.3 E quattro	NG Gasolina	98	131	133	1991	1994
80 B4 Avant (8C5)	2.6	ABC Gasolina	110	147	149	1992	1996
80 B4 Avant (8C5)	2.6 quattro	ABC Gasolina	110	147	149	1992	1995
80 B4 Avant (8C5)	2.8	AAH Gasolina	128	172	174	1991	1996
80 B4 Avant (8C5)	2.8 quattro	AAH Gasolina	128	172	174	1992	1995
80 B4 Avant (8C5)	RS2 quattro	ADU Gasolina	232	311	315	1994	1995
80 B4 Avant (8C5)	S2 quattro	ABY Gasolina	169	227	230	1993	1995
80 B4 Sedan (8C2)	1.6	ABM Gasolina	52	70	71	1991	1994
80 B4 Sedan (8C2)	1.6 E	ADA Gasolina	74	99	101	1993	1994
80 B4 Sedan (8C2)	2.0	ABT Gasolina	66	88	90	1991	1994
80 B4 Sedan (8C2)	2.0 E	ABK Gasolina	85	114	115	1991	1994
80 B4 Sedan (8C2)	2.0 E 16V	6A Gasolina	101	135	137	1991	1992
80 B4 Sedan (8C2)	2.0 E 16V	ACE Gasolina	103	138	140	1992	1994
80 B4 Sedan (8C2)	2.0 E 16V quattro	ACE Gasolina	103	138	140	1992	1994
80 B4 Sedan (8C2)	2.0 E quattro	ABK Gasolina	85	114	115	1991	1994
80 B4 Sedan (8C2)	2.3 E	NG Gasolina	98	131	133	1991	1994
80 B4 Sedan (8C2)	2.3 E quattro	NG Gasolina	98	131	133	1991	1994
80 B4 Sedan (8C2)	2.6	ABC Gasolina	110	147	149	1992	1994
80 B4 Sedan (8C2)	2.6 quattro	ABC Gasolina	110	147	149	1992	1994
80 B4 Sedan (8C2)	2.8	AAH; AFC Gasolina	128	172	174	1991	1994
80 B4 Sedan (8C2)	2.8 quattro	AAH; AFC Gasolina	128	172	174	1991	1994
80 B4 Sedan (8C2)	S2 quattro	ABY Gasolina	169	227	230	1993	1994
80 Variant	1.7	8920 Gasolina	59	79	80	1966	1968

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
90 B2 (813; 814; 853)	2.0	HP; JS Gasolina	85	114	115	1984	1987
90 B2 (813; 814; 853)	2.0	SK Gasolina	83	111	113	1986	1987
90 B2 (813; 814; 853)	2.0 quattro	JS Gasolina	85	114	115	1984	1986
90 B2 (813; 814; 853)	2.2	HY; KV Gasolina	100	134	136	1984	1987
90 B2 (813; 814; 853)	2.2	KX Gasolina	85	114	115	1985	1987
90 B2 (813; 814; 853)	2.2 E quattro	JT Gasolina	88	118	120	1985	1987
90 B2 (813; 814; 853)	2.2 E quattro	KV Gasolina	100	134	136	1984	1987
90 B3 (893; 894; 8A2)	1.8 E	DZ Gasolina	82	110	111	1989	1991
90 B3 (893; 894; 8A2)	2.0	PS Gasolina	85	114	115	1988	1991
90 B3 (893; 894; 8A2)	2.0 20 V	NM Gasolina	118	158	160	1989	1991
90 B3 (893; 894; 8A2)	2.0 20 V quattro	NM Gasolina	118	158	160	1988	1991
90 B3 (893; 894; 8A2)	2.2 E	KV Gasolina	100	134	136	1987	1991
90 B3 (893; 894; 8A2)	2.2 E quattro	KV Gasolina	100	134	136	1987	1991
90 B3 (893; 894; 8A2)	2.3 E	NG Gasolina	98	131	133	1987	1991
90 B3 (893; 894; 8A2)	2.3 E	NG Gasolina	100	134	136	1987	1991
90 B3 (893; 894; 8A2)	2.3 E 20V	7A Gasolina	123	165	167	1990	1991
90 B3 (893; 894; 8A2)	2.3 E 20V	7A Gasolina	125	168	170	1988	1991
90 B3 (893; 894; 8A2)	2.3 E 20V quattro	7A Gasolina	123	165	167	1990	1991
90 B3 (893; 894; 8A2)	2.3 E 20V quattro	7A Gasolina	125	168	170	1988	1991
90 B3 (893; 894; 8A2)	2.3 E quattro	NG Gasolina	98	131	133	1987	1991
90 B3 (893; 894; 8A2)	2.3 E quattro	NG Gasolina	100	134	136	1987	1991
A3 (8L1)	1.6	AEH; AKL; APF Gaso	74	99	101	1996	2003
A3 (8L1)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2003
A3 (8L1)	1.8	AGN; APG Gasolina	92	123	125	1996	2003
A3 (8L1)	1.8 T	AGU; AQA; ARZ; AUM	110	147	149	1996	2003
A3 (8L1)	1.8 T	AJQ; APP; ARY; AUQ	132	177	179	1998	2003
A3 (8L1)	1.8 T quattro	AGU; AQA; ARX Gaso	110	147	149	1996	2003
A3 (8L1)	1.8 T quattro	AJQ; ARY Gasolina	132	177	179	1998	2003
A3 (8L1)	S3 quattro	APY; AMK; AUL Gasc	154	206	209	1999	2002
A3 (8L1)	S3 quattro	BAM Gasolina	165	221	224	2001	2003
A3 (8P1)	1.6	BGU; BSE; BSF; CCS	75	101	102	2003	2012
A3 Descapotable (8P7)	1.6	BSE Gasolina	75	101	102	2008	2010
A3 Sportback (8PA)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
A4 B5 (8D2)	1.6	ADP; AHL; ANA; ARV	74	99	101	1994	2000
A4 B5 (8D2)	1.6	ALZ Gasolina	75	101	102	2000	2000
A4 B5 (8D2)	1.8	ADR; APT; ARG; AVv	92	123	125	1994	2000
A4 B5 (8D2)	1.8 quattro	ADR; APT; ARG Gasc	92	123	125	1995	2000
A4 B5 (8D2)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T	AJL Gasolina	132	177	179	1997	2000
A4 B5 (8D2)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1995	2000
A4 B5 (8D2)	1.8 T quattro	AJL Gasolina	132	177	179	1997	2000
A4 B5 Avant (8D5)	1.6	ADP; AHL; ANA; ARV	74	99	101	1994	2001
A4 B5 Avant (8D5)	1.6	ALZ Gasolina	75	101	102	2000	2001
A4 B5 Avant (8D5)	1.8	ADR; APT; ARG; AVv	92	123	125	1996	2001
A4 B5 Avant (8D5)	1.8 quattro	ADR; APT; ARG Gasc	92	123	125	1996	2001
A4 B5 Avant (8D5)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T	AJL Gasolina	132	177	179	1997	2001
A4 B5 Avant (8D5)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1996	2001
A4 B5 Avant (8D5)	1.8 T quattro	AJL Gasolina	132	177	179	1997	2001
A4 B5 Avant (8D5)	1.9 TDI	AFN; AVG Diesel	81	109	110	1996	2001
A4 B5 Avant (8D5)	RS4 quattro	ASJ; AZR Gasolina	280	375	380	2000	2001
A4 B6 (8E2)	1.6	ALZ Gasolina	75	101	102	2000	2004
A4 B6 (8E2)	1.8 T	BFB Gasolina	120	161	163	2002	2004
A4 B6 (8E2)	1.8 T quattro	BFB Gasolina	120	161	163	2002	2004
A4 B6 (8E2)	2.0	ALT Gasolina	96	129	130	2000	2004
A4 B6 (8E2)	2.0 FSI	AWA Gasolina	110	147	149	2002	2004
A4 B6 Avant (8E5)	1.6	ALZ Gasolina	75	101	102	2001	2004
A4 B6 Avant (8E5)	1.8 T	BFB Gasolina	120	161	163	2002	2004

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
A4 B6 Avant (8E5)	1.8 T quattro	BFB Gasolina	120	161	163	2002	2004
A4 B6 Avant (8E5)	2.0	ALT Gasolina	96	129	130	2001	2004
A4 B6 Avant (8E5)	2.0 FSI	AWA Gasolina	110	147	149	2002	2004
A4 B6 Descapotable (8H7)	1.8 T	BFB Gasolina	120	161	163	2002	2005
A4 B6 Descapotable (8H7)	1.8 T quattro	BFB Gasolina	120	161	163	2003	2005
A4 B6 Descapotable (8H7)	2.0	ALT Gasolina	96	129	130	2004	2005
A4 B7 (8EC)	1.6	ALZ Gasolina	75	101	102	2004	2008
A4 B7 (8EC)	1.8 T	BFB Gasolina	120	161	163	2004	2008
A4 B7 (8EC)	1.8 T quattro	BFB Gasolina	120	161	163	2004	2008
A4 B7 (8EC)	2.0	ALT Gasolina	96	129	130	2004	2008
A4 B7 Avant (8ED)	1.6	ALZ Gasolina	75	101	102	2004	2008
A4 B7 Avant (8ED)	1.8 T	BFB Gasolina	120	161	163	2004	2008
A4 B7 Avant (8ED)	1.8 T quattro	BFB Gasolina	120	161	163	2004	2008
A4 B7 Avant (8ED)	2.0	ALT Gasolina	96	129	130	2004	2008
A4 B7 Descapotable (8HE)	1.8 T	BFB Gasolina	120	161	163	2006	2009
A6 C4 (4A2)	1.8	ADR Gasolina	92	123	125	1995	1997
A6 C4 (4A2)	1.8 quattro	ADR Gasolina	92	123	125	1995	1997
A6 C4 (4A2)	2.0	AAE Gasolina	74	99	101	1994	1997
A6 C4 (4A2)	2.0	ABK Gasolina	85	114	115	1994	1997
A6 C4 (4A2)	2.0	ADW Gasolina	79	106	107	1994	1995
A6 C4 (4A2)	2.0 16V	ACE Gasolina	103	138	140	1994	1997
A6 C4 (4A2)	2.0 16V quattro	ACE Gasolina	103	138	140	1994	1997
A6 C4 (4A2)	2.3	AAR Gasolina	98	131	133	1994	1995
A6 C4 (4A2)	2.3 quattro	AAR Gasolina	98	131	133	1994	1995
A6 C4 (4A2)	2.6	ABC Gasolina	110	147	149	1994	1997
A6 C4 (4A2)	2.6 quattro	ABC Gasolina	110	147	149	1994	1997
A6 C4 (4A2)	2.8	AAH; AFC Gasolina	128	172	174	1994	1997
A6 C4 (4A2)	2.8 quattro	AAH; AFC Gasolina	128	172	174	1994	1997
A6 C4 (4A2)	S6 Turbo quattro	AAN Gasolina	169	227	230	1994	1997
A6 C4 Avant (4A5)	1.8	ADR Gasolina	92	123	125	1995	1997
A6 C4 Avant (4A5)	1.8 quattro	ADR Gasolina	92	123	125	1995	1997
A6 C4 Avant (4A5)	2.0	AAE Gasolina	74	99	101	1994	1997
A6 C4 Avant (4A5)	2.0	ABK Gasolina	85	114	115	1994	1997
A6 C4 Avant (4A5)	2.0	ADW Gasolina	79	106	107	1994	1995
A6 C4 Avant (4A5)	2.0 16V	ACE Gasolina	103	138	140	1994	1997
A6 C4 Avant (4A5)	2.0 16V quattro	ACE Gasolina	103	138	140	1994	1997
A6 C4 Avant (4A5)	2.3	AAR Gasolina	98	131	133	1994	1995
A6 C4 Avant (4A5)	2.3 quattro	AAR Gasolina	98	131	133	1994	1995
A6 C4 Avant (4A5)	2.5 TDI	AAT Diesel	85	114	115	1994	1997
A6 C4 Avant (4A5)	2.6	ABC Gasolina	110	147	149	1994	1997
A6 C4 Avant (4A5)	2.6 quattro	ABC Gasolina	110	147	149	1994	1997
A6 C4 Avant (4A5)	2.8	AAH; AFC Gasolina	128	172	174	1994	1997
A6 C4 Avant (4A5)	2.8 quattro	AAH; AFC Gasolina	128	172	174	1994	1997
A6 C4 Avant (4A5)	S6 Turbo quattro	AAN Gasolina	169	227	230	1994	1997
A6 C5 (4B2; 4B4)	1.8	AJP; AQE; ARH Gasc	92	123	125	1997	2005
A6 C5 (4B2; 4B4)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2; 4B4)	1.8 T	AJL Gasolina	132	177	179	1997	2005
A6 C5 (4B2; 4B4)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 (4B2; 4B4)	1.8 T quattro	AJL Gasolina	132	177	179	1997	2005
A6 C5 (4B2; 4B4)	2.0	ALT Gasolina	96	129	130	2001	2005
A6 C5 (4B2; 4B4)	RS6 quattro	BCY Gasolina	331	444	450	2002	2005
A6 C5 Avant (4B5; 4B6)	1.8	AJP; AQE; ARH Gasc	92	123	125	1997	2005
A6 C5 Avant (4B5; 4B6)	1.8 T	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5; 4B6)	1.8 T	AJL Gasolina	132	177	179	1999	2005
A6 C5 Avant (4B5; 4B6)	1.8 T quattro	AEB; ARK; ANB; APU	110	147	149	1997	2005
A6 C5 Avant (4B5; 4B6)	1.8 T quattro	AJL Gasolina	132	177	179	1997	2005
A6 C5 Avant (4B5; 4B6)	2.0	ALT Gasolina	96	129	130	2001	2005
A6 C5 Avant (4B5; 4B6)	RS6 plus quattro	BRV Gasolina	353	473	480	2004	2005

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
A6 C5 Avant (4B5; 4B6)	RS6 quattro	BCY Gasolina	331	444	450	2002	2005
A8 D2 (4D2; 4D8)	2.8	AAH Gasolina	128	172	174	1994	1996
A8 D2 (4D2; 4D8)	2.8 quattro	AAH Gasolina	128	172	174	1994	1996
CABRIOLET B3 (8G7)	1.8	ADR Gasolina	92	123	125	1997	2000
CABRIOLET B3 (8G7)	2.0 E	ABK Gasolina	85	114	115	1993	1998
CABRIOLET B3 (8G7)	2.3 E	NG Gasolina	98	131	133	1991	1994
CABRIOLET B3 (8G7)	2.6	ABC Gasolina	110	147	149	1993	2000
CABRIOLET B3 (8G7)	2.8	AAH; AFC Gasolina	128	172	174	1992	2000
COUPE B2 (81; 855; 856)	1.6	YN Gasolina	55	74	75	1980	1981
COUPE B2 (81; 855; 856)	1.8	DD Gasolina	55	74	75	1981	1983
COUPE B2 (81; 855; 856)	1.8 GT	DS; JV; JN Gasolina	66	88	90	1982	1988
COUPE B2 (81; 855; 856)	1.8 GT	DZ Gasolina	82	110	111	1986	1988
COUPE B2 (81; 855; 856)	1.8 GT	PV Gasolina	79	106	107	1986	1987
COUPE B2 (81; 855; 856)	1.8 GT	SF Gasolina	65	87	88	1986	1988
COUPE B2 (81; 855; 856)	1.8 GT quattro	DZ Gasolina	82	110	111	1984	1988
COUPE B2 (81; 855; 856)	1.9	WN Gasolina	85	114	115	1980	1983
COUPE B2 (81; 855; 856)	2.0	HP; JS Gasolina	85	114	115	1983	1986
COUPE B2 (81; 855; 856)	2.0	SK Gasolina	83	111	113	1986	1988
COUPE B2 (81; 855; 856)	2.1 GT	KE; KL Gasolina	96	129	130	1982	1987
COUPE B2 (81; 855; 856)	2.2 GT	HY; KV Gasolina	100	134	136	1984	1988
COUPE B2 (81; 855; 856)	2.2 GT	KX Gasolina	85	114	115	1981	1987
COUPE B2 (81; 855; 856)	2.2 quattro	JT Gasolina	88	118	120	1985	1988
COUPE B2 (81; 855; 856)	2.2 quattro	KV Gasolina	100	134	136	1984	1988
COUPE B2 (81; 855; 856)	2.3	NG Gasolina	98	131	133	1986	1987
COUPE B2 (81; 855; 856)	2.3 quattro	NG Gasolina	98	131	133	1987	1987
COUPE B3 (89; 8B3)	1.8	DZ Gasolina	82	110	111	1989	1991
COUPE B3 (89; 8B3)	2.0	3A Gasolina	82	110	111	1990	1990
COUPE B3 (89; 8B3)	2.0	3A Gasolina	83	111	113	1989	1990
COUPE B3 (89; 8B3)	2.0	AAD; ABK Gasolina	85	114	115	1989	1996
COUPE B3 (89; 8B3)	2.0 16 V	6A Gasolina	101	135	137	1992	1992
COUPE B3 (89; 8B3)	2.0 16 V	ACE Gasolina	103	138	140	1992	1996
COUPE B3 (89; 8B3)	2.0 20 V	NM Gasolina	118	158	160	1989	1991
COUPE B3 (89; 8B3)	2.0 20 V quattro	NM Gasolina	118	158	160	1989	1991
COUPE B3 (89; 8B3)	2.2	KV Gasolina	100	134	136	1988	1991
COUPE B3 (89; 8B3)	2.2 quattro	KV Gasolina	100	134	136	1988	1991
COUPE B3 (89; 8B3)	2.3	NG Gasolina	98	131	133	1990	1996
COUPE B3 (89; 8B3)	2.3	NG Gasolina	100	134	136	1988	1994
COUPE B3 (89; 8B3)	2.3 20V	7A Gasolina	123	165	167	1990	1991
COUPE B3 (89; 8B3)	2.3 20V	7A Gasolina	125	168	170	1989	1991
COUPE B3 (89; 8B3)	2.3 20V quattro	7A Gasolina	123	165	167	1990	1996
COUPE B3 (89; 8B3)	2.3 20V quattro	7A Gasolina	125	168	170	1988	1991
COUPE B3 (89; 8B3)	2.3 quattro	NG Gasolina	98	131	133	1990	1996
COUPE B3 (89; 8B3)	2.3 quattro	NG Gasolina	100	134	136	1988	1992
COUPE B3 (89; 8B3)	2.6	ABC Gasolina	110	147	149	1992	1996
COUPE B3 (89; 8B3)	2.6 quattro	ABC Gasolina	110	147	149	1992	1996
COUPE B3 (89; 8B3)	2.8	AAH Gasolina	128	172	174	1991	1996
COUPE B3 (89; 8B3)	2.8 quattro	AAH Gasolina	128	172	174	1991	1996
COUPE B3 (89; 8B3)	S2 quattro	3B Gasolina	162	217	220	1990	1992
COUPE B3 (89; 8B3)	S2 quattro	ABY Gasolina	169	227	230	1992	1996
QUATTRO (85)	2.1 20V Turbo	KW Gasolina	225	302	306	1984	1987
QUATTRO (85)	2.1 Turbo	GV; WR Gasolina	147	197	200	1980	1987
QUATTRO (85)	2.2 20V Turbo	RR Gasolina	162	217	220	1989	1991
QUATTRO (85)	2.2 Turbo	MB Gasolina	147	197	200	1987	1989
SUPER 90	1.8	8921; 21 Gasolina	66	88	90	1966	1971
TT (8N3)	1.8 T	AJQ; APP; AUQ; AWF	132	177	179	1998	2006
TT (8N3)	1.8 T	AUM Gasolina	110	147	149	2002	2006
TT (8N3)	1.8 T	BVP Gasolina	120	161	163	2005	2006
TT (8N3)	1.8 T	BVR Gasolina	140	188	190	2005	2006

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



AUDI							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TT (8N3)	1.8 T quattro	AJQ; ARY; AUQ; ATC	132	177	179	1998	2006
TT (8N3)	1.8 T quattro	APX; BAM; BEA Gasc	165	221	224	1998	2006
TT (8N3)	1.8 T quattro	BFV Gasolina	180	241	245	2005	2006
TT (8N3)	1.8 T quattro	BVR Gasolina	140	188	190	2005	2006
TT Roadster (8N9)	1.8 T	AJQ; APP; AUQ; AWF	132	177	179	1999	2006
TT Roadster (8N9)	1.8 T	AUM Gasolina	110	147	149	2001	2006
TT Roadster (8N9)	1.8 T	BVP Gasolina	120	161	163	2005	2006
TT Roadster (8N9)	1.8 T	BVR Gasolina	140	188	190	2005	2006
TT Roadster (8N9)	1.8 T quattro	AJQ; ARY; AUQ Gasc	132	177	179	2000	2006
TT Roadster (8N9)	1.8 T quattro	APX; BAM; BEA Gasc	165	221	224	1999	2006
TT Roadster (8N9)	1.8 T quattro	BVR Gasolina	140	188	190	2005	2006

BARKAS							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
B 1000 Autobus (KB)	1.0	353-1 B1000 Gasolinε	34	46	46	1976	1991
B 1000 Autobus (KB)	1.3	4 VO7.2 7.5 GRF Gas	43	58	58	1976	1991
B 1000 Autobus (KO)	1.0	H362-21 Gasolina	31	42	42	1967	1991
B 1000 Furgoneta (KM)	1.0	353-1 B1000 Gasolinε	34	46	46	1976	1991
B 1000 Furgoneta (KM)	1.3	4 VO7.2 7.5 GRF Gas	43	58	58	1976	1991

BERTONE							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FREECLIMBER	2.0	BMW M20 B20 Gasoli	95	127	129	1990	1993
FREECLIMBER	2.0 Cat	BMW M20 B20 Kat G;	95	127	129	1990	1993
FREECLIMBER	2.7	BMW M20 B27 Gasoli	95	127	129	1989	1993

BMC							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MEGASTAR Autobus	CRi	Diesel	82	110	111	2004	2010
MEGASTAR Autobus	CRi	Diesel	96	129	130	2004	2010
MEGASTAR Caja-Chasis	CRi	Diesel	82	110	111	2004	2010
MEGASTAR Caja-Chasis	CRi	Diesel	96	129	130	2004	2010
MEGASTAR Furgoneta	CRi	Diesel	82	110	111	2004	2010
MEGASTAR Furgoneta	CRi	Diesel	96	129	130	2004	2010

BMW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
3 (E21)	318 i	M10 B18 (184VA) Ga:	77	103	105	1979	1982
3 (E21)	320 i	M10 B20 Gasolina	92	123	125	1975	1982
3 (E21)	320 6	M20 B20 (206VA) Ga:	90	121	122	1977	1982
3 (E21)	323 i	M20 B23 (236EA) Ga:	105	141	143	1978	1982
3 (E30)	318 i	M10 B18 (184EA); M1	77	103	105	1982	1987
3 (E30)	318 i	M10 B18 (184KA) Ga:	75	101	102	1984	1988
3 (E30)	320 i	M20 B20 (206EB) Ga:	92	123	125	1982	1991
3 (E30)	320 i	M20 B20 (206KA) Ga:	95	127	129	1986	1991
3 (E30)	323 i	M20 B23 (236EB) Ga:	102	137	139	1982	1983
3 (E30)	323 i	M20 B23 (236EC); M2	110	147	149	1983	1986
3 (E30)	325 e 2.7	M20 B27 (276KA); M2	90	121	122	1983	1988
3 (E30)	325 e 2.7	M20 B27 (276KB) Ga:	95	127	129	1985	1987
3 (E30)	325 i	M20 B25 (256E1); M2	126	169	171	1983	1989
3 (E30)	325 i	M20 B25 (256E1); M2	125	168	170	1986	1991
3 (E30)	325 i X	M20 B25 (256E1); M2	125	168	170	1986	1991
3 (E30)	325 i X	M20 B25 (256E1); M2	126	169	171	1986	1987
3 Descapotable (E30)	320 i	M20 B20 (206KA) Ga:	95	127	129	1986	1993
3 Descapotable (E30)	325 i	M20 B25 (256E1); M2	126	169	171	1985	1987
3 Descapotable (E30)	325 i	M20 B25 (256E2); M2	125	168	170	1987	1993
3 Touring (E30)	320 i	M20 B20 (206KA) Ga:	95	127	129	1988	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



BMW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
3 Touring (E30)	325 i	M20 B25 (256K1) Gas	125	168	170	1987	1993
3 Touring (E30)	325 i X	M20 B25 (256K1) Gas	125	168	170	1988	1993
5 (E12)	520i6	M20 B20 (206VA) Gas	90	121	122	1977	1981
5 (E28)	518 i	M10 B18 (184EB) Gas	75	101	102	1981	1987
5 (E28)	518 i	M10 B18 (184EB) Gas	77	103	105	1981	1987
5 (E28)	520 i	M20 B20 (206EA); M2	92	123	125	1981	1987
5 (E28)	520 i	M20 B20 (206KA) Gas	95	127	129	1985	1987
5 (E28)	520 i	M20 B20 (206KA) Gas	110	147	149	1986	1987
5 (E28)	525 e	M20 B27 (276EA) Gas	92	123	125	1983	1987
5 (E28)	525 e	M20 B27 (276EB); M2	95	127	129	1985	1987
5 (E28)	525 e	M20 B27 (276KA); M2	90	121	122	1981	1987
5 (E34)	520 i	M20 B20 (206KA) Gas	95	127	129	1987	1990
5 (E34)	525 i	M20 B25 (256K1) Gas	125	168	170	1988	1990
Z1 Roadster	2.5	M20 B25 (256K1) Gas	125	168	170	1988	1991

CHRYSLER							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GRAND VOYAGER III VAN (G	2.5 TD	ENC Diesel	85	114	115	1995	2001
PT CRUISER (PT)	2.4	EDV Gasolina	169	227	230	2004	2010
PT CRUISER (PT)	GT 2.4	EDV Gasolina	164	220	223	2003	2010
PT CRUISER Descapotable	2.4 GT	EDV Gasolina	164	220	223	2004	2008
VOYAGER - GRAND VOYAGE	2.5 TD	09B Diesel	87	117	118	1992	1995
VOYAGER - GRAND VOYAGE	2.5 TD	425 CLIRS X; ENC Di	85	114	115	1995	2001
VOYAGER - GRAND VOYAGE	2.5 TDiC AWD	ENC Diesel	85	114	115	1995	2001
VOYAGER II (ES)	2.5 TD	09B; M00 Diesel	87	117	118	1992	1995
VOYAGER II (ES)	2.5 TD	VM HR 425 CLIEE Di	85	114	115	1992	1995
VOYAGER III VAN (GS)	2.5 TD (GSHY52	ENC Diesel	85	114	115	1995	2001
VOYAGER IV (RG; RS)	2.5 CRD	EDK Diesel	88	118	120	2005	2008
VOYAGER IV (RG; RS)	2.5 CRD	ENJ Diesel	105	141	143	2000	2008
VOYAGER IV (RG; RS)	2.8 CRD	ENR Diesel	110	147	149	2004	2008

CITROEN							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GS	Birotor	KKM 624 Gasolina	78	105	106	1973	1975
SM	2.7	C114-1 Gasolina	118	158	160	1970	1972
SM	2.7 Injection	C114-03 Gasolina	129	173	175	1972	1974
SM	2.9 Automatique	C114-1130 Gasolina	134	180	182	1973	1974

FORD							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
COUGAR (EC)	2.0 16V	EDBA; EDBB; EDBC;	96	129	130	1998	2001
ESCORT CLASSIC (AAL; ABL	1.6 16V	L1E; L1K Gasolina	66	88	90	1998	2000
ESCORT CLASSIC Turnier (A	1.6 16V	L1E; L1K Gasolina	66	88	90	1999	2000
ESCORT V (AAL; ABL)	1.6 i 16V	L1E Gasolina	66	88	90	1992	1995
ESCORT V (AAL; ABL)	1.6 i 16V	L1H Gasolina	65	87	88	1994	1995
ESCORT V (AAL; ABL)	1.8 16V XR3i	RDA Gasolina	77	103	105	1992	1995
ESCORT V (AAL; ABL)	1.8 16V XR3i	RQB Gasolina	96	129	130	1992	1995
ESCORT V (AAL; ABL)	1.8 XR3i 16V 4x4	RDA Gasolina	77	103	105	1993	1995
ESCORT V (AAL; ABL)	1.8 XR3i 16V 4x4	RQB Gasolina	96	129	130	1993	1995
ESCORT V Descapotable (ALL	1.6 16V XR3i	L1E Gasolina	66	88	90	1992	1995
ESCORT V Descapotable (ALL	1.6 i 16V	L1H Gasolina	65	87	88	1994	1995
ESCORT V Descapotable (ALL	1.8 16V XR3i	RDA Gasolina	77	103	105	1992	1995
ESCORT V Descapotable (ALL	1.8 16V XR3i	RQB Gasolina	96	129	130	1992	1995
ESCORT V Sedan (AFL)	1.6 i 16V	L1E; L1K Gasolina	66	88	90	1993	1995
ESCORT V Sedan (AFL)	1.6 i 16V	L1H Gasolina	65	87	88	1994	1995
ESCORT V Sedan (AFL)	1.8 i 16V	RDA Gasolina	77	103	105	1993	1995
ESCORT V Turnier (ANL)	1.6 i 16V	L1E Gasolina	66	88	90	1992	1995

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
16mm (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



FORD

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ESCORT V Turnier (ANL)	1.6 i 16V	L1H Gasolina	65	87	88	1994	1995
ESCORT V Turnier (ANL)	1.8 16V	RDA Gasolina	77	103	105	1992	1995
ESCORT V Turnier (ANL)	1.8 i 16V	RQB Gasolina	96	129	130	1993	1995
ESCORT VI (GAL; AAL; ABL)	1.6 16V	L1E; L1K Gasolina	66	88	90	1995	1998
ESCORT VI (GAL; AAL; ABL)	1.6 16V 4x4	L1E Gasolina	66	88	90	1995	1998
ESCORT VI (GAL; AAL; ABL)	1.6 i 16V	L1H Gasolina	65	87	88	1995	1995
ESCORT VI (GAL; AAL; ABL)	1.8 16V	RDA Gasolina	77	103	105	1995	1995
ESCORT VI (GAL; AAL; ABL)	1.8 16V (EDA; E	RKC Gasolina	85	114	115	1995	1998
ESCORT VI Descapotable (AL	1.6 16V XR3i	L1E; L1K Gasolina	66	88	90	1995	1999
ESCORT VI Descapotable (AL	1.6 16V XR3i	L1H Gasolina	65	87	88	1995	1996
ESCORT VI Descapotable (AL	1.8 16V XR3i	RDA Gasolina	77	103	105	1995	1998
ESCORT VI Descapotable (AL	1.8 16V XR3i	RKC Gasolina	85	114	115	1995	1998
ESCORT VI Descapotable (AL	1.8 16V XR3i	RQB Gasolina	96	129	130	1995	2000
ESCORT VI Sedan (GAL; AFL)	1.6 i 16V	L1E; L1K Gasolina	66	88	90	1995	1999
ESCORT VI Sedan (GAL; AFL)	1.6 i 16V	L1H Gasolina	65	87	88	1995	1995
ESCORT VI Sedan (GAL; AFL)	1.8 16V	RDA Gasolina	77	103	105	1995	1995
ESCORT VI Sedan (GAL; AFL)	1.8 16V	RKC Gasolina	85	114	115	1995	1999
ESCORT VI Turnier (GAL; ANL)	1.6 16V	L1E; L1K Gasolina	66	88	90	1995	1999
ESCORT VI Turnier (GAL; ANL)	1.6 i 16V	L1H Gasolina	65	87	88	1995	1995
ESCORT VI Turnier (GAL; ANL)	1.8 16V	RDA Gasolina	77	103	105	1995	1995
ESCORT VI Turnier (GAL; ANL)	1.8 16V	RKC Gasolina	85	114	115	1995	1999
FIESTA III (GFJ)	1.6 i 16V	L1G Gasolina	65	87	88	1994	1995
FIESTA III (GFJ)	1.6 Turbo (FBJT)	LHA Gasolina	96	129	130	1990	1992
FIESTA III (GFJ)	1.8 16V	RDB Gasolina	77	103	105	1992	1995
FIESTA III (GFJ)	1.8 XR2i 16V	RQC Gasolina	96	129	130	1992	1995
FIESTA IV (JA ; JB)	1.6 16V Sport	L1T; L1V Gasolina	76	102	103	2000	2002
FIESTA V (JH ; JD)	1.3	A9JA; A9JB Gasolina	51	68	69	2001	2008
FIESTA V (JH ; JD)	1.3	BAJA Gasolina	44	59	60	2001	2008
FIESTA V (JH ; JD)	1.6 16V	FYJA; FYJB Gasolina	74	99	101	2001	2008
FIESTA V Van	1.3	A9JA; A9JB Gasolina	51	68	69	2003	2005
FIESTA V Van	1.3	BAJA Gasolina	44	59	60	2002	2008
FOCUS I (DAW; DBW)	1.6 16V	FYDA; FYDC; FYDB; 74	99	101	101	1998	2004
FOCUS I (DAW; DBW)	1.6 16V Flexifuel	FYDH Gasolina Etano	75	101	102	2002	2004
FOCUS I (DAW; DBW)	1.8 16V	EYDC; EYDB; EYDD; 85	114	115	115	1998	2004 EYDL Gasolina
FOCUS I (DAW; DBW)	1.8 16V BiFuel	EYDD; EYDG; EYDI C	85	114	115	2002	2004
FOCUS I (DAW; DBW)	2.0 16V	EDDC; EDDB; EDDD; 96	129	130	130	1998	2004
FOCUS I (DAW; DBW)	RS	HMDA Gasolina	158	212	215	2002	2004
FOCUS I (DAW; DBW)	ST170	ALDA Gasolina	127	170	173	2002	2004
FOCUS I Furgoneta-Station wa	1.6	FYDA; FYDC; FYDB; 74	99	101	101	1999	2005
FOCUS I Sedan (DFW)	1.6 16V	FYDA; FYDC; FYDB; 74	99	101	101	1999	2004
FOCUS I Sedan (DFW)	1.8 16V	EYDC; EYDB; EYDD; 85	114	115	115	1999	2004 EYDL Gasolina
FOCUS I Sedan (DFW)	2.0 16V	EDDC; EDDB; EDDD; 96	129	130	130	1999	2004
FOCUS I Turnier (DNW)	1.6 16V	FYDA; FYDC; FYDB; 74	99	101	101	1999	2004
FOCUS I Turnier (DNW)	1.8 16V	EYDC; EYDB; EYDD; 85	114	115	115	1999	2004 EYDL Gasolina
FOCUS I Turnier (DNW)	2.0 16V	EDDC; EDDB; EDDD; 96	129	130	130	1999	2004
FOCUS I Turnier (DNW)	ST170	ALDA Gasolina	127	170	173	2002	2004
FUSION (JU)	1.6	FYJA; FYJB; FYJC G; 74	99	101	101	2002	2009
GALAXY I (WGR)	2.0 i	NSE; ZVSA Gasolina	85	114	115	1995	2006
GALAXY I (WGR)	2.3 16V	E5SB Gasolina	103	138	140	2001	2006
GALAXY I (WGR)	2.3 16V	Y5B; E5SA Gasolina	107	143	145	1997	2006
GALAXY MK I VAN (WGR)	2.0	NSE; ZVSA Gasolina	85	114	115	1996	2006
GALAXY MK I VAN (WGR)	2.3	E5SA Gasolina	107	143	145	2000	2002
GALAXY MK I VAN (WGR)	2.3	E5SB Gasolina	103	138	140	2002	2006
KA (RB)	1.3 i	J4D; J4K; J4M; J4N; J	44	59	60	1996	2008
KA (RB)	1.3 i ROCAM	A9A; A9B Gasolina	51	68	69	2002	2008
KA (RB)	1.6 i	CDB; CDC Gasolina	70	94	95	2001	2008
KA Van (RB)	1.3 i	J4D; J4K; J4M; J4N; J	44	59	60	2002	2005
MAVERICK	2.0 16V	YF Gasolina	91	122	124	2001	

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



FORD							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAVERICK	2.0 16V FWD	YF Gasolina	91	122	124	2001	
MONDEO I (GBP)	1.6 i 16V	L1F Gasolina	66	88	90	1993	1996
MONDEO I (GBP)	1.6 i 16V	L1J Gasolina	65	87	88	1994	1996
MONDEO I (GBP)	1.8 i 16V	RKA Gasolina	85	114	115	1993	1996
MONDEO I (GBP)	1.8 i 16V	RKB Gasolina	82	110	111	1994	1996
MONDEO I (GBP)	1.8 i 16V 4x4	RKA Gasolina	85	114	115	1993	1996
MONDEO I (GBP)	2.0 i 16V	NGA Gasolina	100	134	136	1993	1996
MONDEO I (GBP)	2.0 i 16V 4x4	NGA Gasolina	97	130	132	1994	1996
MONDEO I (GBP)	2.0 i 16V 4x4	NGA Gasolina	100	134	136	1993	1996
MONDEO I Sedan (GBP)	1.6 i 16V	L1F Gasolina	66	88	90	1993	1996
MONDEO I Sedan (GBP)	1.6 i 16V	L1J Gasolina	65	87	88	1994	1996
MONDEO I Sedan (GBP)	1.8 4x4	RKA Gasolina	85	114	115	1993	1996
MONDEO I Sedan (GBP)	1.8 i 16V	RKA Gasolina	85	114	115	1993	1996
MONDEO I Sedan (GBP)	1.8 i 16V	RKB Gasolina	82	110	111	1994	1996
MONDEO I Sedan (GBP)	2.0 i 16V	NGA Gasolina	100	134	136	1993	1996
MONDEO I Sedan (GBP)	2.0 i 16V 4x4	NGA Gasolina	97	130	132	1994	1996
MONDEO I Sedan (GBP)	2.0 i 16V 4x4	NGA Gasolina	100	134	136	1993	1996
MONDEO I Turnier (BNP)	1.6 i 16V	L1F Gasolina	66	88	90	1993	1996
MONDEO I Turnier (BNP)	1.6 i 16V	L1J Gasolina	65	87	88	1994	1996
MONDEO I Turnier (BNP)	1.8 i 16V	RKA Gasolina	85	114	115	1993	1996
MONDEO I Turnier (BNP)	1.8 i 16V	RKB Gasolina	82	110	111	1994	1996
MONDEO I Turnier (BNP)	1.8 i 16V 4x4	RKA Gasolina	85	114	115	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V	NGA Gasolina	97	130	132	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V	NGA Gasolina	100	134	136	1993	1996
MONDEO I Turnier (BNP)	2.0 i 16V 4x4	NGA Gasolina	97	130	132	1994	1996
MONDEO I Turnier (BNP)	2.0 i 16V 4x4	NGA Gasolina	100	134	136	1993	1996
MONDEO II (BAP)	1.6 i	L1J Gasolina	66	88	90	1996	2000
MONDEO II (BAP)	1.6 i 16V	L1L; L1N; L1Q Gasolii	70	94	95	1998	2000
MONDEO II (BAP)	1.8 i	RKF; RKJ; RKB; RKH	85	114	115	1996	2000
MONDEO II (BAP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
MONDEO II Sedan (BFP)	1.6 i	L1J Gasolina	66	88	90	1996	2000
MONDEO II Sedan (BFP)	1.6 i 16V	L1L; L1N; L1Q Gasolii	70	94	95	1998	2000
MONDEO II Sedan (BFP)	1.8 i	RKF; RKJ; RKB; RKH	85	114	115	1996	2000
MONDEO II Sedan (BFP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
MONDEO II Turnier (BNP)	1.6 i	L1J Gasolina	66	88	90	1996	2000
MONDEO II Turnier (BNP)	1.6 i 16V	L1L; L1N; L1Q Gasolii	70	94	95	1998	2000
MONDEO II Turnier (BNP)	1.8 i	RKA; RKF; RKJ; RKB	85	114	115	1996	2000
MONDEO II Turnier (BNP)	2.0 i	NGA; NGB; NGC; NG	96	129	130	1996	2000
ORION III (GAL)	1.6 i 16V	L1E Gasolina	66	88	90	1992	1993
ORION III (GAL)	1.8 i 16V	RDA Gasolina	77	103	105	1992	1993
ORION III (GAL)	1.8 i 16V	RQB Gasolina	96	129	130	1992	1993
PUMA (EC)	1.6 16V	L1W Gasolina	76	102	103	2000	2002
PUMA (EC)	1.7 16V	MHA; MHB Gasolina	92	123	125	1997	2002
PUMA (EC)	Racing ST 160	MHA Gasolina	114	153	155	1999	2002
SCORPIO II (GFR; GGR)	2.0 i	NSD Gasolina	85	114	115	1994	1998
SCORPIO II (GFR; GGR)	2.0 i 16V	N3A Gasolina	100	134	136	1994	1998
SCORPIO II (GFR; GGR)	2.3 i 16V	Y5A Gasolina	108	145	147	1996	1998
SCORPIO II Turnier (GNR; GG 2.0 i		NSD Gasolina	85	114	115	1994	1998
SCORPIO II Turnier (GNR; GG 2.0 i 16V		N3A Gasolina	100	134	136	1994	1998
SCORPIO II Turnier (GNR; GG 2.3 i 16V		Y5A Gasolina	108	145	147	1996	1998
STREET KA (RL2)	1.6	CDRA; CDRB Gasolir	70	94	95	2003	2005
TOURNEO CONNECT	1.8 16V	EYPA; EYPC; EYPD;	85	114	115	2002	2013
TRANSIT Autobus (E)	2.0 (EBL; EBS; E NSF; NSG; NSH Gaso		84	113	114	1994	2000
TRANSIT Autobus (E)	2.0 CNG	NSH Gasolina Gas na	84	113	114	1994	2000
TRANSIT Autobus (FD ; FB	2.3 16V RWD (F_ E5FA; E5FC Gasolina		107	143	145	2000	2006
TRANSIT Caja-Chasis (E)	2.0 (EME L S; EN NSF; NSG Gasolina		84	113	114	1994	2000
TRANSIT Caja-Chasis (FM ; f 2.3 16V (F_A_; F_ E5FA; E5FC Gasolina			107	143	145	2001	2006
TRANSIT CONNECT (P65 ; P7 1.8 16V		EYPA; EYPC; EYPD (85	114	115	2002	2013

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



FORD							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TRANSIT Furgoneta (E)	2.0 (EAL; EAS)	NSF; NSG; NSH Gasol	84	113	114	1994	2000
TRANSIT Furgoneta (FA)	2.3	E5FC Gasolina	105	141	143	2001	2006
TRANSIT Furgoneta (FA)	2.3 16V RWD (F)	E5FA; E5FC Gasolina	107	143	145	2001	2006
TRANSIT Furgoneta (FA)	2.3 BiFuel	E5FC Gasolina Gas (l	105	141	143	2001	2006
TRANSIT TOURNEO Autobus	2.0	NSF; NSG; NSH Gasol	84	113	114	1994	2000

FORD USA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MUSTANG Convertible (C)	3.8	Gasolina	112	150	152	1993	1999
MUSTANG Coupe (C)	3.8	994 Gasolina	112	150	152	1993	1999
TAURUS (P5)	3.0	99USFI Gasolina	108	145	147	1995	1999
TAURUS (P5)	3.0 24V	99ssFI Gasolina	149	200	202	1996	1999
TAURUS Wagon (P5)	3.0	99USFI Gasolina	108	145	147	1996	1999
TAURUS Wagon (P5)	3.0 24V	99ssFI Gasolina	149	200	202	1995	1999
WINDSTAR (A3)	3.0 V6	99U30 Gasolina	108	145	147	1995	2000
WINDSTAR (A3)	3.0 V6	99U30 Gasolina	109	146	148	1995	1999
WINDSTAR (A3)	3.8	994 Gasolina	127	170	173	2000	2004
WINDSTAR (A3)	3.8 V6	994 Gasolina	149	200	202	1995	1998

JAGUAR							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
S-TYPE II (X200)	2.5 V6	JB(AJV6) Gasolina	147	197	200	2002	2007
S-TYPE II (X200)	3.0 V6	FB(AJV6); FG(AJV6)	175	235	238	1999	2007
X-TYPE I (X400)	2.1 V6	YB(AJ-V6) Gasolina	115	154	156	2002	2009
X-TYPE I (X400)	2.5 V6 A las 4 ruc	XB (AJ-V6) Gasolina	144	193	196	2001	2009
X-TYPE I (X400)	3.0 V6 A las 4 ruc	WB(AJV6) Gasolina	169	227	230	2001	2008
X-TYPE I Station Wagon (X400	2.1 V6	YB(AJ-V6) Gasolina	115	154	156	2003	2009
X-TYPE I Station Wagon (X400	2.5	XB (AJ-V6) Gasolina	144	193	196	2004	2009
X-TYPE I Station Wagon (X400	3.0	WB(AJV6) Gasolina	169	227	230	2004	2009
XF I (X250)	3.0	FG(AJV6) Gasolina	175	235	238	2008	2015
XJ (X350; X358)	3.0	VB(AJV6); VG(AJV6)	175	235	238	2003	2009

JEEP							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
CHEROKEE (KJ)	2.5 CRD 4x4	R 425 DOHC; ENJ Di	105	141	143	2001	2008
CHEROKEE (KJ)	2.8 CRD 4x4	ENR Diesel	110	147	149	2002	2008
CHEROKEE (KJ)	2.8 CRD 4x4	ENR Diesel	120	161	163	2004	2008
CHEROKEE (KJ)	3.7 4x4	EKG Gasolina	150	201	204	2003	2008
CHEROKEE (KJ)	3.7 4x4	EKG Gasolina	155	208	211	2001	2008
CHEROKEE (KJ)	3.7 4x4	EKG Gasolina	157	210	213	2001	2007
CHEROKEE (KJ)	3.7 Laredo	EKG Gasolina	150	201	204	2001	2004
CHEROKEE (KK)	3.7 V6 4x4	EKG Gasolina	151	202	205	2008	
CHEROKEE (XJ)	2.5	EPE Gasolina	89	119	121	1995	2001
CHEROKEE (XJ)	2.5 TD 4x4	ENC Diesel	85	114	115	1988	2001
CHEROKEE (XJ)	2.5 Tdi 4x4	ENC Diesel	85	114	115	1996	2001
COMMANDER (XK; XH)	3.7 V6 4x4	EKG Gasolina	157	210	213	2005	2010
GRAND CHEROKEE I (ZJ; ZG	2.5 TD 4x4 (Z)	ENC Diesel	85	114	115	1995	1999
GRAND CHEROKEE I (ZJ; ZG	2.5 TD Laredo	ENC Diesel	85	114	115	1996	1998
GRAND CHEROKEE III (WH; \	3.7 V6 4x4	EKG Gasolina	157	210	213	2004	2010

LAND ROVER							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
DISCOVERY III (L319)	4.0 V6 4x4	406PN(COLOGNE V6	160	214	217	2004	2009

LDV							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAXUS Autobus	2.5 D	VM39C Diesel	88	118	120	2005	2009

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



LDV

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MAXUS Autobus	2.5 D	VM39C; VM40C Diesel	70	94	95	2005	2008
MAXUS Caja-Chasis	2.5 D	BS580VM; VMR425 C	88	118	120	2005	2009
MAXUS Caja-Chasis	2.5 D	BS582VM Diesel	99	133	135	2006	2009
MAXUS Caja-Chasis	2.5 D	VM39C; VMR425 Die	70	94	95	2005	2008
MAXUS Furgoneta	2.5 D	BS580VM Diesel	88	118	120	2005	2009
MAXUS Furgoneta	2.5 D	BS582VM Diesel	99	133	135	2006	2009
MAXUS Furgoneta	2.5 D	VM39C; VM40C Diesel	70	94	95	2005	2008

LTI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
TX	2.5 TD	R 425 DOHC Diesel	75	101	102	2006	

MASERATI

Serie	Model	Engine	Kw	HP	CV	Start	Finish
MERAK	3.0 ss	114.50.30 Gasolina	162	217	220	1975	1983

MAZDA

Serie	Model	Engine	Kw	HP	CV	Start	Finish
2 (DY)	1.6	FYJA Gasolina	74	99	101	2003	2007
2 (DY)	1.6	FYJA Gasolina	74	99	101	2003	2007
CX-9 (TB)	3.5	CYC4 Gasolina	193	259	262	2006	2007
CX-9 (TB)	3.5 AWD	CYC4 Gasolina	193	259	262	2007	
CX-9 (TB)	3.7	CAY1; CAY5; CAY6 C	204	273	277	2007	
CX-9 (TB)	3.7 AWD (TB10A CA;	CAY1; CAY5; CA	204	273	277	2007	
TRIBUTE (EP)	2.0 (EPEW)	YF Gasolina	91	122	124	2000	2008
TRIBUTE (EP)	2.0 4WD (EPEW)	YF Gasolina	91	122	124	2000	2008

MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 Coupe (C124)	200 CE (124.041)	M 102.963 Gasolina	87	117	118	1990	1992
124 Coupe (C124)	200 CE (124.041)	M 102.963 Gasolina	90	121	122	1990	1992
124 Coupe (C124)	230 CE (124.043)	M 102.982 Gasolina	97	130	132	1987	1992
124 Coupe (C124)	230 CE (124.043)	M 102.982 Gasolina	100	134	136	1987	1992
124 Coupe (C124)	230 CE Cat (124.043)	M 102.982 Gasolina	97	130	132	1989	1992
124 Coupe (C124)	300 CE (124.050)	M 103.983 Gasolina	132	177	179	1987	1993
124 Coupe (C124)	300 CE (124.050)	M 103.983 Gasolina	138	185	188	1987	1989
124 Sedan (W124)	200 (124.020)	M 102.922 Gasolina	75	101	102	1986	1990
124 Sedan (W124)	200 (124.020)	M 102.922 Gasolina	77	103	105	1986	1992
124 Sedan (W124)	200 (124.020)	M 102.922 Gasolina	80	107	109	1985	1990
124 Sedan (W124)	200 E (124.021)	M 102.963 Gasolina	87	117	118	1988	1993
124 Sedan (W124)	200 E (124.021)	M 102.963 Gasolina	90	121	122	1988	1989
124 Sedan (W124)	230 E (124.023)	M 102.982 Gasolina	97	130	132	1984	1992
124 Sedan (W124)	230 E (124.023)	M 102.982 Gasolina	100	134	136	1985	1993
124 Sedan (W124)	230 E Cat (124.023)	M 102.982 Gasolina	97	130	132	1989	1993
124 Sedan (W124)	260 E (124.026)	M 103.940 Gasolina	118	158	160	1985	1992
124 Sedan (W124)	260 E (124.026)	M 103.940 Gasolina	122	164	166	1985	1989
124 Sedan (W124)	260 E 4-matic (124.026)	M 103.940 Gasolina	122	164	166	1986	1989
124 Sedan (W124)	260 E 4-matic (124.026)	M 103.943 Gasolina	118	158	160	1986	1992
124 Sedan (W124)	300 E (124.030)	M 103.980 Gasolina	138	185	188	1985	1985
124 Sedan (W124)	300 E (124.030)	M 103.983 Gasolina	132	177	179	1985	1992
124 Sedan (W124)	300 E (124.030)	M 103.983 Gasolina	138	185	188	1985	1992
124 Sedan (W124)	300 E 4-matic (124.030)	M 103.983 Gasolina	138	185	188	1986	1992
124 Sedan (W124)	300 E 4-matic (124.030)	M 103.985 Gasolina	132	177	179	1986	1993
124 T-Model (S124)	200 T (124.080)	M 102.922 Gasolina	77	103	105	1986	1990
124 T-Model (S124)	200 T (124.080)	M 102.922 Gasolina	80	107	109	1985	1989
124 T-Model (S124)	200 TE (124.081)	M 102.963 Gasolina	87	117	118	1988	1992
124 T-Model (S124)	200 TE (124.081)	M 102.963 Gasolina	90	121	122	1988	1989

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
124 T-Model (S124)	230 TE (124.083)	M 102.982 Gasolina	97	130	132	1985	1992
124 T-Model (S124)	230 TE (124.083)	M 102.982 Gasolina	100	134	136	1985	1992
124 T-Model (S124)	230 TE Cat (124.083)	M 102.982 Gasolina	97	130	132	1989	1992
124 T-Model (S124)	260 TE FGST. (124.083)	M 103.940 Gasolina	118	158	160	1989	1992
124 T-Model (S124)	260 TE FGST. (124.083)	M 103.940 Gasolina	122	164	166	1985	1989
124 T-Model (S124)	300 TE (124.090)	M 103.983 Gasolina	132	177	179	1986	1992
124 T-Model (S124)	300 TE (124.090)	M 103.983 Gasolina	138	185	188	1986	1989
124 T-Model (S124)	300 TE 4-matic (124.090)	M 103.983 Gasolina	138	185	188	1986	1989
124 T-Model (S124)	300 TE 4-matic (124.090)	M 103.985 Gasolina	132	177	179	1986	1993
190 (W201)	2.0 (201.023)	M 102.924 Gasolina	75	101	102	1986	1990
190 (W201)	2.0 (201.023)	M 102.924 Gasolina	77	103	105	1983	1990
190 (W201)	E 1.8 (201.018)	M 102.910 Gasolina	80	107	109	1990	1993
190 (W201)	E 2.0 (201.024)	M 102.962 Gasolina	85	114	115	1985	1986
190 (W201)	E 2.0 (201.024)	M 102.962 Gasolina	87	117	118	1985	1993
190 (W201)	E 2.0 (201.024)	M 102.962; M 102.961	83	111	113	1985	1986
190 (W201)	E 2.0 (201.024)	M 102.962; M 102.961	90	121	122	1982	1993
190 (W201)	E 2.3 (201.028)	M 102.985 Gasolina	97	130	132	1986	1991
190 (W201)	E 2.3 (201.028)	M 102.985 Gasolina	100	134	136	1986	1993
190 (W201)	E 2.6 (201.029)	M 103.942 Gasolina	118	158	160	1986	1993
190 (W201)	E 2.6 (201.029)	M 103.942 Gasolina	122	164	166	1986	1989
CLASE E (W124)	E 300 4-matic (124.083)	M 103.985 Gasolina	132	177	179	1993	1995
CLASE E T-Model (S124)	E 300 T 4-matic (124.083)	M 103.985 Gasolina	132	177	179	1993	1996
CLASE S (W126)	260 SE (126.020)	M 103.941 Gasolina	118	158	160	1985	1991
CLASE S (W126)	260 SE (126.020)	M 103.941 Gasolina	122	164	166	1985	1991
CLASE S (W126)	300 SE; SEL (126.020)	M 103.981 Gasolina	132	177	179	1986	1991
CLASE S (W126)	300 SE; SEL (126.020)	M 103.981 Gasolina	138	185	188	1985	1989
SL (R107)	300 SL (107.041)	M 103.982 Gasolina	132	177	179	1985	1989
SL (R107)	300 SL (107.041)	M 103.982 Gasolina	138	185	188	1985	1989
SL (R129)	300 SL (129.060)	M 103.984 Gasolina	140	188	190	1989	1993

MORGAN

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FOUR FOUR	1.8 i	ZH18P Gasolina	92	123	125	1993	2005
PLUS FOUR	1.8 i	RQB Gasolina	96	129	130	1993	1999
ROADSTER Descapotable	3.0 V6	MEBA Gasolina	165	221	224	2004	

NSU

Serie	Model	Engine	Kw	HP	CV	Start	Finish
RO 80	1.0	KKM Gasolina	85	114	115	1967	1977

OPEL

Serie	Model	Engine	Kw	HP	CV	Start	Finish
FRONTERA A (U92)	2.5 TDS	25TD Diesel	85	114	115	1996	1998
FRONTERA A Sport (U92)	2.5 TDS	25TDS (VM41B); 25TI	85	114	115	1996	1998

PLYMOUTH

Serie	Model	Engine	Kw	HP	CV	Start	Finish
VOYAGER - GRAND VOYAGE 2.5 TD		ENC Diesel	85	114	115	1995	2001

PORSCHE

Serie	Model	Engine	Kw	HP	CV	Start	Finish
924	2.0	XJ; XK Gasolina	92	123	125	1975	1989
924	2.0 Carrera GT	M 31.50 Gasolina	154	206	209	1980	1986
924	2.0 Turbo	M 31.01 Gasolina	125	168	170	1978	1980
924	2.0 Turbo	M 31.03 Gasolina	130	174	177	1980	1986

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES
ANTIDRAIN BACK VALVE
PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



SEAT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
ALHAMBRA (7V8; 7V9)	1.8 T 20V	AWC; AJH Gasolina	110	147	149	1997	2010
ALHAMBRA (7V8; 7V9)	2.0 i	ADY; ATM Gasolina	85	114	115	1996	2010
ALHAMBRA VAN (7V8; 7V9)	2.0	ADY; ATM Gasolina	85	114	115	1996	2010
ALTEA (5P1)	1.6	BGU; BSE; BSF; CCS 75	101	102	2004	2010	2010
ALTEA (5P1)	1.6 LPG	CHGA Gasolina Gas (75	101	102	2009	2013	2013
ALTEA (5P1)	1.6 Multifuel	CMXA Gasolina Etanc	75	101	102	2010	2011
ALTEA XL (5P5; 5P8)	1.6	BGU; BSE; BSF; CCS 75	101	102	2006	2010	2010
ALTEA XL (5P5; 5P8)	1.6 LPG	CHGA Gasolina Gas (75	101	102	2009	2013	2013
ALTEA XL (5P5; 5P8)	1.6 Multifuel	BSE; BSF; CCSA; CV 75	101	102	2006	2010	2010
CORDOBA (6K1; 6K2)	1.6 i	1F Gasolina	55	74	75	1994	1999
CORDOBA (6K1; 6K2)	1.6 i	AFT; AEH; AKL; APF; 74	99	101	1996	2002	2002
CORDOBA (6K1; 6K2)	1.8 i	ABS; ADZ; ACC Gasc	66	88	90	1993	2002
CORDOBA (6K1; 6K2)	1.8 i 16V	ADL Gasolina	95	127	129	1993	1996
CORDOBA (6K1; 6K2)	1.8 T 20V Cupra	AQX; AYP Gasolina	115	154	156	2000	2002
CORDOBA (6K1; 6K2)	1.9 TD	AAZ Diesel	55	74	75	1993	1996
CORDOBA (6K1; 6K2)	2.0 i	2E; AGG Gasolina	85	114	115	1993	1999
CORDOBA (6K1; 6K2)	2.0 i 16V	ABF Gasolina	110	147	149	1996	1999
CORDOBA (6L2)	2.0	AZL; BBX Gasolina	85	114	115	2002	2009
CORDOBA Vario (6K5)	1.6 i	1F Gasolina	55	74	75	1997	1999
CORDOBA Vario (6K5)	1.6 i	ABU; AEE; ALM Gasc	55	74	75	1996	2002
CORDOBA Vario (6K5)	1.6 i	AFT; AEH; AKL; APF; 74	99	101	1996	2002	2002
EXEO (3R2)	1.6	ALZ Gasolina	75	101	102	2009	2010
EXEO ST (3R5)	1.6	ALZ Gasolina	75	101	102	2009	2010
IBIZA I (21A)	1.2	021 A 1000 Gasolina	44	59	60	1984	1993
IBIZA I (21A)	1.2	021 A 1000 Gasolina	46	62	63	1984	1993
IBIZA I (21A)	1.2 i	021 C.1000 Gasolina	52	70	71	1989	1993
IBIZA I (21A)	1.5	021 A 2000 Gasolina	63	84	86	1984	1993
IBIZA I (21A)	1.5	1500A Gasolina	64	86	87	1986	1993
IBIZA I (21A)	1.5 i	021 B.2000 Gasolina	74	99	101	1986	1993
IBIZA I (21A)	1.5 i	021 D.2000 Gasolina	65	87	88	1986	1993
IBIZA I (21A)	1.5 i Cat	021 C.2000 Gasolina	66	88	90	1986	1993
IBIZA I (21A)	1.7	021 A.3000 Gasolina	72	97	98	1991	1993
IBIZA II (6K1)	1.4 i	ABD; AEX; AKV; APQ	44	59	60	1993	2002
IBIZA II (6K1)	1.6 i	1F Gasolina	55	74	75	1994	1999
IBIZA II (6K1)	1.6 i	AFT; AEH; AKL; APF; 74	99	101	1996	2002	2002
IBIZA II (6K1)	1.8 i	ABS; ADZ; ACC Gasc	66	88	90	1993	1999
IBIZA II (6K1)	1.8 i 16V	ADL Gasolina	95	127	129	1993	1996
IBIZA II (6K1)	1.8 T 20V Cupra	AQX; AYP Gasolina	115	154	156	2000	2002
IBIZA II (6K1)	1.8 T 20V Cupra	AYP Gasolina	132	177	179	2000	2002
IBIZA II (6K1)	2.0 i	2E; AGG Gasolina	85	114	115	1993	1999
IBIZA II (6K1)	2.0 i 16V	ABF Gasolina	110	147	149	1996	1999
IBIZA III (6L1)	1.8 T Cupra R	BBU; BLZ Gasolina	132	177	179	2004	2008
IBIZA III (6L1)	1.8 T FR	BJX; BKV Gasolina	110	147	149	2003	2008
IBIZA III (6L1)	2.0	AZL; BBX Gasolina	85	114	115	2002	2009
IBIZA IV (6J5; 6P1)	2.0	CEKA Gasolina	85	114	115	2008	2015
IBIZA IV SC (6J1; 6P5)	2.0	CEKA Gasolina	85	114	115	2008	2015
INCA (6K9)	1.6 i	1F Gasolina	55	74	75	1995	1998
INCA (6K9)	1.6 i	AEE; ALM Gasolina	55	74	75	1997	2000
LEON (1M1)	1.6	AEH; AKL Gasolina	74	99	101	1999	2006
LEON (1M1)	1.6	BFQ Gasolina	75	101	102	2005	2006
LEON (1M1)	1.8 20V	AGN; APG Gasolina	92	123	125	1999	2006
LEON (1M1)	1.8 20V T	APP; AUQ Gasolina	132	177	179	1999	2006
LEON (1M1)	1.8 20V T 4	ARY; AJQ Gasolina	132	177	179	1999	2006
LEON (1M1)	1.8 T Cupra R	AMK Gasolina	154	206	209	2002	2006
LEON (1M1)	1.8 T Cupra R	BAM Gasolina	165	221	224	2003	2006
LEON (1P1)	1.6	BSE; BSF; CCSA Gas	75	101	102	2005	2012
LEON (1P1)	1.6 LPG	CHGA Gasolina Gas (75	101	102	2009	2012	2012
MALAGA (23A)	1.2	021 A 1000 Gasolina	44	59	60	1985	1993

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



SEAT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
MALAGA (23A)	1.2	021 A 1000 Gasolina	47	63	64	1984	1993
MALAGA (23A)	1.2 i	021 C.1000 Gasolina	52	70	71	1989	1993
MALAGA (23A)	1.5	021 A 2000 Gasolina	63	84	86	1985	1993
MALAGA (23A)	1.5 i	021 B.2000 Gasolina	74	99	101	1987	1993
MALAGA (23A)	1.5 i Cat	021 A 2000; 021 C.20	66	88	90	1986	1993
RONDA (22A)	1.2	021 A 1000 Gasolina	44	59	60	1984	1986
RONDA (22A)	1.5	021 A 2000 Gasolina	63	84	86	1984	1986
TERRA Furgoneta-Station wag	1.4 D	1 W Diesel	35	47	48	1990	1992
TOLEDO I (1L2)	1.6 i	1F Gasolina	52	70	71	1991	1993
TOLEDO I (1L2)	1.6 i	1F Gasolina	55	74	75	1993	1999
TOLEDO I (1L2)	1.6 i	AFT Gasolina	74	99	101	1996	1999
TOLEDO I (1L2)	1.6 i	EZ; ABN Gasolina	54	72	73	1991	1999
TOLEDO I (1L2)	1.8 16V	KR Gasolina	98	131	133	1991	1999
TOLEDO I (1L2)	1.8 16V	PL Gasolina	92	123	125	1991	1999
TOLEDO I (1L2)	1.8 i	ABS; ADZ; ACC Gasc	66	88	90	1993	1996
TOLEDO I (1L2)	1.8 i	RP Gasolina	65	87	88	1991	1996
TOLEDO I (1L2)	1.9 TD	AAZ Diesel	55	74	75	1991	1999
TOLEDO I (1L2)	2.0 i	2E; AGG Gasolina	85	114	115	1991	1999
TOLEDO I (1L2)	2.0 i 16V	ABF Gasolina	110	147	149	1993	1999
TOLEDO II (1M2)	1.6	AEH; AKL Gasolina	74	99	101	1998	2004
TOLEDO II (1M2)	1.8 20V	AGN; APG Gasolina	92	123	125	1998	2004
TOLEDO II (1M2)	1.8 20VT	APP; AUQ; ARY Gasc	132	177	179	2000	2004
TOLEDO III (5P2)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2009

SKODA							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
FABIA I (6Y2)	2.0	AZL Gasolina	85	114	115	1999	2008
FABIA I Combi (6Y5)	2.0	AZL Gasolina	85	114	115	2000	2007
FABIA I Sedan (6Y3)	2.0	AZL Gasolina	85	114	115	1999	2007
OCTAVIA I (1U2)	1.6	AEH; AKL Gasolina	74	99	101	1997	2007
OCTAVIA I (1U2)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2010
OCTAVIA I (1U2)	1.8	AGN Gasolina	92	123	125	1996	2000
OCTAVIA I (1U2)	1.8 T	AGU; ARZ; ARX; AUM	110	147	149	1997	2010
OCTAVIA I (1U2)	1.8 T 4x4	ARX Gasolina	110	147	149	2001	2006
OCTAVIA I (1U2)	2.0	AQY; APK; AZH; AEG	85	114	115	1999	2007
OCTAVIA I (1U2)	RS 1.8 T	AUQ Gasolina	132	177	179	2001	2006
OCTAVIA I Combi (1U5)	1.6	AEH; AKL Gasolina	74	99	101	1998	2007
OCTAVIA I Combi (1U5)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2010
OCTAVIA I Combi (1U5)	1.8 20V	AGN Gasolina	92	123	125	1998	2000
OCTAVIA I Combi (1U5)	1.8 T	AGU; ARZ; ARX; AUM	110	147	149	1998	2010
OCTAVIA I Combi (1U5)	1.8 T 4x4	ARX Gasolina	110	147	149	2001	2006
OCTAVIA I Combi (1U5)	2.0	AQY; APK; AZH; AEG	85	114	115	1999	2007
OCTAVIA I Combi (1U5)	2.0 4x4	AZH; AZJ Gasolina	85	114	115	2000	2004
OCTAVIA I Combi (1U5)	RS 1.8 T	AUQ Gasolina	132	177	179	2002	2006
OCTAVIA II (1Z3)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
OCTAVIA II (1Z3)	1.6 LPG	BSE; CHGA Gasolina	75	101	102	2009	2012
OCTAVIA II (1Z3)	1.6 MultiFuel	CCSA; CMXA Gasolir	75	101	102	2008	2013
OCTAVIA II Combi (1Z5)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2013
OCTAVIA II Combi (1Z5)	1.6 LPG	CHGA Gasolina Gas (75	101	102	2009	2012
OCTAVIA II Combi (1Z5)	1.6 MultiFuel	CCSA; CMXA Gasolir	75	101	102	2008	2013
SUPERB I (3U4)	2.0	AZM Gasolina	85	114	115	2001	2008

TRABANT							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
1.1	1.1	4VO5;9 7;5GRF Gas	30	40	41	1990	1991
1.1 Tramp	1.1	4VO5;9 7;5GRF Gas	30	40	41	1990	1991
1.1 Universal	1.1	4VO5;9 7;5GRF Gas	30	40	41	1990	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
240 (P242; P244)	2.4 Diesel	D 24 Diesel	58	78	79	1987	1993

VOLVO							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
740 Kombi (745)	2.4 Diesel	D 24 Diesel	60	80	82	1985	1988

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
BORA I (1J2)	1.6	AEH; AKL; APF Gaso	74	99	101	1998	2005
BORA I (1J2)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2005
BORA I (1J2)	1.8	AGN; BAF Gasolina	92	123	125	1998	2005
BORA I (1J2)	1.8 4motion	AGN Gasolina	92	123	125	1999	2005
BORA I (1J2)	1.8 T	AGU; ARX; AUM; AW	110	147	149	2000	2005
BORA I (1J2)	1.8 T	AUQ; AWP Gasolina	132	177	179	2002	2005
BORA I (1J2)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2013
BORA I (1J2)	2.0 4motion	AZH; AZJ Gasolina	85	114	115	2000	2005
BORA Variant (1J6)	1.6	AEH; AKL; APF Gaso	74	99	101	1999	2005
BORA Variant (1J6)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2005
BORA Variant (1J6)	1.8 4motion	AGN Gasolina	92	123	125	1999	2005
BORA Variant (1J6)	1.8 T	AGU; ARX; AUM; AW	110	147	149	2000	2005
BORA Variant (1J6)	1.8 T	AUQ; AWP Gasolina	132	177	179	2002	2005
BORA Variant (1J6)	2.0	AQY; APK; AZG; AZJ;	85	114	115	1999	2005
BORA Variant (1J6)	2.0 4motion	AZH; AZJ Gasolina	85	114	115	2000	2005
CADDY I (14)	1.5	JB Gasolina	51	68	69	1982	1983
CADDY I (14)	1.6	EW Gasolina	55	74	75	1983	1992
CADDY I (14)	1.8	JH Gasolina	70	94	95	1985	1992
CADDY II Furgoneta-monovolu	1.9 TDI	1Z; AHU; ALH; ALE D	66	88	90	1996	2004
CADDY II Furgoneta-monovolu	75 1.6	1F Gasolina	55	74	75	1995	1997
CADDY II Furgoneta-monovolu	75 1.6	AEE Gasolina	55	74	75	1995	2000
CADDY II Monospace (9K9B)	1.6	1F Gasolina	55	74	75	1995	1997
CADDY II Monospace (9K9B)	1.6	AEE Gasolina	55	74	75	1997	2000
CADDY III Furgoneta-monovolu	1.6	BGU; BSE; BSF Gasc	75	101	102	2004	2015
CADDY III Furgoneta-monovolu	1.6 BiFuel	CHGA Gasolina Gas (75	101	102	2011	2015
CADDY III Furgoneta-monovolu	2.0 EcoFuel	BSX CNG	80	107	109	2006	2015
CADDY III Monospace (2KB; 2	1.6	BGU; BSE; BSF Gasc	75	101	102	2004	2015
CADDY III Monospace (2KB; 2	1.6 BiFuel	CHGA Gasolina Gas (75	101	102	2011	2015
CADDY III Monospace (2KB; 2	2.0 EcoFuel	BSX CNG	80	107	109	2006	2015
CORRADO (53I)	1.8 16V	KR Gasolina	100	134	136	1989	1992
CORRADO (53I)	1.8 G60	PG Gasolina	118	158	160	1988	1993
CORRADO (53I)	2.0 i	2E; ADY Gasolina	85	114	115	1993	1995
CORRADO (53I)	2.0 i 16V	9A Gasolina	100	134	136	1991	1995
DERBY (86)	0.9	HA Gasolina	29	39	39	1977	1981
DERBY (86)	1.1	HB Gasolina	37	50	50	1977	1981
DERBY (86)	1.1	HD Gasolina	38	51	52	1977	1981
DERBY (86)	1.3	HH Gasolina	44	59	60	1977	1981
DERBY (86C; 80)	1.0	GL Gasolina	29	39	39	1981	1984
DERBY (86C; 80)	1.1	HB Gasolina	37	50	50	1981	1983
DERBY (86C; 80)	1.3	GK Gasolina	55	74	75	1982	1984
DERBY (86C; 80)	1.3	HH Gasolina	44	59	60	1981	1983
DERBY (86C; 80)	1.3	HK Gasolina	40	54	54	1983	1984
GOLF I (17)	1.1	FJ Gasolina	38	51	52	1976	1980
GOLF I (17)	1.1	GG; FA Gasolina	37	50	50	1974	1983
GOLF I (17)	1.3	GF Gasolina	44	59	60	1979	1983
GOLF I (17)	1.5	FH Gasolina	51	68	69	1974	1975
GOLF I (17)	1.5	JB Gasolina	51	68	69	1977	1983
GOLF I (17)	1.6	EM; FN; FP Gasolina	55	74	75	1975	1984
GOLF I (17)	1.6	EW; HN Gasolina	55	74	75	1983	1984

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
CBPA; BBW; CFEA Gasolina	
EAN13:	5055148200497
ITF14:	85055148200493



DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GOLF I (17)	1.6 GTI	EG Gasolina	81	109	110	1976	1982
GOLF I (17)	1.8 GTI	DX; JJ Gasolina	82	110	111	1982	1983
GOLF I Cabriolet (155)	1.5	JB Gasolina	51	68	69	1979	1983
GOLF I Cabriolet (155)	1.6	EG Gasolina	81	109	110	1979	1982
GOLF I Cabriolet (155)	1.6	EM Gasolina	55	74	75	1979	1983
GOLF I Cabriolet (155)	1.6	EW; HN Gasolina	55	74	75	1983	1992
GOLF I Cabriolet (155)	1.6	RE Gasolina	53	71	72	1986	1990
GOLF I Cabriolet (155)	1.8	2H Gasolina	72	97	98	1989	1993
GOLF I Cabriolet (155)	1.8	DX Gasolina	82	110	111	1983	1992
GOLF I Cabriolet (155)	1.8	DX; EV; KT; PB Gaso	82	110	111	1982	1989
GOLF I Cabriolet (155)	1.8	EX Gasolina	66	88	90	1983	1992
GOLF I Cabriolet (155)	1.8	JH Gasolina	70	94	95	1983	1993
GOLF II (19E; 1G1)	1.0	GN Gasolina	33	44	45	1983	1985
GOLF II (19E; 1G1)	1.0	HZ Gasolina	37	50	50	1985	1991
GOLF II (19E; 1G1)	1.3	MH; HK Gasolina	40	54	54	1983	1987
GOLF II (19E; 1G1)	1.3 Cat	MH; NZ; 2G Gasolina	40	54	54	1986	1992
GOLF II (19E; 1G1)	1.6	EZ; ABN; HM Gasolin	55	74	75	1983	1992
GOLF II (19E; 1G1)	1.6	PN Gasolina	51	68	69	1986	1992
GOLF II (19E; 1G1)	1.6	RF Gasolina	53	71	72	1986	1991
GOLF II (19E; 1G1)	1.8	GX; HV; GU Gasolina	66	88	90	1984	1991
GOLF II (19E; 1G1)	1.8	RH Gasolina	62	83	84	1986	1990
GOLF II (19E; 1G1)	1.8 GTI	DX; EV; GZ; PB Gaso	82	110	111	1983	1991
GOLF II (19E; 1G1)	1.8 GTI	HT; RV Gasolina	77	103	105	1985	1985
GOLF II (19E; 1G1)	1.8 GTI	RD Gasolina	79	106	107	1985	1987
GOLF II (19E; 1G1)	1.8 GTI 16V	KR Gasolina	100	134	136	1986	1988
GOLF II (19E; 1G1)	1.8 GTI 16V	KR Gasolina	102	137	139	1986	1990
GOLF II (19E; 1G1)	1.8 GTI 16V	PL Gasolina	95	127	129	1986	1991
GOLF II (19E; 1G1)	1.8 GTI Cat	PF Gasolina	79	106	107	1987	1991
GOLF II (19E; 1G1)	1.8 GTI G60	PG Gasolina	118	158	160	1990	1991
GOLF II (19E; 1G1)	1.8 GTI G60 Syn	1H; PG Gasolina	118	158	160	1988	1991
GOLF II (19E; 1G1)	1.8 i Cat	GX; RP Gasolina	66	88	90	1987	1991
GOLF II (19E; 1G1)	1.8 i Cat Syncro	GX; RP Gasolina	66	88	90	1987	1991
GOLF II (19E; 1G1)	1.8 Syncro	1P Gasolina	72	97	98	1988	1991
GOLF II (19E; 1G1)	1.8 Syncro	GX; GU Gasolina	66	88	90	1986	1991
GOLF II (19E; 1G1)	1.8 Syncro	RH Gasolina	62	83	84	1986	1988
GOLF II Van (19E; 1G1)	1.8 i	RP Gasolina	66	88	90	1987	1991
GOLF III (1H1)	1.4	ABD; AEX Gasolina	40	54	54	1991	1997
GOLF III (1H1)	1.4	ABD; AEX Gasolina	44	59	60	1991	1997
GOLF III (1H1)	1.6	AEK; AFT; AKS Gaso	74	99	101	1995	1997
GOLF III (1H1)	1.8	AAM Gasolina	55	74	75	1991	1997
GOLF III (1H1)	1.8	ACC; ABS; ADZ; ADD	66	88	90	1991	1997
GOLF III (1H1)	1.8 Syncro (1HX1	ABS; ADZ Gasolina	66	88	90	1993	1997
GOLF III (1H1)	1.9 D	1Y Diesel	47	63	64	1991	1997
GOLF III (1H1)	1.9 TD; GTD	AAZ Diesel	55	74	75	1991	1997
GOLF III (1H1)	2.0	2E; ADY; AGG; AKR;	85	114	115	1991	1997
GOLF III (1H1)	2.0 GTI 16V	ABF Gasolina	110	147	149	1992	1997
GOLF III (1H1)	2.0 Syncro (1HX1	AGG Gasolina	85	114	115	1995	1997
GOLF III Cabriolet (1E7)	1.6	AEK; AFT; AKS Gaso	74	99	101	1994	1998
GOLF III Cabriolet (1E7)	1.8	AAM; ANN Gasolina	55	74	75	1993	1998
GOLF III Cabriolet (1E7)	1.8	ABS; ADZ; ANP Gasc	66	88	90	1993	1998
GOLF III Cabriolet (1E7)	2.0	2E; ADY; AGG; AKR;	85	114	115	1993	1998
GOLF III Van (1H1)	1.4	ABD; AEX Gasolina	44	59	60	1991	1996
GOLF III Van (1H1)	1.8	ABS; ADZ Gasolina	66	88	90	1991	1997
GOLF III Van (1H1)	2.0 GTI	ABF Gasolina	110	147	149	1991	1997
GOLF III Variant (1H5)	1.4	ABD; AEX Gasolina	40	54	54	1993	1999
GOLF III Variant (1H5)	1.4	ABD; AEX; APQ Gasc	44	59	60	1993	1999
GOLF III Variant (1H5)	1.6	AEK; AFT; AKS Gaso	74	99	101	1994	1999
GOLF III Variant (1H5)	1.8	AAM; ANN Gasolina	55	74	75	1993	1999

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
GOLF III Variant (1H5)	1.8	ABS; ADZ; ANP Gasc	66	88	90	1993	1999
GOLF III Variant (1H5)	1.8 Syncro	ADZ Gasolina	66	88	90	1994	1999
GOLF III Variant (1H5)	1.9 D	1Y Diesel	47	63	64	1993	1999
GOLF III Variant (1H5)	2.0	2E; ADY; AGG; AKR	85	114	115	1993	1999
GOLF III Variant (1H5)	2.0 Syncro	AGG Gasolina	85	114	115	1995	1999
GOLF IV (1J1)	1.6	AEH; AKL; APF Gaso	74	99	101	1997	2004
GOLF IV (1J1)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2005
GOLF IV (1J1)	1.8	AGN Gasolina	92	123	125	1997	2005
GOLF IV (1J1)	1.8 4motion	AGN Gasolina	92	123	125	1998	2005
GOLF IV (1J1)	1.8 T GTI	AGU; AUM; ARZ; AW	110	147	149	1997	2005
GOLF IV (1J1)	1.8 T GTI	AUQ; AWP; BEK Gas	132	177	179	2001	2005
GOLF IV (1J1)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2004
GOLF IV (1J1)	2.0 4motion	AZH; AZJ Gasolina	85	114	115	2000	2005
GOLF IV (1J1)	2.0 BiFuel	BEH Gasolina Gas na	85	114	115	2002	2003
GOLF IV Cabriolet (1E7)	1.6	AFT; AKS Gasolina	74	99	101	1998	2002
GOLF IV Cabriolet (1E7)	1.8	AAM; ANN Gasolina	55	74	75	1998	2002
GOLF IV Cabriolet (1E7)	1.8	ADZ; ANP Gasolina	66	88	90	1998	2002
GOLF IV Cabriolet (1E7)	2.0	AGG; AKR; AWF; AW	85	114	115	1998	2002
GOLF IV Variant (1J5)	1.6	AEH; AKL; APF Gaso	74	99	101	1999	2002
GOLF IV Variant (1J5)	1.6	AVU; BFQ Gasolina	75	101	102	2000	2006
GOLF IV Variant (1J5)	1.8 4motion	AGN Gasolina	92	123	125	1999	2006
GOLF IV Variant (1J5)	1.8 T	AGU; AUM; ARZ; Gas	110	147	149	2000	2006
GOLF IV Variant (1J5)	2.0	AQY; APK; AZJ Gaso	85	114	115	1999	2006
GOLF IV Variant (1J5)	2.0 4motion	AZH; AZJ Gasolina	85	114	115	2000	2006
GOLF IV Variant (1J5)	2.0 Bi-Fuel	BEH Gasolina Gas na	85	114	115	2002	2006
GOLF PLUS V (5M1; 521)	1.6	BSE; BSF; CCSA; CV	75	101	102	2005	2013
GOLF PLUS V (5M1; 521)	1.6 BiFuel	CHGA Gasolina Gas (75	101	102	2009	2013
GOLF PLUS V (5M1; 521)	1.6 MultiFuel	CCSA; CMXA Gasolir	75	101	102	2007	2013
GOLF V (1K1)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2008
GOLF V (1K1)	1.6 MultiFuel	CCSA Gasolina Etanc	75	101	102	2007	2008
GOLF V (1K1)	2.0	BEV; BHY Gasolina	85	114	115	2005	2008
GOLF V Variant (1K5)	1.6	BSE; BSF; CCSA Gas	75	101	102	2007	2009
GOLF Van III Variant (1H5)	1.8	AAM Gasolina	55	74	75	1993	1999
GOLF Van III Variant (1H5)	1.8	ABS; ADZ Gasolina	66	88	90	1993	1999
GOLF VI (5K1)	1.6	BSE; BSF; CCSA; CV	75	101	102	2008	2012
GOLF VI (5K1)	1.6 BiFuel	CHGA Gasolina Gas (75	101	102	2009	2012
GOLF VI (5K1)	1.6 MultiFuel	CCSA; CMXA Gasolir	75	101	102	2008	2012
GOLF VI Variant (AJ5)	1.6	BSE; BSF; CCSA Gas	75	101	102	2009	2013
GOLF VI Variant (AJ5)	1.6 MultiFuel	CCSA; CMXA Gasolir	75	101	102	2010	2013
ILTIS (183)	1.7	YX; WL Gasolina	55	74	75	1979	1988
JETTA I (16)	1.1	GG Gasolina	37	50	50	1979	1984
JETTA I (16)	1.3	GF Gasolina	44	59	60	1979	1984
JETTA I (16)	1.5	JB Gasolina	51	68	69	1978	1984
JETTA I (16)	1.6	EW Gasolina	55	74	75	1982	1983
JETTA I (16)	1.6	FR Gasolina	63	84	86	1978	1984
JETTA I (16)	1.6 GLI	EG Gasolina	81	109	110	1978	1982
JETTA I (16)	1.8	DX; JJ Gasolina	82	110	111	1982	1984
JETTA II (19E; 1G2; 165)	1.3	MH; HK Gasolina	40	54	54	1984	1987
JETTA II (19E; 1G2; 165)	1.3 Cat	MH; NZ; 2G Gasolina	40	54	54	1987	1991
JETTA II (19E; 1G2; 165)	1.6	EZ; ABN; HM Gasolin	55	74	75	1984	1992
JETTA II (19E; 1G2; 165)	1.6	PN Gasolina	51	68	69	1986	1991
JETTA II (19E; 1G2; 165)	1.6	RF Gasolina	53	71	72	1986	1991
JETTA II (19E; 1G2; 165)	1.6 TD	1V Diesel	44	59	60	1990	1991
JETTA II (19E; 1G2; 165)	1.6 TD	RA; SB Diesel	59	79	80	1989	1991
JETTA II (19E; 1G2; 165)	1.8	EV; GZ; PB Gasolina	82	110	111	1984	1991
JETTA II (19E; 1G2; 165)	1.8	GX; HV; GU Gasolina	66	88	90	1984	1991
JETTA II (19E; 1G2; 165)	1.8	RD Gasolina	79	106	107	1985	1987
JETTA II (19E; 1G2; 165)	1.8	RH Gasolina	62	83	84	1986	1990


5552 Millard Oil Filter

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
JETTA II (19E; 1G2; 165)	1.8 16V	KR Gasolina	102	137	139	1987	1989
JETTA II (19E; 1G2; 165)	1.8 16V	PL Gasolina	95	127	129	1986	1991
JETTA II (19E; 1G2; 165)	1.8 Cat	GX; RP Gasolina	66	88	90	1987	1991
JETTA II (19E; 1G2; 165)	1.8 Cat	PF Gasolina	79	106	107	1987	1991
JETTA II (19E; 1G2; 165)	1.8 Syncro	1P Gasolina	72	97	98	1988	1991
JETTA II (19E; 1G2; 165)	1.8 Syncro	GX; GU; RP Gasolina	66	88	90	1987	1988
JETTA III (1K2)	1.6	BGU; BSE; BSF; CCS	75	101	102	2004	2010
JETTA IV (162; 163; AV3; AV2)	2.0	CBPA; CKJA Gasolina	85	114	115	2010	2017
K 70 (48)	1.6	DA Gasolina	66	88	90	1970	1974
K 70 (48)	1.6	DB Gasolina	55	74	75	1970	1971
K 70 (48)	1.8	DC Gasolina	74	99	101	1973	1974
KAEFER	1600 i (Mexico)	ACD Gasolina	34	46	46	1992	2003
LT 28-35 I Autobus (281-363)	2.0	CH Gasolina	55	74	75	1975	1983
LT 28-35 I Caja-Chasis (281-363)	2.0	CH Gasolina	55	74	75	1975	1983
LT 28-35 I Furgoneta (281-363)	2.0	CH Gasolina	55	74	75	1975	1983
LT 40-55 I Caja-Chasis (293-9C)	2.0	CH Gasolina	55	74	75	1975	1983
LT 40-55 I Furgoneta (291-512)	2.0	CH Gasolina	55	74	75	1975	1983
MULTIVAN T5 (7HM; 7HN; 7H)	2.0	AXA Gasolina	85	114	115	2003	2015
NEW BEETLE (9C1; 1C1)	1.6	AWH Gasolina	74	99	101	1999	2000
NEW BEETLE (9C1; 1C1)	1.6	AYD; BFS Gasolina	75	101	102	2000	2010
NEW BEETLE (9C1; 1C1)	1.8 T	AGU; APH; AVC; AWI	110	147	149	1999	2010
NEW BEETLE (9C1; 1C1)	1.8 T	AWP; BNU Gasolina	132	177	179	2001	2005
NEW BEETLE (9C1; 1C1)	2.0	AQY; APK; AEG; AZC	85	114	115	1998	2010
NEW BEETLE Descapotable (1.6)	1.6	BFS Gasolina	75	101	102	2003	2010
NEW BEETLE Descapotable (1.8 T)	1.8 T	AWU; AWW; BKF Gas	110	147	149	2003	2010
NEW BEETLE Descapotable (1.2)	2.0	AZJ; BDC; BGD; BEV	85	114	115	2002	2010
PASSAT B1 (32)	1.3	FY Gasolina	40	54	54	1973	1980
PASSAT B1 (32)	1.3	FZ Gasolina	44	59	60	1978	1980
PASSAT B1 (32)	1.3	ZA Gasolina	40	54	54	1973	1978
PASSAT B1 (32)	1.3	ZF Gasolina	44	59	60	1973	1978
PASSAT B1 (32)	1.5	YJ; ZB Gasolina	55	74	75	1973	1975
PASSAT B1 (32)	1.5	ZC Gasolina	63	84	86	1973	1975
PASSAT B1 (32)	1.6	YP Gasolina	63	84	86	1975	1980
PASSAT B1 Variant (33)	1.3	FY Gasolina	40	54	54	1973	1980
PASSAT B1 Variant (33)	1.3	ZA Gasolina	40	54	54	1973	1978
PASSAT B1 Variant (33)	1.3	ZF Gasolina	44	59	60	1973	1978
PASSAT B1 Variant (33)	1.5	YJ; ZB Gasolina	55	74	75	1973	1975
PASSAT B1 Variant (33)	1.5	ZC Gasolina	63	84	86	1973	1975
PASSAT B1 Variant (33)	1.6	YN Gasolina	55	74	75	1976	1980
PASSAT B1 Variant (33)	1.6	YP Gasolina	63	84	86	1975	1980
PASSAT B1 Variant (33)	1.6 i	YS Gasolina	81	109	110	1978	1980
PASSAT B2 (32B)	1.3	EP; EU Gasolina	44	59	60	1980	1986
PASSAT B2 (32B)	1.3	FY Gasolina	40	54	54	1980	1983
PASSAT B2 (32B)	1.3	FZ Gasolina	44	59	60	1980	1986
PASSAT B2 (32B)	1.6	DT Gasolina	55	74	75	1980	1988
PASSAT B2 (32B)	1.6	PP; DTA Gasolina	51	68	69	1986	1988
PASSAT B2 (32B)	1.6	RL Gasolina	53	71	72	1986	1988
PASSAT B2 (32B)	1.6	WV; YN; WY Gasolina	55	74	75	1979	1988
PASSAT B2 (32B)	1.6	YP Gasolina	63	84	86	1981	1983
PASSAT B2 (32B)	1.8	DS; JN; JV Gasolina	66	88	90	1983	1988
PASSAT B2 (32B)	1.8	DZ Gasolina	82	110	111	1983	1988
PASSAT B2 (32B)	1.8	RM Gasolina	64	86	87	1986	1988
PASSAT B2 (32B)	1.9	WN Gasolina	85	114	115	1981	1983
PASSAT B2 (32B)	2.0	JS; HP Gasolina	85	114	115	1983	1988
PASSAT B2 (32B)	2.2	KV Gasolina	100	134	136	1985	1988
PASSAT B2 (32B)	2.2	KX Gasolina	85	114	115	1985	1988
PASSAT B2 Sedan (32B)	1.6	DT; JU Gasolina	55	74	75	1984	1988
PASSAT B2 Sedan (32B)	1.6	PP; DTA Gasolina	51	68	69	1986	1988

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PASSAT B2 Sedan (32B)	1.6	RL Gasolina	53	71	72	1985	1988
PASSAT B2 Sedan (32B)	1.8	DS; JN Gasolina	66	88	90	1985	1988
PASSAT B2 Sedan (32B)	1.8	RM Gasolina	64	86	87	1986	1988
PASSAT B2 Sedan (32B)	2.2	KX Gasolina	85	114	115	1985	1988
PASSAT B2 Variant (33B)	1.3	EP; EU Gasolina	44	59	60	1980	1986
PASSAT B2 Variant (33B)	1.3	FY Gasolina	40	54	54	1980	1983
PASSAT B2 Variant (33B)	1.3	FZ Gasolina	44	59	60	1980	1986
PASSAT B2 Variant (33B)	1.6	DT; JU Gasolina	55	74	75	1983	1988
PASSAT B2 Variant (33B)	1.6	PP; DTA Gasolina	51	68	69	1986	1988
PASSAT B2 Variant (33B)	1.6	RL Gasolina	53	71	72	1986	1988
PASSAT B2 Variant (33B)	1.6	WV; YN; WY Gasolinε	55	74	75	1980	1983
PASSAT B2 Variant (33B)	1.6	YP Gasolina	63	84	86	1981	1983
PASSAT B2 Variant (33B)	1.8	DS; JN; JV Gasolina	66	88	90	1983	1988
PASSAT B2 Variant (33B)	1.8	DZ Gasolina	82	110	111	1983	1988
PASSAT B2 Variant (33B)	1.8	RM Gasolina	64	86	87	1986	1988
PASSAT B2 Variant (33B)	1.8 Syncro	DS; JN Gasolina	66	88	90	1986	1988
PASSAT B2 Variant (33B)	1.9	WN Gasolina	85	114	115	1981	1983
PASSAT B2 Variant (33B)	2.0	JS; HP Gasolina	85	114	115	1983	1988
PASSAT B2 Variant (33B)	2.0 Syncro	JS; HP Gasolina	85	114	115	1984	1988
PASSAT B2 Variant (33B)	2.2	KM; KX Gasolina	85	114	115	1985	1988
PASSAT B2 Variant (33B)	2.2	KV Gasolina	100	134	136	1985	1988
PASSAT B2 Variant (33B)	2.2 Syncro	JT; KX Gasolina	88	118	120	1985	1988
PASSAT B3-B4 (3A5; 3A5)	2.0	2E Gasolina	85	114	115	1991	1995
PASSAT B3-B4 (3A5; 3A5)	2.0 Syncro	2E Gasolina	85	114	115	1989	1993
PASSAT B3-B4 (3A2; 35I)	1.6	AEK; AFT Gasolina	74	99	101	1994	1996
PASSAT B3-B4 (3A2; 35I)	1.6	EZ; 1F; ABN Gasolina	55	74	75	1988	1992
PASSAT B3-B4 (3A2; 35I)	1.6	RF Gasolina	53	71	72	1988	1989
PASSAT B3-B4 (3A2; 35I)	1.8	AAM Gasolina	55	74	75	1990	1996
PASSAT B3-B4 (3A2; 35I)	1.8	ABS; ADZ; RP Gasolii	66	88	90	1988	1996
PASSAT B3-B4 (3A2; 35I)	1.8	PB Gasolina	82	110	111	1988	1992
PASSAT B3-B4 (3A2; 35I)	1.8	PF Gasolina	79	106	107	1988	1993
PASSAT B3-B4 (3A2; 35I)	1.8 16V	KR Gasolina	100	134	136	1988	1989
PASSAT B3-B4 (3A2; 35I)	1.8 G60 Syncro	PG Gasolina	118	158	160	1988	1996
PASSAT B3-B4 (3A2; 35I)	2.0	2E; ADY; AGG; ABA (85	114	115	1990	1996
PASSAT B3-B4 (3A2; 35I)	2.0	AEP Gasolina	79	106	107	1995	1996
PASSAT B3-B4 (3A2; 35I)	2.0 16V	9A Gasolina	100	134	136	1988	1993
PASSAT B3-B4 (3A2; 35I)	2.0 16V	ABF Gasolina	110	147	149	1994	1996
PASSAT B3-B4 (3A2; 35I)	2.0 Syncro	2E; ADY; AGG Gasoli	85	114	115	1990	1996
PASSAT B3-B4 Variant (3A5; ε 1.6		AEK; AFT Gasolina	74	99	101	1994	1995
PASSAT B3-B4 Variant (3A5; ε 1.6		EZ; 1F; ABN Gasolina	55	74	75	1988	1991
PASSAT B3-B4 Variant (3A5; ε 1.6		RF Gasolina	53	71	72	1988	1989
PASSAT B3-B4 Variant (3A5; ε 1.8		AAM Gasolina	55	74	75	1990	1997
PASSAT B3-B4 Variant (3A5; ε 1.8		ABS; ADZ; RP Gasolii	66	88	90	1988	1997
PASSAT B3-B4 Variant (3A5; ε 1.8		PB Gasolina	82	110	111	1988	1992
PASSAT B3-B4 Variant (3A5; ε 1.8		PF Gasolina	79	106	107	1988	1990
PASSAT B3-B4 Variant (3A5; ε 1.8 16V		KR Gasolina	100	134	136	1988	1989
PASSAT B3-B4 Variant (3A5; ε 1.8 G60 Syncro		PG Gasolina	118	158	160	1988	1997
PASSAT B3-B4 Variant (3A5; ε 2.0		2E; ADY; AGG Gasoli	85	114	115	1990	1997
PASSAT B3-B4 Variant (3A5; ε 2.0		2E; ADY; AGG Gasoli	85	114	115	1993	1996
PASSAT B3-B4 Variant (3A5; ε 2.0		AEP Gasolina	79	106	107	1995	1996
PASSAT B3-B4 Variant (3A5; ε 2.0 16V		9A Gasolina	100	134	136	1988	1993
PASSAT B3-B4 Variant (3A5; ε 2.0 16V		ABF Gasolina	110	147	149	1994	1997
PASSAT B3-B4 Variant (3A5; ε 2.0 Syncro		2E; ADY; AGG Gasoli	85	114	115	1990	1996
PASSAT B5 (3B2)	1.6	AHL; ADP; ANA; ARM	74	99	101	1996	2000
PASSAT B5 (3B2)	1.8	ADR; APT; ARG Gasc	92	123	125	1996	2000
PASSAT B5 (3B2)	1.8 Syncro 4moti	ADR; APT; ARG Gasc	92	123	125	1996	2000
PASSAT B5 (3B2)	1.8 T	AEB; ANB; APU; ATM	110	147	149	1996	2000
PASSAT B5 (3B2)	2.0	ASU; AUZ Gasolina	88	118	120	2000	2000

VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
PASSAT B5 (3B2)	2.0 4motion	ASU Gasolina	88	118	120	2000	2000
PASSAT B5 Variant (3B5)	1.6	AHL; ADP; ANA; ARM 74	99	101	101	1997	2000
PASSAT B5 Variant (3B5)	1.8	ADR; APT; ARG Gasc	92	123	125	1997	2000
PASSAT B5 Variant (3B5)	1.8 Syncro 4moti	ADR; APT; ARG Gasc	92	123	125	1997	2000
PASSAT B5 Variant (3B5)	1.8 T	AEB; ANB; APU; ATM	110	147	149	1997	2000
PASSAT B5 Variant (3B5)	2.0	ASU; AUZ Gasolina	88	118	120	2000	2000
PASSAT B5 Variant (3B5)	2.0 4motion	ASU; AUZ Gasolina	88	118	120	2000	2000
PASSAT B5.5 (3B3)	1.6	ALZ Gasolina	75	101	102	2000	2005
PASSAT B5.5 (3B3)	1.8 T	AWM Gasolina	125	168	170	2001	2005
PASSAT B5.5 (3B3)	2.0	ALT Gasolina	96	129	130	2001	2005
PASSAT B5.5 (3B3)	2.0	AZM Gasolina	85	114	115	2000	2005
PASSAT B5.5 (3B3)	2.0 4motion	AZM Gasolina	85	114	115	2000	2005
PASSAT B5.5 Variant (3B6)	1.6	ALZ Gasolina	75	101	102	2000	2005
PASSAT B5.5 Variant (3B6)	2.0	ALT Gasolina	96	129	130	2001	2005
PASSAT B5.5 Variant (3B6)	2.0	AZM Gasolina	85	114	115	2000	2005
PASSAT B5.5 Variant (3B6)	2.0 4motion	AZM Gasolina	85	114	115	2000	2005
PASSAT B6 (3C2)	1.6	BSE; BSF Gasolina	75	101	102	2005	2010
PASSAT B6 Variant (3C5)	1.6	BSE; BSF Gasolina	75	101	102	2005	2010
POLO (86)	0.9	HA Gasolina	29	39	39	1975	1981
POLO (86)	1.1	HB Gasolina	37	50	50	1975	1981
POLO (86)	1.1	HC Gasolina	44	59	60	1975	1981
POLO (86)	1.3	HH Gasolina	44	59	60	1976	1981
POLO CLASSIC (86C; 80)	1.0	AAK; ACM; AAU; HZ	33	44	45	1985	1994
POLO CLASSIC (86C; 80)	1.0	GL Gasolina	29	39	39	1985	1986
POLO CLASSIC (86C; 80)	1.3	MH; HK Gasolina	40	54	54	1985	1987
POLO CLASSIC (86C; 80)	1.3 Cat	MH; NZ Gasolina	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.0	GL Gasolina	29	39	39	1982	1986
POLO Coupe (86C; 80)	1.0	HZ Gasolina	33	44	45	1985	1992
POLO Coupe (86C; 80)	1.0 Cat	AAK; ACM; AAU Gasc	33	44	45	1989	1994
POLO Coupe (86C; 80)	1.1	HB Gasolina	37	50	50	1981	1983
POLO Coupe (86C; 80)	1.3	3F Gasolina	57	76	77	1991	1994
POLO Coupe (86C; 80)	1.3	GK Gasolina	55	74	75	1982	1989
POLO Coupe (86C; 80)	1.3	HH Gasolina	44	59	60	1981	1983
POLO Coupe (86C; 80)	1.3	MH; HK Gasolina	40	54	54	1983	1987
POLO Coupe (86C; 80)	1.3 Cat	3F Gasolina	55	74	75	1989	1994
POLO Coupe (86C; 80)	1.3 Cat	MH; NZ; 2G; AAV Gas	40	54	54	1987	1994
POLO Coupe (86C; 80)	1.3 G40	PY Gasolina	85	114	115	1987	1990
POLO Furgoneta-Hatchback (8	1.0	AAU Gasolina	33	44	45	1992	1994
POLO II (86C; 80)	1.0	GL Gasolina	29	39	39	1981	1986
POLO II (86C; 80)	1.0	HZ Gasolina	33	44	45	1985	1992
POLO II (86C; 80)	1.0 Cat	AAK; ACM; AAU Gasc	33	44	45	1989	1994
POLO II (86C; 80)	1.1	HB Gasolina	37	50	50	1981	1989
POLO II (86C; 80)	1.3	GK Gasolina	55	74	75	1982	1989
POLO II (86C; 80)	1.3	HH Gasolina	44	59	60	1981	1983
POLO II (86C; 80)	1.3	HW Gasolina	37	50	50	1983	1985
POLO II (86C; 80)	1.3	MH; HK Gasolina	40	54	54	1983	1988
POLO II (86C; 80)	1.3 Cat	3F Gasolina	55	74	75	1989	1991
POLO II (86C; 80)	1.3 Cat	MH; NZ; 2G; AAV Gas	40	54	54	1987	1994
POLO III CLASSIC (6V2)	100 1.6	AFT; AEH; AKL; APF; 74	99	101	101	1995	2001
POLO III CLASSIC (6V2)	75 1.6	1F Gasolina	55	74	75	1995	1997
POLO III CLASSIC (6V2)	90 1.8	ABS; ADZ; ADD Gasc	66	88	90	1997	2001
POLO IV (9N ; 9A)	1.8 GTI	BJX Gasolina	110	147	149	2005	2009
POLO IV (9N ; 9A)	1.8 GTi Cup Editi	BBU Gasolina	132	177	179	2006	2009
POLO Variant (6V5)	1.6	AFT; AEH; AKL; APF; 74	99	101	101	1997	2001
POLO Variant (6V5)	1.8	ADZ Gasolina	66	88	90	1997	2001
SANTANA (32B)	1.3	FZ Gasolina	44	59	60	1981	1983
SANTANA (32B)	1.6	DT Gasolina	55	74	75	1981	1984
SANTANA (32B)	1.6	VV Gasolina	55	74	75	1981	1984

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
SANTANA (32B)	1.6	YP Gasolina	63	84	86	1981	1982
SANTANA (32B)	1.8	DS Gasolina	66	88	90	1983	1984
SANTANA (32B)	1.9	WN Gasolina	85	114	115	1981	1983
SANTANA (32B)	2.0	JS; HP Gasolina	85	114	115	1983	1984
SCIROCCO (53)	1.1	FA Gasolina	37	50	50	1974	1979
SCIROCCO (53)	1.3	GF Gasolina	44	59	60	1979	1980
SCIROCCO (53)	1.5	FD Gasolina	63	84	86	1974	1977
SCIROCCO (53)	1.5	FH Gasolina	51	68	69	1974	1975
SCIROCCO (53)	1.5	JB Gasolina	51	68	69	1977	1980
SCIROCCO (53)	1.5	YJ; ZB; FC Gasolina	55	74	75	1974	1975
SCIROCCO (53)	1.6	EG Gasolina	81	109	110	1976	1980
SCIROCCO (53)	1.6	FN; FP Gasolina	55	74	75	1975	1979
SCIROCCO (53)	1.6	FR Gasolina	63	84	86	1975	1980
SCIROCCO (53B)	1.3	GF Gasolina	44	59	60	1980	1983
SCIROCCO (53B)	1.3	HK Gasolina	40	54	54	1983	1984
SCIROCCO (53B)	1.5	JB Gasolina	51	68	69	1980	1983
SCIROCCO (53B)	1.6	EG Gasolina	81	109	110	1980	1982
SCIROCCO (53B)	1.6	EW Gasolina	55	74	75	1983	1989
SCIROCCO (53B)	1.6	FR Gasolina	63	84	86	1980	1984
SCIROCCO (53B)	1.6	RE Gasolina	53	71	72	1986	1990
SCIROCCO (53B)	1.8	DX; EV; JJ; PB Gasoli	82	110	111	1982	1989
SCIROCCO (53B)	1.8	EX Gasolina	66	88	90	1983	1992
SCIROCCO (53B)	1.8	JH Gasolina	70	94	95	1985	1992
SCIROCCO (53B)	1.8 16V	KR Gasolina	102	137	139	1985	1989
SCIROCCO (53B)	1.8 16V	PL Gasolina	95	127	129	1986	1992
SHARAN (7M8; 7M9; 7M6)	1.8 T 20V	AJH; AWC Gasolina	110	147	149	1997	2010
SHARAN (7M8; 7M9; 7M6)	2.0	ADY; ATM Gasolina	85	114	115	1995	2010
SHARAN (7M8; 7M9; 7M6)	2.0 16V	ABF Gasolina	110	147	149	1995	2000
SHARAN (7M8; 7M9; 7M6)	2.0 LPG	ATM Gasolina Gas (LI	85	114	115	2006	2010
SHARAN Furgoneta-monovolu	2.0 (7M8; 7M9)	ADY; ATM Gasolina	85	114	115	1996	2002
TOURAN (1T1; 1T2)	1.6	BGU; BSE; BSF Gasc	75	101	102	2003	2010
TOURAN (1T1; 1T2)	2.0 EcoFuel	BSX CNG	80	107	109	2006	2009
TOURAN Furgoneta-monovolu	2.0 EcoFuel	BSX Gasolina Gas na	80	107	109	2006	2006
TRANSPORTER T3 Autobus (;	1.6	CT; CZ Gasolina	37	50	50	1979	1982
TRANSPORTER T3 Autobus (;	1.9	DF Gasolina	44	59	60	1982	1992
TRANSPORTER T3 Autobus (;	1.9	DG Gasolina	57	76	77	1982	1992
TRANSPORTER T3 Autobus (;	1.9	DH Gasolina	61	82	83	1983	1985
TRANSPORTER T3 Autobus (;	1.9	GW Gasolina	66	88	90	1983	1985
TRANSPORTER T3 Autobus (;	1.9 Syncro	DG Gasolina	57	76	77	1985	1992
TRANSPORTER T3 Autobus (;	2.1	DJ Gasolina	82	110	111	1984	1992
TRANSPORTER T3 Autobus (;	2.1	MV Gasolina	70	94	95	1985	1992
TRANSPORTER T3 Autobus (;	2.1	SR Gasolina	64	86	87	1986	1992
TRANSPORTER T3 Autobus (;	2.1 Cat	MV Gasolina	70	94	95	1989	1992
TRANSPORTER T3 Autobus (;	2.1 i	ss Gasolina	68	91	92	1989	1992
TRANSPORTER T3 Autobus (;	2.1 Syncro	DJ Gasolina	82	110	111	1986	1992
TRANSPORTER T3 Autobus (;	2.1 Syncro	MV Gasolina	70	94	95	1985	1992
TRANSPORTER T3 Autobus (;	2.1 Syncro	SR Gasolina	64	86	87	1986	1992
TRANSPORTER T3 Caja-Cha	1.9	DF Gasolina	44	59	60	1982	1992
TRANSPORTER T3 Caja-Cha	1.9	DG Gasolina	57	76	77	1982	1992
TRANSPORTER T3 Caja-Cha	1.9	DH Gasolina	61	82	83	1984	1989
TRANSPORTER T3 Caja-Cha	1.9 Syncro	DG Gasolina	57	76	77	1984	1992
TRANSPORTER T3 Caja-Cha	2.1	DJ Gasolina	82	110	111	1986	1992
TRANSPORTER T3 Caja-Cha	2.1	MV Gasolina	70	94	95	1985	1992
TRANSPORTER T3 Caja-Cha	2.1 i	ss Gasolina	68	91	92	1989	1992
TRANSPORTER T3 Caja-Cha	2.1 Syncro	DJ Gasolina	82	110	111	1986	1992
TRANSPORTER T3 Caja-Cha	2.1 Syncro	MV Gasolina	70	94	95	1985	1992
TRANSPORTER T3 Furgoneta	1.6	CT; CZ Gasolina	37	50	50	1979	1982
TRANSPORTER T3 Furgoneta	1.9	DF Gasolina	44	59	60	1982	1992

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493



VW							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
TRANSPORTER T3 Furgoneta 1.9		DG Gasolina	57	76	77	1982	1992
TRANSPORTER T3 Furgoneta 1.9		DH Gasolina	61	82	83	1984	1989
TRANSPORTER T3 Furgoneta 1.9		GW Gasolina	66	88	90	1983	1989
TRANSPORTER T3 Furgoneta 1.9 Syncro		DG Gasolina	57	76	77	1984	1992
TRANSPORTER T3 Furgoneta 2.1		DJ Gasolina	82	110	111	1986	1992
TRANSPORTER T3 Furgoneta 2.1		MV Gasolina	70	94	95	1985	1992
TRANSPORTER T3 Furgoneta 2.1 i		ss Gasolina	68	91	92	1989	1992
TRANSPORTER T3 Furgoneta 2.1 Syncro		DJ Gasolina	82	110	111	1986	1992
TRANSPORTER T3 Furgoneta 2.1 Syncro		MV Gasolina	70	94	95	1985	1992
TRANSPORTER T4 Autobus (1.8		PD Gasolina	49	66	67	1990	1992
TRANSPORTER T4 Autobus (2.0		AAC Gasolina	62	83	84	1990	2003
TRANSPORTER T4 Caja-Cha: 2.0		AAC Gasolina	62	83	84	1990	2003
TRANSPORTER T4 Furgoneta 2.0		AAC Gasolina	62	83	84	1990	2003
TRANSPORTER T5 Autobus (2.0		AXA Gasolina	85	114	115	2003	2015
TRANSPORTER T5 Caja-Cha: 2.0		AXA Gasolina	85	114	115	2003	2013
TRANSPORTER T5 Furgoneta 2.0		AXA Gasolina	85	114	115	2003	2015
TRANSPORTER T5 Furgoneta 2.0 BiFuel		AXA Gasolina Gas na	85	114	115	2007	2015
VENTO (1H2)	1.4	ABD; AEX Gasolina	40	54	54	1991	1998
VENTO (1H2)	1.4	ABD; AEX Gasolina	44	59	60	1991	1998
VENTO (1H2)	1.6	AEK; AFT; AKS Gaso	74	99	101	1994	1998
VENTO (1H2)	1.8	AAM Gasolina	55	74	75	1991	1998
VENTO (1H2)	1.8	ACC; ABS; ADZ; ADD	66	88	90	1991	1998
VENTO (1H2)	2.0	2E; ADY; AGG; AKR;	85	114	115	1991	1998

WARTBURG							
Serie	Model	Engine	Kw	HP	CV	Start	Finish
353	1.3	4VO7;2 7;5GRF Gaso	43	58	58	1988	1991
353 Tourist	1.3	4VO7;2 7;5GRF Gaso	43	58	58	1989	1991

DIMENSIONS

H (Height):	122 mm
OD (Outer Diameter):	76 mm
Th (Thread):	3/4"-16
Drain (Drain):	NO
Wrench (Uninstall tool):	75mm 15R
Gaskets:	
1 Unit/s (OD/ID)	71 mm / 62 mm

PROPERTIES

ANTIDRAIN BACK VALVE

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	9.1 Kg
VOLUME:	0.02 cbm
EAN13:	5055148200497
ITF14:	85055148200493

