

For updated information visit <http://mlrd.es/ML-17189>

CROSS REFERENCES

BALDWIN	P7188	KNECHT/MAHLE	OX 174D ECO
BOSCH	F 026 407 026	LUBER-FINER	LP8741
DONALDSON	P550761	MANN	HU 945/2 X
FLEETGUARD	LF3914	MERCEDES BENZ	000 180 17 09
FRAM	CH9389 ECO	UFI	2503600
HENGST	E161H01 D28	WIX	57215

APPLICATIONS (EUROPE)

AGRALE-DEUTZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Agrotron 6 TTV-Serie	6160 TTV Agrotr	TCD 6.1 L06 4V	122	164	166	2012	
Agrotron 6-Serie	6150P	TCD 6.1 L06 T4i	110	147	149	2012	2013
Agrotron 6-Serie	6160	TCD 6.1 L06 Tier T4i	115	154	156	2012	
Agrotron K COM 3	610						

CLAAS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Dominator	128 VX	OM 906 LA	193	259	262		
Dominator	128 VX	OM 906 LA	205	275	279		
Medion	310	OM 906 LA	150	201	204		
Medion	320	OM 906 LA	170	228	231		
Medion	330	OM 906 LA	170	228	231		
Medion	340	OM 906 LA	180	241	245	2000	
Mega	203	OM 906 LA	170	228	231		
Mega	204	OM 906 LA	170	228	231		
Mega	208	OM 906 LA	190	255	258		
Mega	218	OM 906 LA	199	267	270		
Mega	350	OM 906 LA	162	217	220	2003	
Mega	360	OM 906 LA	180	241	245	2003	
Mega	370	OM 906 LA	205	275	279		

DIMENSIONS

H (Height):	213 mm
OD (Outer Diameter):	84 mm
ID (Inner Diameter):	36 mm
ID2 (Inner Diameter):	10 mm

Gaskets:

1 Unit/s (OD/ID)	100 mm / 92 mm
------------------	----------------

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	5.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201944



ITF14: 85055148201940



CLAAS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Tucano	320	OM 906 LA	140	188	190		
Tucano	330	OM 906 LA	177	237	240		
Tucano	340	OM 906 LA	191	256	260		
Tucano	430	OM 906 LA	177	237	240		
Tucano	440	OM 906 LA	191	256	260		
Tucano	450	OM 926 LA	202	271	274		
Tucano	470	OM 926 LA	240	322	326		
Tucano	560	OM 936 LA	230	308	313		

DEMAG

Serie	Model	Engine	Kw	HP	CV	Start	Finish
AC	300-1	OM 502 LA	448	601	609	2001	
AC	40-1	OM 906 LA	205	275	279	2000	
AC	50-1	OM 926 LA	240	322	326	2000	
AC	500-1	OM 502 LA	448	601	609	2001	
AC	650	OM 502 LA	420	563	571	2000	

EVOBUS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
CapaCity	CapaCity	OM 457 hLA	220	295	299	2007	
CapaCity	CapaCity	OM 457 hLA	260	349	353	2007	
Citaro	12M	OM 457 hLA	220	295	299	2011	
Citaro	12M	OM 906 hLA	210	282	285	2011	
Citaro	12M	OM 926 LA	210	282	285	2011	
Citaro	12M	OM 926 LA	260	349	353	2011	
Citaro	18M	OM 457 hLA	220	295	299	2011	
Citaro	18M	OM 906 hLA	210	282	285	2011	
Citaro	18M	OM 926 LA	210	282	285	2011	
Citaro	18M	OM 926 LA	260	349	353	2011	
Citaro	K	OM 906 LA	210	282	285	2006	
Citaro	K	OM 926 LA	210	282	285	2006	
Citaro	MUE	OM 457 hLA	220	295	299	2005	
Citaro	MUE	OM 457 hLA	260	349	353	2005	
Citaro	O 530	OM 457 hLA	185	248	251	1998	
Citaro	O 530	OM 457 hLA	210	282	285	2006	
Citaro	O 530	OM 457 hLA	220	295	299	1998	
Citaro	O 530	OM 457 hLA	220	295	299	2004	
Citaro	O 530	OM 457 hLA	260	349	353	1998	
Citaro	O 530	OM 457 hLA	260	349	353	2006	
Citaro	O 530	OM 906 LA hLa	170	228	231	1998	
Citaro	O 530	OM 906 LA hLa	205	275	279	1998	
Citaro	O 530	OM 906 LA hLa Euro	205	275	279	2004	
Citaro	O 530	OM 926 LA hLa Euro	210	282	285	2009	
Citaro	O 530 CNG	M447 hLAG				2001	
Citaro	UE	OM 457 hLA	220	295	299	2005	
Citaro	UE	OM 457 hLA	260	349	353	2005	
Citaro K	K	OM 906 926 LA	210	282	285	2006	
Conecto	C	OM 457.942 hLA	184	247	250	2001	
Conecto	C	OM 457.942 hLA	220	295	299	2001	
Conecto	C	OM 457.942 hLA	260	349	353	2001	
Conecto	C	OM 906.960 LA	205	275	279	2001	
Conecto	H	OM 457.942 hLA	184	247	250	2001	
Conecto	H	OM 457.942 hLA	220	295	299	2001	
Conecto	H	OM 457.942 hLA	260	349	353	2001	
Conecto	H	OM 906.960 LA	205	275	279	2001	
Conecto	M	OM 457.942 hLA	184	247	250	2001	
Conecto	M	OM 457.942 hLA	220	295	299	2001	

DIMENSIONS

H (Height):	213 mm
OD (Outer Diameter):	84 mm
ID (Inner Diameter):	36 mm
ID2 (Inner Diameter):	10 mm

Gaskets:

1 Unit/s (OD/ID)	100 mm / 92 mm
------------------	----------------

PRESENTATION

UNITS PER BOX:	24
----------------	----

WEIGHT:	5.3 Kg
---------	--------

VOLUME:	0.05 cbm
---------	----------

EAN13:	5055148201944
--------	---------------



ITF14:	85055148201940
--------	----------------



**EVOBUS**

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Conecto	M	OM 457.942 hLA	260	349	353	2001	
Conecto	UE	OM 457.942 hLA	184	247	250	2001	
Conecto	UE	OM 457.942 hLA	220	295	299	2001	
Conecto	UE	OM 457.942 hLA	260	349	353	2001	
Conecto	UE	OM 906.960 LA	205	275	279	2001	
Conecto II	12	OM 926 LA	210	282	285	2007	
Integro I	O 550	OM 457 hLA	260	349	353	2002	2006
Integro II	L	OM 457 hLA	220	295	299	2006	
Integro II	L	OM 457 hLA	260	349	353	2006	
Integro II	L	OM 457 hLA	300	402	408	2006	
Integro II	L	OM 926 LA	210	282	285	2006	
Integro II	M	OM 457 hLA	220	295	299	2006	
Integro II	M	OM 457 hLA	260	349	353	2006	
Integro II	M	OM 457 hLA	300	402	408	2006	
Integro II	M	OM 926 LA	210	282	285	2006	
Intoruro I	RH	OM 457 hLA	260	349	353	2001	2007
Intoruro I	RH	OM 457 LA	260	349	353	2001	2007
Intoruro I	RHD	OM 457 hLA	260	349	353	2001	2007
Intoruro I	RHD	OM 457 LA	260	349	353	2001	2007
Intouro II	E	OM 457 hLA	220	295	299	2007	
Intouro II	E	OM 457 hLA	260	349	353	2007	
Intouro II	E	OM 457 hLA	300	402	408	2007	
Intouro II	E	OM 926 LA	210	282	285	2007	
Intouro II	M	OM 457 hLA	220	295	299	2007	
Intouro II	M	OM 457 hLA	260	349	353	2007	
Intouro II	M	OM 457 hLA	300	402	408	2007	
Intouro II	M	OM 926 LA	210	282	285	2007	
Intouro II	ME	OM 457 hLA	220	295	299	2007	
Intouro II	ME	OM 457 hLA	260	349	353	2007	
Intouro II	ME	OM 457 hLA	300	402	408	2007	
Intouro II	ME	OM 926 LA	210	282	285	2007	
Setra	S 313 UL	OM 447 hLA	257	345	349	1995	
Setra	S 313 UL	OM 457 hLA	185	248	251	2000	
Setra	S 315 GT	OM 457 hLA	220	295	299	2000	
Setra	S 315 NF	OM 457 hLA	185	248	251	2000	
Setra	S 315 UL	OM 447 hLA	220	295	299	1995	
Setra	S 315 UL	OM 457 hLA	185	248	251	2000	
Setra	S 316 UL	OM 457 hLA	220	295	299	2000	
Setra	S 317 UL	OM 457 hLA	185	248	251	2001	
Setra	S 319 NF	OM 457 hLA	185	248	251	2000	
Setra	S 319 NF	OM 457 hLA	185	248	251	2001	
Setra	S 319 UL	OM 457 hLA	185	248	251	2000	
Setra	S 412 HD	OM 457 hLA	220	295	299	2010	
Setra	S 412 UL	OM 457 hLA	220	295	299	2005	
Setra	S 412 UL	OM 457 hLA	260	349	353	2005	
Setra	S 412 UL	OM 457 hLA	299	401	406	2005	
Setra	S 415 GT	OM 457 hLA	220	295	299	2003	
Setra	S 415 H	OM 457 hLA	220	295	299	2010	
Setra	S 415 NF	OM 457 hLA	220	295	299	2006	
Setra	S 415 NF	OM 906 hLA	210	282	285	2006	
Setra	S 415 UL	OM 457 hLA	220	295	299	2006	
Setra	S 415 UL	OM 457 hLA	260	349	353	2006	
Setra	S 415 UL	OM 457 hLA	299	401	406	2006	
Setra	S 416 GT	OM 457 hLA	220	295	299	2003	
Setra	S 416 H	OM 457 hLA	220	295	299	2010	
Setra	S 416 NF	OM 457 hLA	220	295	299	2006	
Setra	S 416 NF	OM 906 hLA	210	282	285	2006	
Setra	S 416 UL	OM 457 hLA	220	295	299	2006	

DIMENSIONS

H (Height): 213 mm

OD (Outer Diameter): 84 mm

ID (Inner Diameter): 36 mm

ID2 (Inner Diameter): 10 mm

Gaskets:

1 Unit/s (OD/ID) 100 mm / 92 mm

PRESENTATION

UNITS PER BOX: 24


WEIGHT: 5.3 Kg

VOLUME: 0.05 cbm

EAN13: 5055148201944



ITF14: 85055148201940



EVOBUS

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Setra	S 416 UL	OM 457 hLA	300	402	408	2006	
Setra	S 417 UL	OM 457 hLA	220	295	299	2006	
Setra	S 417 UL	OM 457 hLA	260	349	353	2006	
Setra	S 417 UL	OM 457 hLA	300	402	408	2006	
Setra	S 419 UL	OM 457 hLA	220	295	299	2006	
Setra	S 419 UL	OM 457 hLA	260	349	353	2006	
Setra	S 419 UL	OM 457 hLA	300	402	408	2006	
Setra	SG 321 UL	OM 457 hLA	220	295	299	2000	

FENDT

Serie	Model	Engine	Kw	HP	CV	Start	Finish
700 Vario-Serie	712						
700 Vario-Serie	714 S4						
700 Vario-Serie	714 Vario	TCD	85	114	115	2007	
700 Vario-Serie	714 Vario SCR		107	143	145	2012	
700 Vario-Serie	714 Vario SCR	TCD	121	162	164	2012	
700 Vario-Serie	724 Vario		96	129	130	2007	
700 Vario-Serie	726 Vario		121	162	164	2007	
700 Vario-Serie	727 Vario		132	177	179	2007	
Favorit 700 700 Vario-Serie	711 Vario	BF6M 2013	85	114	115	1999	2006
Favorit 700 700 Vario-Serie	712 Vario	TCD 2012 L6 4V	85	114	115	2006	
Favorit 700 700 Vario-Serie	714 Vario	TCD 2012 L6 4V	96	129	130	2006	
Favorit 700 700 Vario-Serie	716 Vario	TCD 2012 L6 4V	110	147	149	2006	
Favorit 700 700 Vario-Serie	718 Vario	TCD 2012 L6 4V	121	162	164	2006	

GROVE

Serie	Model	Engine	Kw	HP	CV	Start	Finish
GMK	2035	OM 906 LA	205	275	279	1998	
GMK	6300	OM 502 LA	420	563	571	1998	

LIEBHERR

Serie	Model	Engine	Kw	HP	CV	Start	Finish
LTM	1030	OM 906 LA	205	275	279	1998	
LTM	1032	OM 906 LA	205	275	279	1998	

MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Atego I 950-953, 970, 974, 975	1023	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1223	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1225	OM 906 LA	180	241	245	1998	2004
Atego I 950-953, 970, 974, 975	1228	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	1323	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1325	OM 906 LA	180	241	245	1998	2004
Atego I 950-953, 970, 974, 975	1328	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	1333	OM 926 LA	240	322	326	2002	2004
Atego I 950-953, 970, 974, 975	1523	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1525	OM 906 LA	180	241	245	1998	2004
Atego I 950-953, 970, 974, 975	1528	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	1533	OM 926 LA	240	322	326	2002	2004
Atego I 950-953, 970, 974, 975	1823	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1828	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	1833	OM 926 LA	240	322	326	2002	2004
Atego I 950-953, 970, 974, 975	1923	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	1928	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	2223	OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975	2228	OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975	2523	OM 906 LA	170	228	231	1998	2004

DIMENSIONS

H (Height):	213 mm
OD (Outer Diameter):	84 mm
ID (Inner Diameter):	36 mm
ID2 (Inner Diameter):	10 mm
Gaskets:	
1 Unit/s (OD/ID)	100 mm / 92 mm

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	5.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201944



ITF14: 85055148201940



MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Atego I 950-953, 970, 974, 975 2528		OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975 2533		OM 926 LA	240	322	326	2002	2004
Atego I 950-953, 970, 974, 975 2628		OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975 2633		OM 926 LA	240	322	326	2002	2004
Atego I 950-953, 970, 974, 975 823		OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975 828 F		OM 906 LA	205	275	279	1998	2004
Atego I 950-953, 970, 974, 975 923		OM 906 LA	170	228	231	1998	2004
Atego I 950-953, 970, 974, 975 925		OM 906 LA	180	241	245	1998	2004
Atego I 950-953, 970, 974, 975 928		OM 906 LA	205	275	279	1998	2004
Atego II 970, 972, 974 1023		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 1024 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 1026 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 1029 BlueTec		OM 906 LA	210	282	285	2005	
Atego II 970, 972, 974 1223		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 1224 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 1226 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 1228		OM 906 LA	205	275	279	2004	
Atego II 970, 972, 974 1229 BlueTec		OM 906 LA	210	282	285	2005	
Atego II 970, 972, 974 1323		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 1324 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 1326 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 1328		OM 906 LA	205	275	279	2004	
Atego II 970, 972, 974 1329 BlueTec		OM 906 LA	210	282	285	2005	
Atego II 970, 972, 974 1523		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 1524 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 1526 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 1528		OM 906 LA	205	275	279	2004	
Atego II 970, 972, 974 1529 BlueTec		OM 906 LA	210	282	285	2005	
Atego II 970, 972, 974 1624 BlueTec		OM 906 LA	175	235	238	2008	
Atego II 970, 972, 974 1629 BlueTec		OM 906 LA	210	282	285	2008	
Atego II 970, 972, 974 823		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 824 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 826 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 829 BlueTec		OM 906 LA	210	282	285	2005	
Atego II 970, 972, 974 923		OM 906 LA	170	228	231	2004	
Atego II 970, 972, 974 924 BlueTec		OM 906 LA	175	235	238	2005	
Atego II 970, 972, 974 926 BlueTec		OM 906 LA	188	252	255	2005	
Atego II 970, 972, 974 929 BlueTec		OM 906 LA	210	282	285	2005	
Axor II 940, 942, 943, 944, 950 1823		OM 906 LA	170	228	231	2004	
Axor II 940, 942, 943, 944, 950 1824 BlueTec		OM 906 LA	175	235	238	2005	
Axor II 940, 942, 943, 944, 950 1826 BlueTec		OM 906 LA	188	252	255	2005	
Axor II 940, 942, 943, 944, 950 1828		OM 906 LA	205	275	279	2004	
Axor II 940, 942, 943, 944, 950 1829 BlueTec		OM 906 LA	210	282	285	2005	
Axor II 940, 942, 943, 944, 950 1833		OM 926 LA	240	322	326	2004	
Axor II 940, 942, 943, 944, 950 1833 BlueTec		OM 926 LA	240	322	326	2005	
Axor II 940, 942, 943, 944, 950 2523		OM 906 LA	170	228	231	2004	
Axor II 940, 942, 943, 944, 950 2528		OM 906 LA	205	275	279	2004	
Axor II 940, 942, 943, 944, 950 2529 BlueTec		OM 906 LA	210	282	285	2005	
Axor II 940, 942, 943, 944, 950 2533		OM 926 LA	240	322	326	2004	
Axor II 940, 942, 943, 944, 950 2628		OM 906 LA	205	275	279	2004	
Axor II 940, 942, 943, 944, 950 2629 BlueTec		OM 906 LA	210	282	285	2005	
Axor II 940, 942, 943, 944, 950 2633		OM 926 LA	240	322	326	2004	
Axor II 940, 942, 943, 944, 950 2633 BlueTec		OM 926 LA	240	322	326	2005	
Axor II 940, 942, 943, 944, 950 3228		OM 906 LA	205	275	279	2004	
Econic 956 957 1823		OM 906 LA	170	228	231	1998	
Econic 956 957 1828		OM 906 LA	205	275	279	1998	
Econic 956 957 1828 NTG		M 906 LAG	205	275	279	2002	
Econic 956 957 1833		OM 926 LA	240	322	326	2004	

DIMENSIONS

H (Height):	213 mm
OD (Outer Diameter):	84 mm
ID (Inner Diameter):	36 mm
ID2 (Inner Diameter):	10 mm
Gaskets:	
1 Unit/s (OD/ID)	100 mm / 92 mm

PRESENTATION

UNITS PER BOX:	24
WEIGHT:	5.3 Kg
VOLUME:	0.05 cbm
EAN13:	5055148201944



ITF14: 85055148201940



MERCEDES-BENZ

Serie	Model	Engine	Kw	HP	CV	Start	Finish
Econic 956 957	2628	OM 906 LA	205	275	279	1998	
Econic 956 957	2628 NTG	M906 LAG	205	275	279	2002	
Econic 956 957	2633	OM 926 LA	240	322	326	2004	
Econic 956 957	3233	OM 926 LA	240	322	326	2005	

DIMENSIONS

H (Height): 213 mm

OD (Outer Diameter): 84 mm

ID (Inner Diameter): 36 mm

ID2 (Inner Diameter): 10 mm

Gaskets:

1 Unit/s (OD/ID) 100 mm / 92 mm

PRESENTATION

UNITS PER BOX: 24

WEIGHT: 5.3 Kg

VOLUME: 0.05 cbm

EAN13: 5055148201944



ITF14: 85055148201940

